

July 29, 2022

**TRANSMITTAL VIA EMAIL 07/29/2022**

Ms. Lori Babcock  
Michigan Department of Environment, Great Lakes, and Energy  
Materials Management Division  
Bay City District Office  
401 Ketchum St, Suite B  
Bay City, Michigan 48708

**SUBJECT:       Semiannual Progress Report – Selection of Final Remedy pursuant to §257.97(a)  
DE Karn Bottom Ash Pond Coal Combustion Residuals (CCR) Unit**

Dear Ms. Babcock,

Consumers Energy prepared and submitted to the Michigan Department of Environment, Great Lakes, and Energy (EGLE) a closure work plan for the Karn Bottom Ash Pond (Karn Bottom Ash Pond Work Plan) and a Response Action Plan developed in accordance with Part 115 dated November 30, 2018 and March 15, 2019, respectively. These plans were developed in anticipation of supporting the Assessment of Corrective Measures that would be necessary for evaluating and selecting a final remedy for the Karn Bottom Ash Pond after Consumers Energy provided notification of exceeding Groundwater Protection Standard (GWPS) per §257.95(g) that arsenic was present at statistically significant levels above the federal GWPS in five of six downgradient wells at the Karn Bottom Ash Pond.

EGLE approved the Karn Bottom Ash Pond Work Plan on December 20, 2019 based on expectation that a report documenting the removal activities and certifying solid waste has been removed in accordance with the work plan would be submitted at the completion of activities. Consumers Energy submitted for review and approval, *D.E. Karn Generating Facility Bottom Ash Pond CCR Removal Documentation Report* (Karn Bottom Ash Pond Closure Report) on October 30, 2019 to satisfy requirements for completing the removal of solid waste so that obtaining a solid waste operating license was unnecessary. The certification of solid waste removal was approved by EGLE on December 1, 2020. Subsequently, EGLE approved the Response Action Plan on May 14, 2020 based on submittal of the Assessment of Corrective Measures.

Closure by removal has been achieved pursuant to 324.11519b(9)(b) by documenting the removal of sources of contamination under the response action plan. However, concentrations of arsenic in groundwater exceeding the GWPS pursuant to 40 CFR 257.95(h) have persisted within the compliance monitoring well network after the source removal activities were completed. EGLE has approved a remedy consistent with R 299.4444 and R 299.4445 of the Part 115 rules through the approval of the DE Karn Hydrogeological Monitoring Plan, Rev. 03 that includes the determination of Groundwater Not in an Aquifer and groundwater mixing zone authorization. Additional steps needed to address residual groundwater contamination are discussed in the observations and results sections below.

This Semiannual Progress Report, prepared as a requirement of §257.97(a) of the Federal Coal Combustion Residual (CCR) Rule, describes progress towards selecting and implementing the final remedy for the Karn Bottom Ash Pond after the completion of the *Assessment of Corrective Measures, DE Karn Bottom Ash Pond Coal Combustion Residual Unit*, dated September 11, 2019 (Karn Bottom Ash Pond ACM) (TRC, 2019). Groundwater management alternatives considered to be technically feasible following source removal activities that could potentially address the residual arsenic under *known* groundwater conditions were identified in the report as: 1) Source removal with post-remedy monitoring, 2) Source removal with groundwater capture/control, 3) Source removal with impermeable barrier, 4) Source removal with active geochemical sequestration, and 5) Source removal with passive geochemical sequestration.

### **Karn Bottom Ash Pond Assessment Activities for this Period**

Consumers Energy completed installation of six monitoring wells within the former Karn Bottom Ash Pond area during the first week of March 2022 and collected groundwater samples and gauged water elevations in March 2022 and May 2022. These data will be summarized in the 2022 Annual Groundwater Monitoring and Corrective Action Report to be submitted in January 2023. Based on the evaluation of data from the May 2022 sampling event, the following general observations were noted:

- Groundwater flow and direction was found to confirm the lack of radial flow within the former bottom ash pond area and helped to refine the extent of the new potentiometric high;
- Lithology collected from the boring logs indicated that at least nine feet of compacted clay backfill was placed within the excavated portion of the former Karn Bottom Ash Pond;
- Laboratory permeability tests were conducted on Shelby Tube samples collected at three of the six location where new monitoring wells were installed indicating hydraulic conductivity ranging from  $1.3 \times 10^{-07}$  cm/sec to  $1.8 \times 10^{-08}$  cm/sec.
- Underlying native soils were consistent with characterizations and descriptions from previous investigations, including notable presence of organics in part of the lithologic profile; and
- The distribution of arsenic was confirmed to be below the site-specific chronic concentration of 100 ug/L at all six locations; however, several monitoring wells had arsenic observed at concentrations above the site-specific GWPS of 21 ug/L.

### **Results of May 2022 Sampling Event**

Statistical analysis from the May 2022 semiannual groundwater monitoring event verified that the only constituent of concern that is present at statistically significant levels above the established GWPS is arsenic. Results are presented in *May 2022 Assessment Monitoring Data Summary and Statistical Evaluation Consumers Energy, DE Karn Site, Bottom Ash Pond CCR Unit (May 2022 Event Summary)* (TRC,

2022a). Additionally, monitoring performed under the Karn Groundwater Surface-Water Interface (GSI) Compliance Plan demonstrates protection of human health and the environment with criteria determined to be protective at the point of exposure. These results are presented in the *First Semiannual 2022 Nature and Extent Data Summary, DE Karn Bottom Ash Pond, Consumers Energy* (N&E Summary) (TRC, 2022b).

Significant observations from the event summaries are as follows:

- Groundwater potentiometric surface within the area of the former Karn Bottom Ash Pond exhibits flow primarily moving west towards the intake channel, or south towards the Karn Generating Plant rather than radially from within the pond area;
- Regionally, radial flow is observed with a new “high” point shifted to the east of the former Karn Bottom Ash Pond geographically centered between monitoring wells DEK-MW-15003 and OW-12;
- Based on changes in the groundwater potentiometric surface, Monitoring Wells DEK-MW-15003 and DEK-MW-15004 are no longer downgradient from the CCR unit and indicative of determining attainment of GWPS for arsenic or detecting new releases from the former Karn Bottom Ash Pond;
- The Karn Bottom Ash Pond groundwater monitoring system was recertified with downgradient monitoring wells DEK-MW-15002, DEK-MW-15005, DEK-MW-15006, and DEK-MW-18001;
- No additional Appendix IV constituents have been observed at statistically significant levels above GWPS for the Karn Bottom Ash Pond groundwater monitoring system;
- Redox conditions continue to demonstrate that groundwater redox chemistry equilibrium is continuing to shift back to pre-source removal conditions as reflected in the trends for dissolved oxygen reverting back to primarily anoxic concentrations (e.g. less than 0.5 mg/L) and electrical potential primarily returning to negative potential; and
- Arsenic concentrations at DEK-MW-15002 has a statistically significant decreasing trend based on the previous eight events and arsenic concentrations have been below the GWPS since April 2019.

## Conclusions


Source removal activities for the Karn Bottom Ash Pond have been completed and documented in the Karn Bottom Ash Pond Closure Report submitted to EGLE on October 30, 2019. Improvements in groundwater quality have been observed in the groundwater monitoring system, but observations of ongoing changes in groundwater potentiometric surface that may influence groundwater flow characteristics and/or alter groundwater redox conditions at monitoring locations that could influence constituent concentrations, still require further evaluation before a final remedy can be selected. To aid in the further evaluation,

Consumers Energy installed six additional monitoring wells within the former Karn Bottom Ash Pond area that were integrated into the 2022 sampling schedule. Subsequent sampling events to include the additional monitoring wells will inform the on-going improvements and retention of monitoring-only, passive, or active remedial options following the source removal. As conditions continue to be evaluated post-source removal, the drinking water and groundwater-surface water interface (GSI) pathway are protected by quarterly monitoring performed under the Michigan-approved hydrogeological monitoring plan that includes a GSI Compliance Monitoring Program.

The final remedy for the Karn Bottom Ash Pond will be formally selected per §257.97 and Michigan Solid Waste requirements once the selected option is reviewed and commented on by EGLE and a public meeting is conducted at least 30-days prior to the final selection as required under §257.96(e).

The next semiannual progress report will be submitted in six months by January 31, 2023. Please feel free to contact me with any questions or clarifications.

Sincerely,



Harold D. Register, Jr., P.E.

Principal Engineer

Landfill Operations Compliance

Phone: (517) 788-2982

Email: [harold.registerjr@cmsenergy.com](mailto:harold.registerjr@cmsenergy.com)

cc: Mr. Phil Roycraft, EGLE Bay City District Office  
Mr. Mike Quigg, EGLE Bay City District Office  
Ms. Margie Ring, EGLE Lansing Office  
Mr. Jim Arduin, EGLE Lansing Office  
Mr. Caleb Batts, Consumers Energy  
Ms. Darby Litz, TRC

Enclosure: May 2022 Assessment Monitoring Data Summary and Statistical Evaluation Consumers Energy, DE Karn Site, Bottom Ash Pond CCR Unit. (TRC, July 29, 2022a).

First Semiannual 2022 Nature and Extent Data Summary, DE Karn Bottom Ash Pond, Consumers Energy. (TRC, July 29, 2022b).



# May 2022 Assessment Monitoring Data Summary and Statistical Evaluation

DE Karn, Bottom Ash Pond CCR Unit

Essexville, Michigan

July 2022

A handwritten signature in blue ink that reads "Darby Litz".

---

Darby Litz  
Hydrogeologist/Project Manager

Prepared For:

Consumers Energy Company

Prepared By:

TRC  
1540 Eisenhower Place  
Ann Arbor, Michigan 48108

A handwritten signature in blue ink that reads "Kristin Lowery".

---

Kristin Lowery, E.I.T.  
Project Engineer

## TABLE OF CONTENTS

<b>1.0</b>	<b>Introduction.....</b>	<b>1</b>
1.1	Program Summary .....	1
1.2	Site Overview .....	3
1.3	Geology/Hydrogeology .....	4
<b>2.0</b>	<b>Groundwater Monitoring .....</b>	<b>6</b>
2.1	Monitoring Well Network.....	6
2.2	May 2022 Assessment Monitoring.....	6
	2.2.1 Groundwater Flow Rate and Direction.....	7
	2.2.2 Data Quality .....	8
<b>3.0</b>	<b>Assessment Monitoring Statistical Evaluation.....</b>	<b>9</b>
3.1	Establishing Groundwater Protection Standards.....	9
3.2	Data Comparison to Groundwater Protection Standards .....	9
<b>4.0</b>	<b>Conclusions and Recommendations .....</b>	<b>11</b>
<b>5.0</b>	<b>References .....</b>	<b>12</b>

### TABLES

Table 1	Summary of Groundwater Elevation Data
Table 2	Summary of Field Parameter Results
Table 3	Summary of Background Wells Groundwater Sampling Results (Analytical)
Table 4	Summary of Groundwater Sampling Results (Analytical)
Table 5	Summary of Groundwater Protection Standard Exceedances – May 2022

### FIGURES

Figure 1	Site Location Map
Figure 2	Karn and Weadock Complex Map
Figure 3	Shallow Groundwater Contour Map – May 2022

### APPENDICES

Appendix A	Data Quality Reviews
Appendix B	Statistical Evaluation of May 2022 Assessment Monitoring Sampling Event
Appendix C	Laboratory Analytical Reports

## 1.0 Introduction

On April 17, 2015, the United States Environmental Protection Agency (USEPA) published the final rule for the regulation and management of Coal Combustion Residuals (CCR) under the Resource Conservation and Recovery Act (RCRA) (the CCR Rule), as amended. Standards for groundwater monitoring and corrective action codified in the CCR Rule (40 CFR 257.90 – 257.98) apply to the DE Karn Bottom Ash Pond CCR Unit (Karn Bottom Ash Pond).

Consumers Energy is continuing semiannual assessment monitoring in accordance with §257.95 of the CCR Rule for the Karn Bottom Ash Pond located in Essexville, Michigan. This report has been prepared to provide the summary of the May 2022 assessment groundwater monitoring results, data quality review, and statistical data evaluation for the Karn Bottom Ash Pond groundwater monitoring system.

### 1.1 Program Summary

Groundwater monitoring for the Karn Bottom Ash Pond commenced after the installation of the monitoring well network in December 2015 to establish background conditions. Detection monitoring was initiated on October 17, 2017 in conformance with the self-implementing schedule in the CCR Rule.

Consumers Energy first reported the potential for statistically significant increases (SSIs) for Appendix III constituents in the *Annual Groundwater Monitoring Report DE Karn Power Plant Bottom Ash Pond CCR Unit* (TRC, January 2018). The statistical evaluation of the Appendix III indicator parameters confirming statistically significant increases (SSIs) over background were as follows:

- Boron at DEK-MW-15001, DEK-MW-15002, DEK-MW-15003, DEK-MW-15004, DEK-MW-15005, DEK-MW-15006;
- Fluoride at DEK-MW-15001;
- Field pH at DEK-MW-15001, DEK-MW-15002, DEK-MW-15003, DEK-MW-15005, DEK-MW-15006; and
- Sulfate at DEK-MW-15006.

On April 25, 2018, Consumers Energy entered assessment monitoring upon determining that an Alternate Source Demonstration for the Appendix III constituents was not successful. After subsequent sampling for Appendix IV constituents, Consumers Energy provided notification that arsenic was present at statistically significant levels above the Ground Water Protection Standards (GWPS) established at 21 ug/L (Consumers Energy, January 2019) in five of the six downgradient monitoring wells at the Karn Bottom Ash Pond as follows:

- Arsenic at DEK-MW-15001, DEK-MW-15002, DEK-MW-15003, DEK-MW-15004, and DEK-MW-15005.

The notification of the GWPS exceedance on January 14, 2019 was followed up with a Response Action Plan submitted to the Michigan Department of Environment, Great Lakes, and Energy (EGLE) on March 15, 2019 laying out the preliminary understanding of water quality and

actions that were underway to mitigate or eliminate unacceptable risk associated with the identified release from the CCR unit. The *Assessment of Corrective Measures* (ACM) (TRC, September 2019) was initiated on April 14, 2019 and submitted on September 11, 2019 in accordance with the schedule in §257.96 and the requirements of the Response Action Plan.

The ACM documents that the groundwater nature and extent has been defined, as required in §257.95(g)(1). Although arsenic concentrations exceed the GWPS in on-site groundwater monitoring locations, arsenic is delineated within the limits of the property owned by Consumers Energy and there are **currently no adverse effects on human health or the environment** from either surface water or groundwater due to CCR management at the Karn Bottom Ash Pond. Per §257.96(b), Consumers Energy is continuing to monitor groundwater in accordance with the assessment monitoring program as specified in §257.95.

Evaluation of groundwater under the CCR Rule focused on the following constituents that were collected *unfiltered* in the field:

CCR Rule Monitoring Constituents		
Appendix III	Appendix IV	
Boron	Antimony	Mercury
Calcium	Arsenic	Molybdenum
Chloride	Barium	Radium 226/228
Fluoride	Beryllium	Selenium
pH	Cadmium	Thallium
Sulfate	Chromium	
Total Dissolved Solids (TDS)	Cobalt	
	Fluoride	
	Lead	
	Lithium	



Prior to remedy selection, Consumers Energy will also collect a sufficient number of samples to evaluate Michigan state-specific constituents as follows:

Additional Monitoring Constituents (Michigan Part 115/PA 640 <sup>1</sup> )	
Detection Monitoring	Assessment Monitoring
Iron	Copper Nickel Silver Vanadium Zinc

Consumers Energy will continue to evaluate corrective measures for the Karn Bottom Ash Pond per §257.96 and §257.97 and is continuing semiannual assessment monitoring in accordance with §257.95.

## 1.2 Site Overview

The Karn Bottom Ash Pond is located within the DE Karn Power Plant site, which is located north of the JC Weadock Power Plant, east of the Saginaw River, south and west of Saginaw Bay (Figure 1). Two coal-fired power generating units (Karn Units 1 & 2) began generating electricity in 1958 and 1959, respectively. Karn Units 3 & 4, co-located with the coal-fired generating units, are oil- and natural gas-fueled. Two other areas of coal ash management within the Karn site are the Karn Landfill and the Karn Lined Impoundment. The Karn Landfill has been certified closed and is now in post-closure care and is being monitored in accordance with the EGLE-approved *Hydrogeological Monitoring Plan, Rev. 3, DE Karn Solid Waste Disposal Area* (December 19, 2017). The Karn Lined Impoundment has been licensed to operate by the EGLE under Part 115 (License Number 9629) and is being monitored in accordance with the EGLE-approved *Karn Lined Impoundment Hydrogeological Monitoring Plan* (November 13, 2020). The locations of the Karn Landfill, the Karn Lined Impoundment, and the Karn Bottom Ash Pond are shown on Figure 2.

Previously, the Karn Bottom Ash Pond was used for wet ash dewatering and was the primary settling/detention structure for the National Pollutant Discharge Elimination System (NPDES) treatment system prior to discharge. Consumers Energy provided notification of initiation of closure on October 12, 2018 to implement the certified closure plan by removal of CCR under the self-implementing requirements and schedule of the CCR Rule. In preparation for removal of the Karn Bottom Ash Pond, a new lined impoundment (Karn Lined Impoundment) was constructed meeting the requirements of the CCR Rule and the operational needs at the Karn

<sup>1</sup> On December 28, 2018, the State of Michigan enacted Public Act No. 640 of 2018 (PA 640) to amend the Natural Resources and Environmental Protection Act, also known as Part 115 of PA 451 of 1994, as amended (a.k.a., Michigan Part 115 Solid Waste Management). The December 2018 amendments to Part 115 were developed to provide the State of Michigan oversight of CCR impoundments and landfills and to better align existing state solid waste management rules and statutes with the CCR Rule.

Power Plant. The Karn Lined Impoundment began receipt of CCR and non-CCR on June 7, 2018 when it replaced the Karn Bottom Ash Pond operations.

Consumers Energy has completed the removal of CCR consistent with the timeline for closure of the Karn Bottom Ash Pond under the *DE Karn Bottom Ash Pond Closure Plan* (Golder, January 2018; Revised April 2018) and the CCR Rule's closure by removal provisions in §257.102(c). Consumers Energy ceased hydraulic loading to the Karn Bottom Ash Pond in June 2018 and allowed the area to dewater by gravity. Consumers Energy then operated a construction dewatering system to allow for excavation of the vertical and lateral extent of CCR that commenced on March 20, 2019 and has operated through the construction and restoration period. The excavation extended to six inches below known CCR elevations established from previous investigations. Excavated CCR has been placed in the neighboring Weadock Landfill that is constructed with of a fully encapsulation soil-bentonite slurry wall keyed into a competently confining clay unit. The Karn Bottom Ash Pond has been restored by backfilling and grading the surface with clean fill in accordance with the plan to promote stormwater drainage, minimize ponding of surface water, and to reduce the potential of infiltration and migration of residual arsenic and any future constituents of concern (COCs). With the CCR removal complete, Consumers Energy submitted the *DE Karn Generating Facility Bottom Ash Pond CCR Removal Documentation Report* (Golder, October 2019) on October 30, 2019. EGLE approved the documentation removal report on December 1, 2020. Groundwater conditions post-CCR removal continue to be monitored.

### 1.3 Geology/Hydrogeology

The majority of the Karn Bottom Ash Pond area is comprised of surficial CCR and sand fill. USGS topographic maps and aerial photographs dating back to 1938, in addition to field descriptions of subsurface soil at the site, indicate that the site was largely developed by reclaiming low-lands through construction of perimeter dikes and subsequent ash filling (AECOM, 2009).

The surficial fill consists of a mixture of varying percentages of ash, sand, and clay-rich fill ranging from 5 to 15 feet thick. Below the surficial fill, native alluvium and lacustrine soils are present at varying depths. Generally, there is a well graded sand unit present to depths of 10 to 30 feet below ground surface (ft bgs) overlying a clay till which is observed at depths ranging from 25 to 75 ft bgs. In general, the alluvium soils (sands) are deeper along the Saginaw River and there are shallower lacustrine deposits (clays, silts and sands deposited in or on the shores of glacial lakes) at other areas. The clay till acts as a hydraulic barrier that separates the shallow groundwater from the underlying sandstone. A sandstone unit, which is part of the Saginaw formation, was generally encountered at 80 to 90 ft bgs.

The DE Karn Power Plant site is bounded by several surface water features (Figure 1): the Saginaw River to the west, Saginaw Bay (Lake Huron) to the north and east, and a discharge channel to the south. In general, shallow groundwater is encountered at a similar or slightly higher elevation relative to the surrounding surface water features. Groundwater flow in the upper aquifer is largely controlled by the surface water elevations of Saginaw River and Saginaw Bay. In the vicinity of the Karn Bottom Ash Pond, the shallow groundwater flow is

generally to the west, toward the intake channel.

---

## 2.0 Groundwater Monitoring

### 2.1 Monitoring Well Network

In accordance with 40 CFR 257.91, Consumers Energy established a groundwater monitoring system for the Karn Bottom Ash Pond, which consists of 10 monitoring wells (four background monitoring wells and six downgradient monitoring wells) that are screened in the uppermost aquifer. The monitoring well locations are shown on Figure 2.

Groundwater around the Karn Bottom Ash Pond was initially characterized as radial based on the eight initial background sampling events prior to commencing detection monitoring; therefore, the six downgradient wells (DEK-MW-15001 through DEK-MW-15006) that were installed and spaced along the circumference of the Karn Bottom Ash Pond continued to accurately represent the quality of groundwater passing the waste boundary that ensures detection of groundwater contamination such that all potential contaminant pathways are monitored. Monitoring well DEK-MW-15001 was decommissioned on April 18, 2018 due to the installation of the new Karn Lined Impoundment, which is a new double composite lined CCR unit constructed as a replacement to the Karn Bottom Ash Pond. Monitoring well DEK-MW-18001 was installed on May 21, 2018 approximately 80 feet southeast of DEK-MW-15001 to maintain the perimeter downgradient monitoring well network.

Groundwater flow direction near the former pond has changed as a result of the pond decommissioning and monitoring wells DEK-MW-15003 and DEK-MW-15004 are no longer located downgradient of the unit (Figure 3). These two wells were removed from the certified downgradient monitoring well network. The recertification was included in Appendix D of the *October 2021 Assessment Monitoring Data Summary and Statistical Evaluation* (TRC, January 2022).

Four monitoring wells located south of the Karn Bottom Ash Pond on the JC Weadock Power Plant site provide data on background groundwater quality that has not been affected by the CCR unit (MW-15002, MW-15008, MW-15016, and MW-15019). Analysis for the establishment of these wells as background is detailed in the *Groundwater Statistical Evaluation Plan* for the Karn Bottom Ash Pond, dated October 17, 2017.

### 2.2 May 2022 Assessment Monitoring

Per §257.95, all wells in the CCR unit groundwater monitoring program must be sampled semiannually. TRC conducted the first semiannual assessment monitoring event of 2022 for Appendix III and IV constituents at the Karn Bottom Ash Pond CCR Unit in accordance with the *DE Karn Monitoring Program Sample Analysis Plan* (ARCADIS, May 2016) (SAP). The semiannual assessment monitoring event was performed on May 2 through 4, 2022.

The May 2022 sampling event included collection of static water level measurements from the Karn Bottom Ash Pond groundwater monitoring system and other site wells to support preparation of a groundwater contour map. Static water elevation data are summarized in Table 1 and groundwater elevation data are shown on Figure 3. The Karn Bottom Ash Pond monitoring wells (DEK-MW-15002, DEK-MW-15005, DEK-MW-15006 and DEK-MW-18001) and

background monitoring wells (MW-15002, MW-15008, MW-15016, and MW-15019) were purged with peristaltic pumps utilizing low-flow sampling methodology. Field parameters were stabilized at each monitoring well prior to collecting groundwater samples. Stabilized field parameters for each monitoring well are summarized in Table 2.

The groundwater samples were analyzed by the Consumers Energy Trail Street Laboratory for Appendix III and IV constituents in accordance with the SAP. Radium analyses were completed by Eurofins TestAmerica Inc. (TestAmerica). The analytical results for the background wells are summarized in Table 3, and the analytical results for the downgradient monitoring wells are summarized in Table 4. Analytical results from the May 2022 monitoring event are included in the attached laboratory reports (Appendix C).

### **2.2.1 Groundwater Flow Rate and Direction**

Groundwater elevation data collected during the May 2022 assessment monitoring event are provided in Table 1. These data were used to construct the groundwater contour map (Figure 3). Groundwater elevations measured at the site in May 2022 are generally within the range of 580 to 585 feet above mean sea level (ft NAVD88) and groundwater is typically encountered at equal elevation relative to the surrounding surface water features measured by the NOAA gauging station or within approximately 6 feet higher, flowing toward the bounding surface water features.

Although historically the point source discharge of sluiced bottom ash into the Karn Bottom Ash Pond created localized mounding of the potentiometric surface, the new Karn Lined Impoundment went into service on June 7, 2018 and has been continuously collecting the process water and bottom ash that went into the former bottom ash pond. Since the former bottom ash pond is no longer being hydraulically loaded with sluiced ash and has been dewatered by gravity, the characteristic groundwater mound centered within the pooled area is no longer present. The groundwater elevation data collected from the groundwater monitoring system of the former bottom ash pond in May 2022 demonstrate a reduction in groundwater elevation measurements by several feet when compared to groundwater elevations measured prior to June 2018. Due to the operational changes of the bottom ash pond and the completion of the landfill capping activities, the gradient between the bottom ash pond area and the surrounding surface water bodies is flattening out as compared to previous quarters as the groundwater elevations are reaching a new equilibrium, as expected. Groundwater at the facility is locally influenced by incidental infiltration from precipitation over the uncovered acreage. Monitoring Wells OW-11, OW-12, and DEK-MW-15003 delineate the newly established groundwater elevation high point with porewater flow generally flowing radially towards the adjacent surface water features from this newly established potentiometric “high”, as illustrated in Figure 3. As such, the groundwater flow across the footprint of the former bottom ash pond is generally to the west.

The average hydraulic gradient observed on May 2, 2022 in the Karn Bottom Ash Pond area during these events is estimated at 0.0051 ft/ft. The gradient was calculated using the monitoring well pairs DEK-MW-15004/DEK-MW-15005 and DEK-MW-15003/DEK-MW-15006. Using the mean hydraulic conductivity of 15 ft/day (ARCADIS, 2016) and an assumed effective

porosity of 0.3, the estimated average seepage velocity was 0.25 ft/day or 92 ft/year.

### **2.2.2 Data Quality**

Analytical data were found to be usable for assessment monitoring and were generally consistent with previous sampling events. The Data Quality Reviews are included as Appendix A.

### 3.0 Assessment Monitoring Statistical Evaluation

Assessment monitoring is continuing at the Karn Bottom Ash Pond while Consumers Energy further evaluates corrective measures in accordance with §257.96 and §257.97 as outlined in the ACM. The following section summarizes the statistical approach applied to assess the October 2021 groundwater data in accordance with the assessment monitoring program.

#### 3.1 Establishing Groundwater Protection Standards

The GWPSs are used to assess whether Appendix IV constituent concentrations are present in groundwater at unacceptable levels as a result of CCR Unit operations by statistically comparing concentrations in the downgradient wells to the GWPSs for each Appendix IV constituent. In accordance with §257.95(h) and the Stats Plan, GWPSs were established for the Appendix IV constituents following the preliminary assessment monitoring event as documented in the Groundwater Protection Standards technical memorandum (Appendix C of the *2018 Annual Groundwater Monitoring Report*, TRC, January 2019). The GWPS is established as the higher of the EPA Maximum Contaminant Level (MCL) or statistically derived background level for constituents with MCLs and the higher of the EPA Regional Screening Levels (RSLs) or background level for constituents without an established MCL.

#### 3.2 Data Comparison to Groundwater Protection Standards

The compliance well groundwater concentrations for Appendix IV constituents were compared to the GWPSs to determine if a statistically significant exceedance had occurred in accordance with §257.95. Consistent with the *Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance* (Unified Guidance) (USEPA, 2009), the preferred method for comparisons to a fixed standard are confidence limits. An exceedance of the standard occurs when the 99 percent lower confidence level of the downgradient monitoring well data exceeds the GWPS of any Appendix IV constituent. As documented in the January 14, 2019 *Notification of Appendix IV Constituent Exceeding Groundwater Protection Standard per §257.95(g)*, arsenic was present at statistically significant levels above the federal GWPS in five of the six downgradient wells at the Karn Bottom Ash Pond.

Confidence intervals were established per the statistical methods detailed in the *Statistical Evaluation of May 2022 Assessment Monitoring Sampling Event* technical memorandum provided in Appendix B. For each Appendix IV constituent, the concentrations were first compared directly to their respective GWPS. Constituent-well combinations that included a direct exceedance of the GWPSs were retained for further statistical analysis using confidence limits.

Due to changes in groundwater flow direction on site, monitoring wells DEK-MW-15003 and DEK-MW-15004 are no longer located downgradient of the unit and were determined to be no longer indicative of groundwater conditions influenced by the Karn Bottom Ash Pond. Therefore, monitoring wells DEK-MW-15003 and DEK-MW-15004 are no longer included for assessment monitoring statistical analysis. The monitoring well network for statistical evaluation consists of the four monitoring wells located downgradient of the bottom ash pond (DEK-MW-15002, DEK-MW-15005, DEK-MW-15006, and DEK-MW-18001). Overall, the assessment

monitoring statistical evaluations have confirmed that arsenic is the only Appendix IV constituent present at statistically significant levels above the GWPS. The statistical evaluation of the May 2022 semiannual assessment monitoring event data indicate that arsenic is present at statistically significant levels exceeding the GWPS in downgradient monitoring wells at the Karn Bottom Ash Pond:

<b>Constituent</b>	<b>GWPS</b>	<b>#Downgradient Wells Observed</b>
Arsenic	21 ug/L	2 of 4

Previously, arsenic was present in downgradient well DEK-MW-15002 at a statistically significant level; however, the statistical evaluations of the October 2020 through October 2021 data show that the lower confidence limit for arsenic is below the GWPS. A summary of the confidence intervals for May 2022 is provided in Table 5.

Arsenic concentrations at DEK-MW-15002 appear to exhibit a downward trend on the time-series chart (Appendix B: Attachment 1). This data set was tested further in Sanitas™ utilizing Sen’s Slope to estimate the average rate of change in concentration over time and utilizing the Mann-Kendall trend test to test for significance of the trend at the 98% confidence level. The trend test showed that arsenic concentrations are generally decreasing with time, as evidenced by the negative Sen’s Slope, and that the downward trend of arsenic at DEK-MW-15002 is statistically significant.



---

## 4.0 Conclusions and Recommendations

Corrective action has been triggered and assessment monitoring is ongoing at the Karn Bottom Ash Pond CCR unit. A summary of the May 2022 assessment monitoring event is presented in this report.

Overall, the statistical assessments have confirmed that arsenic is the only Appendix IV constituent present at statistically significant levels above the GWPS. Consumers Energy has completed the removal of CCR consistent with the timeline for closure of the Karn Bottom Ash Pond under the *DE Karn Bottom Ash Pond Closure Plan* (Golder, January 2018; Revised April 2018) and the CCR Rule's closure by removal provisions in §257.102(c).

The ACM Report provided a high-level assessment of groundwater remediation technologies that could potentially address site-specific COCs (i.e., arsenic) under known groundwater conditions. Groundwater chemistry already appears to be improving as a result of discontinuing the hydraulic loading to the Karn Bottom Ash Pond and the completed source removal of CCR, as shown by the decreasing concentration of arsenic at DEK-MW-15002 ; however, attainment of the GWPS at all of the Bottom Ash Pond compliance wells may not be feasible due to influences other than the former pond, such as the presence and former operation of the nearby Karn Landfill. Redox conditions, which affect contaminant transport, are still stabilizing following pond removal and will continue to be evaluated further.

Consumers Energy will continue assessment monitoring and evaluate corrective measures in accordance with §257.96 and §257.97 as outlined in the Karn Bottom Ash Pond ACM. The groundwater management remedy for the Karn Bottom Ash Pond will be selected as soon as feasible to meet the federal standards of §257.96(b) of the CCR Rule. Consumers Energy will continue executing the self-implementing groundwater compliance schedule in conformance with §257.90 - §257.98. The next semiannual monitoring event is tentatively scheduled for the fourth calendar quarter of 2022.

---

## 5.0 References

- AECOM. October 30, 2009. Potential Failure Mode Analysis (PFMA) Report. DE Karn Electric Generation Facility Ash Dike Risk Assessment Essexville, Michigan. Prepared for Consumers Energy Company
- ARCADIS. May 13, 2016. Summary of Monitoring Well Design, Installation, and Development. DE Karn Electric Generation Facility – Essexville, Michigan. Prepared for Consumers Energy Company.
- ARCADIS. May 18, 2016. Electric Generation Facilities RCRA CCR Detection Monitoring Program. DE Karn Monitoring Program Sample Analysis Plan, Essexville, Michigan. Prepared for Consumers Energy Company.
- Consumers Energy Company. December 19, 2017. Hydrogeological Monitoring Plan Rev. 3: DE Karn Solid Waste Disposal Area.
- Consumers Energy Company. January 2019. Notification of Appendix IV Constituent Exceeding Groundwater Protection Standards per §257.95(g).
- Golder Associates Inc. January 2018. D.E. Karn Generating Facility Bottom Ash Pond Closure Plan, Essexville, Michigan. Prepared for Consumers Energy Company.
- Golder Associates Inc. April 2018. D.E. Karn Generating Facility Revised Bottom Ash Pond Closure Work Plan, Essexville, Michigan. Prepared for Consumers Energy Company.
- Golder Associates Inc. October 2019. D.E. Karn Generating Facility Bottom Ash Pond CCR Removal Documentation Report. Prepared for Consumers Energy Company.
- TRC. October 2017. Groundwater Statistical Evaluation Plan – DE Karn Power Plant, Bottom Ash Pond, Essexville, Michigan. Prepared for Consumers Energy Company.
- TRC. January 2018. Annual Groundwater Monitoring Report – DE Karn Power Plant, Bottom Ash Pond CCR Unit. Prepared for Consumers Energy Company.
- TRC. January 2019. 2018 Annual Groundwater Monitoring Report – DE Karn Power Plant, Bottom Ash Pond CCR Unit. Prepared for Consumers Energy Company.
- TRC. September 2019. Assessment of Corrective Measures – DE Karn Bottom Ash Pond Coal Combustion Residual Unit. Prepared for Consumers Energy Company.
- TRC. November 2020. Karn Lined Impoundment Hydrogeological Monitoring Plan for the DE Karn Power Plant Lined Impoundment, Essexville, Michigan. Prepared for Consumers Energy Company.
- TRC. January 2022. October 2021 Assessment Monitoring Data Summary and Statistical Evaluation – DE Karn Power Plant, Bottom Ash Pond CCR Unit. Prepared for Consumers Energy Company.
- USEPA. 2009. Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance. Office of Conservation and Recovery. EPA 530/R-09-007.

---

USEPA. April 2015. 40 CFR Parts 257 and 261. Hazardous and Solid Waste Management System: Disposal of Coal Combustion Residuals from Electric Utilities; Final Rule. 80 Federal Register 74 (April 17, 2015), pp. 21301-21501 (80 FR 21301).

USEPA. July 2018. 40 CFR Part 257. Hazardous and Solid Waste Management System: Disposal of Coal Combustion Residuals from Electric Utilities; Amendments to the National Minimum Criteria (Phase One, Part One); Final Rule. 83 Federal Register 146 (July 30, 2018), pp. 36435-36456 (83 FR 36435).

USEPA. April 2018. Barnes Johnson (Office of Resource Conservation and Recovery) to James Roewer (c/o Edison Electric Institute) and Douglas Green, Margaret Fawal (Venable LLP). Re: Coal Combustion Residuals Rule Groundwater Monitoring Requirements. April 30, 2018. United States Environmental Protection Agency, Washington, D.C. 20460. Office of Solid Waste and Emergency Response, now the Office of Land and Emergency Management.

## Tables

**Table 1**  
 Summary of Groundwater Elevation Data  
 DE Karn – RCRA CCR Monitoring Program  
 Essexville, Michigan

Well Location	TOC Elevation (ft)	Geologic Unit of Screen Interval	Screen Interval Elevation (ft)	May 2, 2022	
				Depth to Water (ft BTOC)	Groundwater Elevation (ft)
<b>Background</b>					
MW-15002	587.71	Sand	580.9 to 570.9	6.61	581.10
MW-15008	585.36	Sand with clay	578.7 to 568.7	4.38	580.98
MW-15016	586.49	Sand	581.2 to 578.2	3.66	582.83
MW-15019	586.17	Sand and Sand/Clay	579.5 to 569.5	5.31	580.86
<b>DEK Bottom Ash Pond</b>					
DEK-MW-15002	590.87	Sand	578.3 to 575.3	6.50	584.37
DEK-MW-15005	589.72	Sand	572.3 to 567.3	9.64	580.08
DEK-MW-15006	589.24	Sand	573.0 to 568.0	9.12	580.12
<b>DEK Bottom Ash Pond &amp; Karn Lined Impoundment</b>					
DEK-MW-18001	593.47	Sand	579.2 to 574.2	8.10	585.37
<b>Karn Lined Impoundment</b>					
DEK-MW-15003	602.74	Sand	578.8 to 574.8	16.80	585.94
OW-10	591.58	Silty Sand and Silty Clay	576.0 to 571.0	6.43	585.15
OW-11	607.90	Silt/Fly Ash	587.5 to 582.5	22.06	585.84
OW-12	603.10	Silty Sand	584.2 to 579.2	17.05	586.05
<b>DEK Nature and Extent</b>					
DEK-MW-15004	611.04	Sand	576.6 to 571.6	28.22	582.82
MW-01	597.02	Sand	573.0 to 570.0	17.08	579.94
MW-03	597.30	Sand	569.8 to 566.8	17.37	579.93
MW-06	589.44	Sand and Silty Sand	578.5 to 563.5	9.26	580.18
MW-08	598.78	Sand and Silty Clay	580.9 to 570.9	17.79	580.99
MW-10	596.97	Sand	582.5 to 572.5	16.90	580.07
MW-12	598.60	Sand	583.9 to 573.9	18.61	579.99
MW-14	594.37	Sand and Silty Clay	584.7 to 574.7	14.43	579.94
MW-16	595.80	Sand and Sand/Bottom Ash	584.1 to 574.1	15.84	579.96
MW-22	598.99	Ash/Sand	571.4 to 568.4	16.78	582.21
MW-23	595.57	Ash/Sand	576.9 to 571.9	13.92	581.65
<b>DEK Static Water Level</b>					
MW-02	597.34	Sand and Silty Clay	572.5 to 567.5	17.38	579.96
MW-04	598.01	NR	569.5 to 564.5	18.17	579.84
MW-17	597.91	Sand	577.0 to 574.0	12.91	585.00
MW-18	609.22	Silty Sand and Silty Clay	575.8 to 573.8	25.86	583.36
MW-19	597.28	NR	572.1 to 567.1	16.90	580.38
MW-20	632.75	Sand	582.3 to 579.3	52.70	580.05
MW-21	632.91	Sand	587.1 to 584.1	51.20	581.71
OW-01	631.33	NR	572.5 to 567.5	51.22	580.11
OW-02	598.01	Fly Ash	579.4 to 576.4	15.55	582.46
OW-03	597.94	Fly Ash and Sand	573.6 to 568.6	17.53	580.41
OW-04	590.21	Sand and Bottom/Fly Ash	579.1 to 574.1	10.25	579.96
OW-05	593.53	Sand	576.9 to 571.9	13.49	580.04
OW-06	603.95	NR	580.9 to 575.9	22.00	581.95
OW-07	596.41	Ash	583.3 to 580.3	14.84	581.57
OW-08	593.93	NR	581.0 to 576.0	10.78	583.15
OW-09	593.45	NR	585.5 to 580.5	10.25	583.20
OW-13	588.52	NR	579.5 to 574.5	4.08	584.44
OW-15	587.75	NR	572.8 to 567.8	4.40	583.35

**Notes:**

Survey data from: Rowe Professional Services Company (Nov. 2015) and Consumers Energy Company drawings: SG-21733, Sheet 1, Rev. G (Karn, 11/27/18); and SG=21733, Sheet 2, Rev. C (Weadock, 11/27/18).

Elevation in feet relative to North American Vertical Datum 1988 (NAVD 88).

TOC: Top of well casing.

ft BTOC: Feet below top of well casing.

NR: Not Recorded

**Table 2**  
 Summary of Field Parameters: May 2022  
 DE Karn Bottom Ash Pond – RCRA CCR Monitoring Program  
 Essexville, Michigan

Sample Location	Sample Date	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	pH (SU)	Specific Conductivity (umhos/cm)	Temperature (°C)	Turbidity (NTU)
<b>Background</b>							
MW-15002	5/2/2022	0.00	-49.7	6.5	5,911	9.2	10.0
MW-15008	5/2/2022	0.05	-73.2	6.4	1,347	8.5	9.5
MW-15016	5/3/2022	0.01	-84.0	6.7	1,390	8.1	10.0
MW-15019	5/2/2022	0.01	-71.1	6.5	1,414	7.3	4.0
<b>Karn Bottom Ash Pond</b>							
DEK-MW-15002	5/3/2022	0.01	-95.3	7.0	884	8.9	3.8
DEK-MW-15003	5/3/2022	0.15	-198.2	7.9	379	15.6	2.2
DEK-MW-15004	5/4/2022	--	-99.0	7.3	1,068	12.6	6.0
DEK-MW-15005	5/3/2022	0.02	-101.0	7.1	1,036	9.6	4.4
DEK-MW-15006	5/3/2022	0.12	-75.5	7.4	713	10.2	2.1
DEK-MW-18001	5/3/2022	--	-76.3	7.6	983	9.6	4.9

**Notes:**

mg/L - Milligrams per Liter.  
 mV - Millivolts.  
 SU - Standard units.  
 umhos/cm - Micromhos per centimeter.  
 °C - Degrees Celsius  
 NTU - Nephelometric Turbidity Unit.  
 -- = Parameter Not Measured

**Table 3**  
 Summary of Groundwater Sampling Results (Analytical): May 2022  
 DE Karn & JC Weadock Background – RCRA CCR Monitoring Program  
 Essexville, Michigan

						Sample Location:	MW-15002	MW-15008	MW-15016	MW-15019
						Sample Date:	5/2/2022	5/2/2022	5/3/2022	5/2/2022
Constituent	Unit	EPA MCL	MI Residential*	MI Non-Residential*	MI GSI^	Background				
<b>Appendix III<sup>(1)</sup></b>										
Boron	ug/L	NC	500	500	4,000	103	112	329	236	
Calcium	mg/L	NC	NC	NC	500 <sup>EE</sup>	238	89.5	216	139	
Chloride	mg/L	<b>250**</b>	<b>250<sup>E</sup></b>	<b>250<sup>E</sup></b>	<b>50</b>	<b>2,210</b>	<b>197</b>	<b>243</b>	<b>324</b>	
Fluoride	ug/L	4,000	NC	NC	NC	< 1,000	< 1,000	< 1,000	< 1,000	
Sulfate	mg/L	<b>250**</b>	<b>250<sup>E</sup></b>	<b>250<sup>E</sup></b>	500 <sup>EE</sup>	6	4.99	<b>267</b>	62.5	
Total Dissolved Solids	mg/L	<b>500**</b>	<b>500<sup>E</sup></b>	<b>500<sup>E</sup></b>	<b>500</b>	<b>4,240</b>	<b>783</b>	<b>1,390</b>	<b>1,200</b>	
pH, Field	SU	<b>6.5 - 8.5**</b>	<b>6.5 - 8.5<sup>E</sup></b>	<b>6.5 - 8.5<sup>E</sup></b>	<b>6.5 - 9.0</b>	6.5	<b>6.4</b>	6.7	6.5	
<b>Appendix IV<sup>(1)</sup></b>										
Antimony	ug/L	6	6.0	6.0	2.0	< 1	< 1	< 1	< 1	
Arsenic	ug/L	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>14</b>	2	8	2	
Barium	ug/L	2,000	2,000	2,000	1,200	682	52	72	308	
Beryllium	ug/L	4	4.0	4.0	33	< 1	< 1	< 1	< 1	
Cadmium	ug/L	5	5.0	5.0	2.5	< 0.2	< 0.2	< 0.2	< 0.2	
Chromium	ug/L	100	100	100	11	3	1	1	1	
Cobalt	ug/L	NC	40	100	100	< 6	< 6	< 6	< 6	
Fluoride	ug/L	4,000	NC	NC	NC	< 1,000	< 1,000	< 1,000	< 1,000	
Lead	ug/L	NC	4.0	4.0	14	< 1	< 1	< 1	< 1	
Lithium	ug/L	NC	170	350	440	16	16	80	12	
Mercury	ug/L	2	2.0	2.0	0.20 <sup>#</sup>	< 0.2	< 0.2	< 0.2	< 0.2	
Molybdenum	ug/L	NC	73	210	120	< 5	< 5	< 5	< 5	
Radium-226	pCi/L	NC	NC	NC	NC	1.37	< 0.447	< 0.368	< 0.579	
Radium-228	pCi/L	NC	NC	NC	NC	3.30	< 0.588	< 0.611	1.83	
Radium-226/228	pCi/L	5	NC	NC	NC	4.68	0.826	0.624	2.11	
Selenium	ug/L	<b>50</b>	<b>50</b>	<b>50</b>	<b>5</b>	<b>54</b>	< 1	2	2	
Thallium	ug/L	2	2.0	2.0	2.0	< 2	< 2	< 2	< 2	
<b>Additional MI Part 115<sup>(2)</sup></b>										
Iron	ug/L	<b>300**</b>	<b>300<sup>E</sup></b>	<b>300<sup>E</sup></b>	500,000 <sup>EE</sup>	<b>16,100</b>	<b>15,500</b>	<b>8,020</b>	<b>21,000</b>	
Copper	ug/L	1,000**	1,000 <sup>E</sup>	1,000 <sup>E</sup>	20	3	< 1	5	< 1	
Nickel	ug/L	NC	100	100	120	14	5	13	8	
Silver	ug/L	100**	34	98	0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Vanadium	ug/L	NC	<b>4.5</b>	62	27	<b>15</b>	<b>6</b>	3	3	
Zinc	ug/L	5,000**	2,400	5,000 <sup>E</sup>	260	23	< 10	< 10	< 10	

**Notes:**

ug/L - micrograms per liter; mg/L - milligrams per liter.

pCi/L - picocuries per liter; SU - standard units; pH is a field parameter.

MCL - Maximum Contaminant Level, EPA Drinking Water Standards and Health Advisories, April, 2012.

NC - no criteria.

\* - Michigan Part 201 Generic Drinking Water Cleanup Criteria, December 21, 2020.

\*\* - Secondary Maximum Contaminant Level (SMCL), EPA Secondary Drinking Water Regulations (SDWR) April, 2012.

^ - Michigan Part 201 Groundwater Surface Water Interface (GSI) Criteria. Hardness-dependent criteria calculated using hardness of 258 mg CaCO<sub>3</sub>/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018) per footnote (G) of Michigan Part 201 criteria tables. Chromium GSI criterion based on hexavalent chromium per footnote (H). GSI criterion is protective for surface water used as a drinking water source as described in footnote (X). GSI criterion for chloride is 50 mg/L when the discharge is to the Great Lakes or connecting waters per footnote (FF)

# - If detected above 0.20 ug/L, further evaluation of low-level mercury may be necessary to evaluate the GSI pathway per Michigan Part 201 and EGLE policy and procedure 09-014 dated June 20, 2012.

E - Criterion is the aesthetic drinking water value per footnote (E).

EE - Criterion is based on the total dissolved solids GSI value per footnote (EE).

(1) 40 CFR Part 257 Appendix III Detection Monitoring Constituents and Appendix IV Assessment Monitoring Constituents.

(2) Per Michigan Part 115 Amendments - Public Act No. 640 of 2018 Section 11511a(3)(c) and 11519b(2) additional detection monitoring constituents (iron) and assessment monitoring constituents (copper, nickel, silver, vanadium, and zinc) are reported.

**BOLD** value indicates an exceedance of one or more of the listed criteria.

**RED** value indicates an exceedance of the MCL.

All metals were analyzed as total unless otherwise specified.

**Table 4**  
 Summary of Groundwater Sampling Results (Analytical): May 2022  
 DE Karn Bottom Ash Pond – RCRA CCR Monitoring Program  
 Essexville, Michigan

		Sample Location:				DEK-MW-15002	DEK-MW-15005	DEK-MW-15006	DEK-MW-18001
		Sample Date:				5/3/2022	5/3/2022	5/3/2022	5/3/2022
Constituent	Unit	EPA MCL	MI Residential*	MI Non-Residential*	MI GSI <sup>^</sup>	downgradient			
<b>Appendix III<sup>(1)</sup></b>									
Boron	ug/L	NC	<b>500</b>	<b>500</b>	4,000	<b>1,100</b>	<b>787</b>	<b>893</b>	<b>869</b>
Calcium	mg/L	NC	NC	NC	500 <sup>EE</sup>	105	127	65	63.7
Chloride	mg/L	250**	250 <sup>E</sup>	250 <sup>E</sup>	<b>50</b>	<b>99.3</b>	<b>141</b>	<b>68.6</b>	<b>65.9</b>
Fluoride	ug/L	4,000	NC	NC	NC	< 1,000	< 1,000	< 1,000	< 1,000
Sulfate	mg/L	250**	250 <sup>E</sup>	250 <sup>E</sup>	500 <sup>EE</sup>	172	151	173	187
Total Dissolved Solids	mg/L	<b>500**</b>	<b>500<sup>E</sup></b>	<b>500<sup>E</sup></b>	<b>500</b>	<b>779</b>	<b>909</b>	<b>597</b>	<b>555</b>
pH, Field	SU	6.5 - 8.5**	6.5 - 8.5 <sup>E</sup>	6.5 - 8.5 <sup>E</sup>	6.5 - 9.0	7.0	7.1	7.4	7.6
<b>Appendix IV<sup>(1)</sup></b>									
Antimony	ug/L	6	6.0	6.0	2.0	< 1	< 1	< 1	< 1
Arsenic	ug/L	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	2	<b>54</b>	<b>25</b>	<b>113</b>
Barium	ug/L	2,000	2,000	2,000	1,200	134	305	68	164
Beryllium	ug/L	4	4.0	4.0	33	< 1	< 1	< 1	< 1
Cadmium	ug/L	5	5.0	5.0	2.5	< 0.2	< 0.2	< 0.2	< 0.2
Chromium	ug/L	100	100	100	11	1	< 1	1	< 1
Cobalt	ug/L	NC	40	100	100	< 6	< 6	< 6	< 6
Fluoride	ug/L	4,000	NC	NC	NC	< 1,000	< 1,000	< 1,000	< 1,000
Lead	ug/L	NC	4.0	4.0	14	< 1	< 1	< 1	< 1
Lithium	ug/L	NC	170	350	440	28	36	16	22
Mercury	ug/L	2	2.0	2.0	0.20 <sup>#</sup>	< 0.2	< 0.2	< 0.2	< 0.2
Molybdenum	ug/L	NC	73	210	120	< 5	12	6	< 5
Radium-226	pCi/L	NC	NC	NC	NC	< 0.423	0.620	< 0.449	0.294
Radium-228	pCi/L	NC	NC	NC	NC	< 0.530	1.08	0.870	0.592
Radium-226/228	pCi/L	5	NC	NC	NC	0.636	1.70	1.29	0.885
Selenium	ug/L	50	50	50	5.0	1	1	< 1	2
Thallium	ug/L	2	2.0	2.0	2.0	< 2	< 2	< 2	< 2
<b>Additional MI Part 115<sup>(2)</sup></b>									
Iron	ug/L	<b>300**</b>	<b>300<sup>E</sup></b>	<b>300<sup>E</sup></b>	500,000 <sup>EE</sup>	<b>1,910</b>	<b>1,570</b>	<b>715</b>	<b>1,360</b>
Copper	ug/L	1,000**	1,000 <sup>E</sup>	1,000 <sup>E</sup>	20	1	2	< 1	< 1
Nickel	ug/L	NC	100	100	120	6	7	4	3
Silver	ug/L	100**	34	98	0.2	< 0.2	< 0.2	< 0.2	< 0.2
Vanadium	ug/L	NC	4.5	62	27	< 2	< 2	< 2	< 2
Zinc	ug/L	5,000**	2,400	5,000 <sup>E</sup>	260	< 10	< 10	< 10	< 10

**Notes:**

ug/L - micrograms per liter; mg/L - milligrams per liter.

pCi/L - picocuries per liter; SU - standard units; pH is a field parameter.

MCL - Maximum Contaminant Level, EPA Drinking Water Standards and Health Advisories, April, 2012.

NC - no criteria; -- - not analyzed.

\* - Michigan Part 201 Generic Drinking Water Cleanup Criteria, December 21, 2020.

\*\* - Secondary Maximum Contaminant Level (SMCL), EPA Secondary Drinking Water Regulations (SDWR) April, 2012.

<sup>^</sup> - Michigan Part 201 Groundwater Surface Water Interface (GSI) Criteria. Hardness-dependent criteria calculated using hardness of 258 mg CaCO<sub>3</sub>/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018) per footnote (G) of Michigan Part 201 criteria tables. Chromium GSI criterion based on hexavalent chromium per footnote (H). GSI criterion is protective for surface water used as a drinking water source as described in footnote (X). GSI criterion for chloride is 50 mg/L when the discharge is to the Great Lakes or connecting waters per footnote (FF)

<sup>#</sup> - If detected above 0.20 ug/L, further evaluation of low-level mercury may be necessary to evaluate the GSI pathway per Michigan Part 201 and MDEQ policy and procedure 09-014 dated June 20, 2012.

<sup>E</sup> - Criterion is the aesthetic drinking water value per footnote (E).

<sup>EE</sup> - Criterion is based on the total dissolved solids GSI value per footnote (EE).

(1) 40 CFR Part 257 Appendix III Detection Monitoring Constituents and Appendix IV Assessment Monitoring Constituents.

(2) Per Michigan Part 115 Amendment - Public Act No. 640 of 2018 Section 11511a(3)(c) and 11519b(2) additional detection monitoring constituent (iron) and assessment monitoring constituents (copper, nickel, silver, vanadium, and zinc) are reported.

**BOLD** value indicates an exceedance of one or more of the listed criteria.

**RED** value indicates an exceedance of the MCL.

All metals were analyzed as total unless otherwise specified.



**Table 5**  
 Summary of Groundwater Protection Standard Exceedances – May 2022  
 DE Karn Bottom Ash Pond – RCRA CCR Monitoring Program  
 Essexville, Michigan

Constituent	Units	GWPS	DEW-MW-15002		DEK-MW-15005		DEK-MW-15006		DEK-MW-18001	
			LCL	UCL	LCL	UCL	LCL	UCL	LCL	UCL
Arsenic	ug/L	21	1.7	14	26	82	21	26	67	110

**Notes:**

ug/L - micrograms per Liter.

GWPS - Groundwater Protection Standard as established in TRC's Technical Memorandum dated October 15, 2018.

UCL - Upper Confidence Limit ( $\alpha = 0.01$ ) of the downgradient data set.

LCL - Lower Confidence Limit ( $\alpha = 0.01$ ) of the downgradient data set.

Indicates a statistically significant exceedance of the GWPS. An exceedance occurs when the LCL is greater than the GWPS.

# Figures





Plot Date: 7/21/2022 08:16:48 AM by ADAIR -- LAYOUT: ANSIB(11"x17")  
 Path: S:\1-PROJECTS\Consumers Energy Company\Michigan\CCR\_GW\2017\_26976711\_DEKARN\2022\_MXD\5MAY\_2022\464095-501-003.mxd  
 Coordinate System: NAD 1983 StatePlane Michigan South FIPS 2113 Feet Intl (Foot)  
 Map Rotation: 0  
 TRC - GIS




### LEGEND

- DEK BOTTOM ASH POND & LINED IMPOUNDMENT MONITORING WELL
- DEK BOTTOM ASH POND MONITORING
- DEK LINED IMPOUNDMENT MONITORING WELL
- DECOMMISSIONED WELL
- MONITORING WELL (STATIC WATER LEVEL ONLY)
- SURFACE WATER GAUGING STATION
- NATURE AND EXTENT WELL
- SLURRY WALL (APPROXIMATE)
- LINED IMPOUNDMENT (COVENANT BOUNDARY)
- (580.50)** GROUNDWATER ELEVATION (FEET)
- (NU)** NOT USED

- ### NOTES
- BASE MAP IMAGERY FROM GOOGLE EARTH PRO, 2018.
  - WELL LOCATIONS SURVEYED BY ROWE PROFESSIONAL SERVICES COMPANY ON 11/4/2015.
  - NOAA/NATIONAL OCEANIC SERVICE GREAT LAKES GAUGING STATION, ESSEXVILLE, MI (ID: 9075035).
  - GROUNDWATER ELEVATIONS DISPLAYED IN FEET RELATIVE TO THE NORTH AMERICAN VERTICAL DATUM OF 1988.



PROJECT:		<b>CONSUMERS ENERGY COMPANY DE KARN POWER PLANT ESSEXVILLE, MICHIGAN</b>	
TITLE:		<b>SHALLOW GROUNDWATER CONTOUR MAP MAY 2022</b>	
DRAWN BY:	A. ADAIR	PROJ NO.:	464095.0001
CHECKED BY:	J. KRENZ	<b>FIGURE 3</b>	
APPROVED BY:	D. LITZ		
DATE:	JULY 2022		



1540 Eisenhower Place  
Ann Arbor, MI 48108-3284  
Phone: 734.971.7080  
www.trccompanies.com

FILE NO.: 464095-501-003.mxd

# Appendix A

## Data Quality Reviews

## Laboratory Data Quality Review Groundwater Monitoring Event May 2022 DE Karn Bottom Ash Pond

Groundwater samples were collected by TRC for the May 2022 sampling event. Samples were analyzed for total metals, anions, total dissolved solids, ammonia, and alkalinity by Consumers Energy (CE) Laboratory Services in Jackson, Michigan. The sulfide analyses were subcontracted to Merit Laboratories, Inc. (Merit) in East Lansing, Michigan and the total and dissolved organic carbon analyses were subcontracted to Brighton Analytical LLC (BAL) in Brighton, Michigan. The laboratory analytical results were reported in laboratory sample delivery group (SDGs) 22-0436, S35620.01(01), and 81649.

During the May 2022 sampling event, a groundwater sample was collected from each of the following wells:

- DEK-MW-15002
- DEK-MW-15005
- DEK-MW-15006

Each sample was analyzed for the following constituents:

Analyte Group	Method
Anions (Fluoride, Chloride, Sulfate, Nitrate, Nitrite)	EPA 300.0
Total Dissolved Solids (TDS)	SM 2540C
Total Metals	SW-846 6020B/7470A
Alkalinity (Bicarbonate, Carbonate, and Total)	SM 2320B
Ammonia	SM 4500 NH3(h)
Sulfide	SM 4500 S2D
Total and Dissolved Organic Carbon (TOC, DOC)	SM 5310B

TRC reviewed the laboratory data to assess data usability. The following sections summarize the data review procedure and the results of the review.

### Data Usability Review Procedure

The analytical data were reviewed using the USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (USEPA, 2020). The following items were included in the evaluation of the data:

- Sample receipt, as noted in the cover page or case narrative
- Technical holding times for analyses;
- Reporting limits (RLs) compared to project-required RLs;
- Data for method blanks, equipment blanks, and field blanks, where applicable. Method blanks are used to assess potential contamination arising from laboratory sample preparation and/or analytical procedures. Field and equipment blanks are used to assess potential contamination arising from field procedures;

- Data for laboratory control samples (LCSs) and laboratory control sample duplicates (LCSDs), when performed. The LCSs and/or LCSDs are used to assess the accuracy of the analytical method using a clean matrix;
- Percent recoveries for matrix spike (MS) and matrix spike duplicates (MSD), when performed on project samples. Percent recoveries are calculated for each analyte spiked and used to assess bias due to sample matrix effects;
- Data for laboratory duplicates, when performed on project samples. The laboratory duplicates are replicate analyses of one sample and are used to assess the precision of the analytical method;
- Data for blind field duplicates. Field duplicate samples are used to assess variability introduced by the sampling and analytical processes; and
- Overall usability of the data.

It should be noted that results for method blanks and LCSs were not provided for review by CE Laboratory Services and Merit. Therefore, potential contamination arising from laboratory sample preparation and/or analytical procedures and the accuracy of the analytical method using a clean matrix could not be evaluated for the total metals, anions, alkalinity, TDS, ammonia, and sulfide analyses.

This data usability report addresses the following items:

- Usability of the data if quality control (QC) results suggest potential problems with all or some of the data;
- Actions regarding specific QC criteria exceedances.

## **Review Summary**

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable for their intended purpose. A summary of the data quality review, including non-conformances and issues identified in this evaluation, are noted below.

- The reviewed Appendix III, IV, optional Piper diagram analyses, and additional Part 115 constituents will be utilized for the purposes of the detection monitoring program.
- Data are usable for the purposes of the assessment monitoring program.
- When the data are evaluated through an assessment monitoring statistical program, findings below may be used to support the removal of outliers.

### **QA/QC Sample Summary:**

- TOC and DOC were not detected in the method blank.
- One field blank (FB-DEK-BAP) and one equipment blank (EB-DEK-BAP) were collected with this data set. Total metals, nitrate, nitrite, ammonia, sulfide, and TOC/DOC were not detected in the blanks with the following exception.
  - DOC was detected at 1,300 ug/L in FB-DEK-BAP. The positive results for DOC in all groundwater samples are potential false positive results as summarized in the attached table, Attachment A.



- MS and MSD analyses were performed on sample DUP-DEK-BAP-01 for TOC/DOC. All criteria were met.
- The field duplicate pair samples were DUP-DEK-BAP-01 with DEK-MW-15006; relative percent differences (RPDs) between the parent and duplicate sample were within the QC limits.
- Laboratory duplicate analyses were not performed on a sample from this data set.

**Attachment A**

Summary of Data Non-Conformances for Groundwater Analytical Data  
DE Karn Bottom Ash Pond – CCR Monitoring Program  
Essexville, Michigan

<b>Samples</b>	<b>Collection Date</b>	<b>Analyte</b>	<b>Non-Conformance/Issue</b>
DEK-MW-15002	5/3/2022	DOC	Potential false positive results due to field blank contamination.
DEK-MW-15005	5/3/2022		
DEK-MW-15006	5/3/2022		
DUP-DEK-BAP-01	5/3/2022		

# Laboratory Data Quality Review Groundwater Monitoring Event May 2022 DE Karn Bottom Ash Pond

Groundwater samples were collected by TRC for the May 2022 sampling event. Samples were analyzed for radium by Eurofins-TestAmerica in St. Louis, Missouri (Eurofins TA – St. Louis). The laboratory analytical results were reported in laboratory sample delivery group (SDG) 240-166154-1.

During the May 2022 sampling event, a groundwater sample was collected from each of the following wells:

- DEK-MW-15002
- DEK-MW-15005
- DEK-MW-15006

Each sample was analyzed for one or more of the following constituents:

Analyte Group	Method
Radium (Ra-226, Ra-228, Combined Ra-226 & Ra-228)	EPA 903.0, EPA 904.0

TRC reviewed the laboratory data to assess data usability. The following sections summarize the data review procedure and the results of the review.

## Data Usability Review Procedure

The analytical data were reviewed using the Department of Energy Evaluation of Radiochemical Data Usability (USDOE, 1997). The following items were included in the evaluation of the data:

- Sample receipt, as noted in the cover page or case narrative
- Technical holding times for analyses;
- Reporting limits (RLs) compared to project-required RLs;
- Data for method blanks, equipment blanks, and field blanks, where applicable. Method blanks are used to assess potential contamination arising from laboratory sample preparation and/or analytical procedures. Field and equipment blanks are used to assess potential contamination arising from field procedures;
- Data for laboratory control samples (LCSs) and laboratory control sample duplicates (LCSDs), when performed. The LCSs and/or LCSDs are used to assess the accuracy of the analytical method using a clean matrix;
- Percent recoveries for matrix spike (MS) and matrix spike duplicates (MSD), when performed on project samples. Percent recoveries are calculated for each analyte spiked and used to assess bias due to sample matrix effects;
- Percent recoveries for carriers, where applicable, for radiochemistry only. Carriers are used to assess the chemical yield for the preparation and/or instrument efficiency;
- Data for laboratory duplicates, when performed on project samples. The laboratory duplicates are replicate analyses of one sample and are used to assess the precision of the analytical method;

- Data for blind field duplicates. Field duplicate samples are used to assess variability introduced by the sampling and analytical processes; and
- Overall usability of the data.

This data usability report addresses the following items:

- Usability of the data if quality control (QC) results suggest potential problems with all or some of the data;
- Actions regarding specific QC criteria exceedances.

## **Review Summary**

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable for their intended purpose. A summary of the data quality review, including non-conformances and issues identified in this evaluation, are noted below.

- The reviewed constituents will be utilized for the purposes of an assessment monitoring program.
- Data are usable for the purposes of the assessment monitoring program.
- When the data are evaluated through an assessment monitoring statistical program, findings below may be used to support the removal of outliers.

### **QA/QC Sample Summary:**

- Target analytes were not detected in the method blanks.
- One equipment blank (DEK-MW-EB) was collected. Target analytes were not detected in the equipment blank sample.
- LCS/LCSD recoveries and relative percent differences or relative error ratios (RER) for all target analytes were within laboratory control limits with the following exception.
  - The RER (1.12) for radium 228 was outside of the laboratory control limit (1.0) in the LCS/LCSD associated with all samples. Positive detections of radium 228 in select samples should be considered estimated as summarized in the attached table, Attachment A.
- MS/MSD and laboratory duplicate analyses were not performed on a sample from this SDG.
- The field duplicate pair samples were DUP-DEK-BAP/DEK-MW-15006. All criteria were met.
- Carrier recoveries were within 40-110%.

**Attachment A**

Summary of Data Non-Conformances for Groundwater Analytical Data  
DE Karn Bottom Ash Pond – CCR Monitoring Program  
Essexville, Michigan

<b>Samples</b>	<b>Collection Date</b>	<b>Analyte</b>	<b>Non-Conformance/Issue</b>
DEK-MW-15005	5/3/2022	Radium 228	Detected results are estimated due to Relative Error Ratio (RER) for LCS/LCDS outside of criteria
DEK-MW-15006	5/3/2022		

## Laboratory Data Quality Review Groundwater Monitoring Event May 2022 DE Karn Bottom Ash Pond and Lined Impoundment

A groundwater sample was collected by TRC for the May 2022 sampling event. The sample was analyzed for total metals, anions, total dissolved solids, ammonia, and alkalinity by Consumers Energy (CE) Laboratory Services in Jackson, Michigan. The sulfide analysis was subcontracted to Merit Laboratories, Inc. (Merit) in East Lansing, Michigan and the total and dissolved organic carbon analyses were subcontracted to Brighton Analytical LLC (BAL) in Brighton, Michigan. The laboratory analytical results were reported in laboratory sample delivery group (SDGs) 22-0437, S35622.01(01), and 81646.

During the May 2022 sampling event, a groundwater sample was collected from the following well:

- DEK-MW-18001

The sample was analyzed for the following constituents:

Analyte Group	Method
Anions (Fluoride, Chloride, Sulfate)	EPA 300.0
Total Dissolved Solids (TDS)	SM 2540C
Total Metals	SW-846 6020B/7470A
Alkalinity (Bicarbonate, Carbonate, and Total)	SM 2320B
Ammonia	SM 4500 NH3(h)
Sulfide	SM 4500 S2D
Total and Dissolved Organic Carbon (TOC, DOC)	SM 5310B

TRC reviewed the laboratory data to assess data usability. The following sections summarize the data review procedure and the results of the review.

### Data Usability Review Procedure

The analytical data were reviewed using the USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (USEPA, 2020). The following items were included in the evaluation of the data:

- Sample receipt, as noted in the cover page or case narrative
- Technical holding times for analyses;
- Reporting limits (RLs) compared to project-required RLs;
- Data for method blanks, equipment blanks, and field blanks, where applicable. Method blanks are used to assess potential contamination arising from laboratory sample preparation and/or analytical procedures. Field and equipment blanks are used to assess potential contamination arising from field procedures;

- Data for laboratory control samples (LCSs) and laboratory control sample duplicates (LCSDs), when performed. The LCSs and/or LCSDs are used to assess the accuracy of the analytical method using a clean matrix;
- Percent recoveries for matrix spike (MS) and matrix spike duplicates (MSD), when performed on project samples. Percent recoveries are calculated for each analyte spiked and used to assess bias due to sample matrix effects;
- Data for laboratory duplicates, when performed on project samples. The laboratory duplicates are replicate analyses of one sample and are used to assess the precision of the analytical method;
- Data for blind field duplicates, when collected. Field duplicate samples are used to assess variability introduced by the sampling and analytical processes; and
- Overall usability of the data.

It should be noted that results for method blanks and LCSs were not provided for review by CE Laboratory Services. Therefore, potential contamination arising from laboratory sample preparation and/or analytical procedures and the accuracy of the analytical method using a clean matrix could not be evaluated for the metals, anions, TDS, and alkalinity analyses.

This data usability report addresses the following items:

- Usability of the data if quality control (QC) results suggest potential problems with all or some of the data;
- Actions regarding specific QC criteria exceedances.

## **Review Summary**

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable for their intended purpose. A summary of the data quality review, including non-conformances and issues identified in this evaluation, are noted below.

- The reviewed Appendix III, IV, optional Piper Diagram analyses, and additional Part 115 constituents will be utilized for the purposes of a detection or assessment monitoring program.
- Data are usable for the purposes of the detection or assessment monitoring program.
- When the data are evaluated through a detection or assessment monitoring statistical program, findings below may be used to support the removal of outliers.

## **QA/QC Sample Summary**

- TOC and DOC were not detected in the method blank.
- A field blank was not collected with this data set.
- An equipment blank was not collected with this data set.

- MS and MSD analyses were performed on sample DEK-MW-18001 for total metals, anions, ammonia, alkalinity, sulfide, TOC, and DOC. The recoveries were within the acceptance limits. Relative percent differences (RPDs) were not provided by the laboratory and therefore were not evaluated; further, MS/MSD concentrations were not provided by the laboratory with the exception of the sulfide analysis which met RPD criteria. However, since all recoveries were within the acceptance limits, there is no impact on data usability due to this issue.
- A field duplicate pair was not collected with this data set.
- Laboratory duplicate analyses were not performed on a sample from this data set.



# Laboratory Data Quality Review Groundwater Monitoring Event May 2022 DE Karn Bottom Ash Pond and Lined Impoundment

A groundwater sample was collected by TRC for the May 2022 sampling event. The sample was analyzed for radium by Eurofins-TestAmerica in St. Louis, Missouri (Eurofins TA – St. Louis). The laboratory analytical results were reported in laboratory sample delivery group (SDG) 240-166148-1.

During the May 2022 sampling event, a groundwater sample was collected from the following well:

- DEK-MW-18001

The sample was analyzed for the following constituents:

Analyte Group	Method
Radium (Ra-226, Ra-228, Combined Ra-226 & Ra-228)	EPA 903.0, EPA 904.0

TRC reviewed the laboratory data to assess data usability. The following sections summarize the data review procedure and the results of the review.

## Data Usability Review Procedure

The analytical data were reviewed using the Department of Energy Evaluation of Radiochemical Data Usability (USDOE, 1997). The following items were included in the evaluation of the data:

- Sample receipt, as noted in the cover page or case narrative
- Technical holding times for analyses;
- Reporting limits (RLs) compared to project-required RLs;
- Data for method blanks, equipment blanks, and field blanks, where applicable. Method blanks are used to assess potential contamination arising from laboratory sample preparation and/or analytical procedures. Field and equipment blanks are used to assess potential contamination arising from field procedures;
- Data for laboratory control samples (LCSs) and laboratory control sample duplicates (LCSDs), when performed. The LCSs and/or LCSDs are used to assess the accuracy of the analytical method using a clean matrix;
- Percent recoveries for matrix spike (MS) and matrix spike duplicates (MSD), when performed on project samples. Percent recoveries are calculated for each analyte spiked and used to assess bias due to sample matrix effects;
- Percent recoveries for carriers, where applicable, for radiochemistry only. Carriers are used to assess the chemical yield for the preparation and/or instrument efficiency;
- Data for laboratory duplicates, when performed on project samples. The laboratory duplicates are replicate analyses of one sample and are used to assess the precision of the analytical method;

- Data for blind field duplicates. Field duplicate samples are used to assess variability introduced by the sampling and analytical processes; and
- Overall usability of the data.

This data usability report addresses the following items:

- Usability of the data if quality control (QC) results suggest potential problems with all or some of the data;
- Actions regarding specific QC criteria exceedances.

## **Review Summary**

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable for their intended purpose. A summary of the data quality review, including non-conformances and issues identified in this evaluation, are noted below.

- The reviewed constituents will be utilized for the purposes of an assessment monitoring program.
- Data are usable for the purposes of the assessment monitoring program.
- When the data are evaluated through an assessment monitoring statistical program, findings below may be used to support the removal of outliers.

### **QA/QC Sample Summary:**

- Target analytes were not detected in the method blanks.
- No equipment or field blank were collected.
- LCS/LCSD recoveries and relative percent differences or relative error ratios (RER) for all target analytes were within laboratory control limits with the following exception.
  - The RER (1.12) for radium 228 was outside of the laboratory control limit (1.0) in the LCS/LCSD associated with the sample. The positive detection of radium 228 in sample DEK-MW-18001 should be considered estimated as summarized in the attached table, Attachment A.
- MS/MSD and laboratory duplicate analyses were not performed on a sample from this SDG.
- A field duplicate pair was not collected.
- Carrier recoveries were within 40-110%.

**Attachment A**

Summary of Data Non-Conformances for Groundwater Analytical Data  
DE Karn Lined Impoundment – CCR Monitoring Program  
Essexville, Michigan

<b>Samples</b>	<b>Collection Date</b>	<b>Analyte</b>	<b>Non-Conformance/Issue</b>
DEK-MW-18001	5/3/2022	Radium 228	Detected result should be considered estimated due to LCS/LCSD Relative Error Ratio (RER) outside of criteria.

# Laboratory Data Quality Review Groundwater Monitoring Event May 2022 JC Weadock/DE Karn Background

Groundwater samples were collected by TRC for the May 2022 sampling event. Samples were analyzed for total metals, anions, and total dissolved solids by Consumers Energy (CE) Laboratory Services in Jackson, Michigan. The laboratory analytical results were reported in laboratory sample delivery group (SDG) 22-0443.

During the May 2022 sampling event, a groundwater sample was collected from each of the following wells:

- MW-15002
- MW-15008
- MW-15016
- MW-15019

Each sample was analyzed for the following constituents:

Analyte Group	Method
Anions (Fluoride, Chloride, Sulfate)	EPA 300.0
Total Dissolved Solids (TDS)	SM 2540C
Total Metals	SW-846 6020B/7470A

TRC reviewed the laboratory data to assess data usability. The following sections summarize the data review procedure and the results of the review.

## Data Usability Review Procedure

The analytical data were reviewed using the USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (USEPA, 2020). The following items were included in the evaluation of the data:

- Sample receipt, as noted in the cover page or case narrative;
- Technical holding times for analyses;
- Reporting limits (RLs) compared to project-required RLs;
- Data for method blanks, equipment blanks, and field blanks. Method blanks are used to assess potential contamination arising from laboratory sample preparation and/or analytical procedures. Field and equipment blanks are used to assess potential contamination arising from field procedures;
- Data for laboratory control samples (LCSs) and laboratory control sample duplicates (LCSDs), when performed. The LCSs and/or LCSDs are used to assess the accuracy of the analytical method using a clean matrix;
- Percent recoveries for matrix spike (MS) and matrix spike duplicates (MSD), when performed on project samples. Percent recoveries are calculated for each analyte spiked and used to assess bias due to sample matrix effects;

- Data for laboratory duplicates, when performed on project samples. The laboratory duplicates are replicate analyses of one sample and are used to assess the precision of the analytical method;
- Data for blind field duplicates. Field duplicate samples are used to assess variability introduced by the sampling and analytical processes; and
- Overall usability of the data.

It should be noted that results for method blanks and laboratory control samples were not provided for review by CE Laboratory Services. Therefore, potential contamination arising from laboratory sample preparation and/or analytical procedures and the accuracy of the analytical method using a clean matrix could not be evaluated for the metals, anions, and TDS analyses.

This data usability report addresses the following items:

- Usability of the data if quality control (QC) results suggest potential problems with all or some of the data;
- Actions regarding specific QC criteria exceedances.

## **Review Summary**

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable for their intended purpose. A summary of the data quality review, including non-conformances and issues identified in this evaluation, are noted below.

- The reviewed Appendix III, IV, and additional Part 115 constituents will be utilized for the purposes of an assessment monitoring program.
- Data are usable for the purposes of the assessment monitoring program.
- When the data are evaluated through an assessment monitoring statistical program, findings below may be used to support the removal of outliers.

### **QA/QC Sample Summary:**

- One field blank (FB-Background) was collected. Total metals were not detected in this blank sample.
- MS and MSD analyses were not performed on a sample from this data set.
- The field duplicate pair samples were DUP-Background and MW-15008; all criteria were met.
- Laboratory duplicate analyses were not performed on a sample from this data set.

# Laboratory Data Quality Review Groundwater Monitoring Event May 2022 JC Weadock/Karn DEK Background

Groundwater samples were collected by TRC for the May 2022 sampling event. Samples were analyzed for radium by Eurofins-TestAmerica in St. Louis, Missouri (Eurofins TA – St. Louis). The laboratory analytical results were reported in laboratory sample delivery group (SDG) 240-166150-1.

During the May 2022 sampling event, a groundwater sample was collected from each of the following wells:

- MW-15002
- MW-15008
- MW-15016
- MW-15019

Each sample was analyzed for the following constituents:

Analyte Group	Method
Radium (Ra-226, Ra-228, Combined Ra-226 & Ra-228)	EPA 903.0, EPA 904.0

TRC reviewed the laboratory data to assess data usability. The following sections summarize the data review procedure and the results of the review.

## Data Usability Review Procedure

The analytical data were reviewed using the Department of Energy Evaluation of Radiochemical Data Usability (USDOE, 1997). The following items were included in the evaluation of the data:

- Sample receipt, as noted in the cover page or case narrative
- Technical holding times for analyses;
- Reporting limits (RLs) compared to project-required RLs;
- Data for method blanks, equipment blanks, and field blanks, where applicable. Method blanks are used to assess potential contamination arising from laboratory sample preparation and/or analytical procedures. Field and equipment blanks are used to assess potential contamination arising from field procedures;
- Data for laboratory control samples (LCSs) and laboratory control sample duplicates (LCSDs), when performed. The LCSs and/or LCSDs are used to assess the accuracy of the analytical method using a clean matrix;
- Percent recoveries for matrix spike (MS) and matrix spike duplicates (MSD), when performed on project samples. Percent recoveries are calculated for each analyte spiked and used to assess bias due to sample matrix effects;
- Percent recoveries for carriers, where applicable, for radiochemistry only. Carriers are used to assess the chemical yield for the preparation and/or instrument efficiency;

- Data for laboratory duplicates, when performed on project samples. The laboratory duplicates are replicate analyses of one sample and are used to assess the precision of the analytical method;
  - Data for blind field duplicates. Field duplicate samples are used to assess variability introduced by the sampling and analytical processes; and
  - Overall usability of the data.

This data usability report addresses the following items:

- Usability of the data if quality control (QC) results suggest potential problems with all or some of the data;
  - Actions regarding specific QC criteria exceedances.

## **Review Summary**

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable for their intended purpose. A summary of the data quality review, including non-conformances and issues identified in this evaluation, are noted below.

- The reviewed constituents will be utilized for the purposes of an assessment monitoring program.
- Data are usable for the purposes of the assessment monitoring program.
- When the data are evaluated through an assessment monitoring statistical program, findings below may be used to support the removal of outliers.

### **QA/QC Sample Summary:**

- Target analytes were not detected in the method blanks.
- One equipment blank (EB-04) was collected. Target analytes were not detected in the equipment blank sample.
- LCS/LCSD recoveries and relative percent differences or relative error ratios (RER) for all target analytes were within laboratory control limits with the following exception.
  - The RER (1.12) for radium 228 was outside of the laboratory control limit (1.0) in the LCS/LCSD associated with all samples. Positive detections of radium 228 in select samples should be considered estimated as summarized in the attached table, Attachment A.
- MS/MSD and laboratory duplicate analyses were not performed on a sample from this SDG.
- The field duplicate pair samples were DUP-04/MW-15008. All criteria were met.
- Carrier recoveries were within 40-110%.

**Attachment A**

Summary of Data Non-Conformances for Groundwater Analytical Data  
JC Weadock and DE Karn Background Wells – CCR Monitoring Program  
Essexville, Michigan

<b>Samples</b>	<b>Collection Date</b>	<b>Analyte</b>	<b>Non-Conformance/Issue</b>
MW-15002	5/2/2022	Radium 228	Detected results should be considered estimated due to LCS/LCSD Relative Error Ratio (RER) outside of criteria.
MW-15019	5/2/2022		
DUP-04	5/2/2022		



**Appendix B**  
**Statistical Evaluation of May 2022 Assessment**  
**Monitoring Sampling Event**

## Technical Memorandum

---

**Date:** June 29, 2022

**To:** J.R. Register, Consumers Energy

**From:** Darby Litz, TRC  
Alex Eklund, TRC

**Project No.:** 464095.0001.0000 Phase 002, Task 002

**Subject:** Statistical Evaluation of May 2022 Assessment Monitoring Sampling Event  
DE Karn Bottom Ash Pond, Consumers Energy Company, Essexville, Michigan

---

During the statistical evaluation of the initial assessment monitoring event (May 2018), arsenic was present in one or more downgradient monitoring wells at statistically significant levels exceeding the Groundwater Protection Standards (GWPSs). Therefore, Consumers Energy Company (Consumers Energy) initiated an Assessment of Corrective Measures (ACM) within 90 days from when the Appendix IV exceedance was determined. The ACM was completed on September 11, 2019. Currently, Consumers Energy is continuing semiannual assessment monitoring in accordance with §257.95 of the CCR Rule <sup>1</sup> at the DE Karn Power Plant Bottom Ash Pond (Karn Bottom Ash Pond).

An assessment monitoring event was conducted on May 2 through 4, 2022. In accordance with §257.95, the assessment monitoring data must be compared to GWPSs to determine whether or not Appendix IV constituents are detected at statistically significant levels above the GWPSs. GWPSs were established in accordance with §257.95(h), as detailed in the October 15, 2018 Groundwater Protection Standards technical memorandum, which was also included in the 2018 Annual Groundwater Monitoring Report (TRC, January 2019).

The statistical evaluation of the assessment monitoring event data indicates the following constituent is present at statistically significant levels exceeding the GWPS in downgradient monitoring wells at the Karn Bottom Ash Pond:

<b>Constituent</b>	<b>GWPS</b>	<b>#Downgradient Wells Observed</b>
Arsenic	21 ug/L	2 of 4

The results of the assessment monitoring statistical evaluation for the downgradient wells are consistent with the results of the previous assessment monitoring data statistical evaluations, indicating that arsenic is the only constituent present at concentrations above the GWPS. Consumers Energy will continue to evaluate corrective measures per §257.96 and §257.97. Consumers Energy will continue

---

<sup>1</sup> USEPA final rule for the regulation and management of Coal Combustion Residuals (CCR) under the Resource Conservation and Recovery Act (RCRA) published April 17, 2015, as amended per Phase One, Part One of the CCR Rule (83 FR 36435).

## Technical Memorandum

executing the self-implementing groundwater compliance schedule in conformance with §257.90 - §257.98.

### Assessment Monitoring Statistical Evaluation

When the initial assessment monitoring event was completed in May 2018, the compliance well network at the Karn Bottom Ash Pond included six wells encircling the unit (DEK-MW-15002 through DEK-MW-15006 and DEK-MW-18001). Starting with the May 2021 statistical evaluation, the compliance well network includes DEK-MW-15002, DEK-MW-15005, DEK-MW-15006, and DEK-MW-18001. Due to changes in groundwater flow direction on site, monitoring wells DEK-MW-15003 and DEK-MW-15004 are no longer located downgradient of the unit and were determined to be no longer indicative of groundwater conditions influenced by the Karn Bottom Ash Pond. Therefore, monitoring wells DEK-MW-15003 and DEK-MW-15004 are no longer included for statistical analysis.

Following the assessment monitoring sampling event, compliance well data for the DEK BAP were evaluated in accordance with the Groundwater Statistical Evaluation Plan (Stats Plan) (TRC, October 2017). An assessment monitoring program was developed to evaluate concentrations of CCR constituents present in the uppermost aquifer relative to acceptable levels (i.e., GWPSs). To evaluate whether or not a GWPS exceedance is statistically significant, the difference in concentration observed at the downgradient wells during a given assessment monitoring event compared to the GWPS must be large enough, after accounting for variability in the sample data, that the result is unlikely to have occurred merely by chance. Consistent with the Unified Guidance<sup>2</sup>, the preferred method for comparisons to a fixed standard is confidence limits. Based on the number of historical observations in the representative sample population, the sample mean, the sample standard deviation, and a selected confidence level (i.e., 99 percent), an upper and lower confidence limit is calculated. The true mean concentration, with 99 percent confidence, will fall between the lower and upper confidence limits.

The concentrations observed in the downgradient wells are deemed to be a statistically significant exceedance when the 99 percent lower confidence limit of the downgradient data exceeds the GWPS. If the confidence interval straddles the GWPS (i.e., the lower confidence level is below the GWPS, but the upper confidence level is above), the statistical test result indicates that there is insufficient confidence that the measured concentrations are different from the GWPS and thus no compelling evidence that the measured concentration is a result of a release from the CCR unit versus the inherent variability of the sample data. This statistical approach is consistent with the statistical methods for assessment monitoring presented in §257.93(f) and (g). Statistical evaluation methodologies built into the CCR Rule, and numerous other federal rules, are key in determining whether or not individually measured data points represent a concentration increase over the baseline or a fixed standard (such as a GWPS in an assessment monitoring program).

For each detected Appendix IV constituent, the concentrations from each well were first compared directly to the GWPS, as shown on Table 1. Parameter-well combinations that included a direct exceedance of the GWPS within the past eight sampling events (November 2018 through May 2022) were retained for further analysis. Arsenic in each of the downgradient monitoring wells at the Karn

---

<sup>2</sup> USEPA. 2009. *Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance*. Office of Conservation and Recovery. EPA 530/R-09-007.

## Technical Memorandum

Bottom Ash Pond had individual results exceeding the GWPS.

Groundwater data were then evaluated utilizing Sanitas™ statistical software. Sanitas™ is a software tool that is commercially available for performing statistical evaluation consistent with procedures outlined in the Unified Guidance. Within the Sanitas™ statistical program, confidence limits were selected to perform the statistical comparison of compliance data to a fixed standard. Parametric and non-parametric confidence intervals were calculated for each of the CCR Appendix IV constituents using a using a per test<sup>3</sup> 99 percent confidence level, i.e., a significance level ( $\alpha$ ) of 0.01. The following narrative describes the methods employed, the results obtained and the Sanitas™ output files are included as an attachment.

The statistical data evaluation included the following steps:

- Review of data quality checklists for the data sets;
- Graphical representation of the monitoring data as time versus concentration by well/constituent pair;
- Outlier testing of individual data points that appear from the graphical representations as potential outliers;
- Evaluation of visual trends apparent in the graphical representations for statistical significance;
- Evaluation of percentage of non-detects for each well/constituent pair;
- Distribution of the data; and
- Calculation of the confidence intervals for each cumulative dataset.

The results of these evaluations are presented and discussed below.

Data from each round were evaluated for completeness, overall quality, and usability and were deemed appropriate for the purposes of the CCR assessment monitoring program. Initially, the assessment monitoring results (November 2018 through May 2022) were visually assessed for potential trends. No outliers were identified. Arsenic concentrations at DEK-MW-15002 appear to exhibit a downward trend on the time-series chart (Attachment 1). This data set was tested further in Sanitas™ utilizing Sen's Slope to estimate the average rate of change in concentration over time and utilizing the Mann-Kendall trend test to test for significance of the trend at the 98% confidence level. The trend test showed that arsenic concentration at DEK-MW-15002 is generally decreasing with time, as evidenced by the negative Sen's Slope. Additionally, the decrease in concentration at DEK-MW-15002 was shown to be statistically significant and arsenic concentration have been below the GWPS for the seven most recent sampling events (Attachment 1). The decrease in arsenic concentrations at DEK-MW-15002 is causing the confidence interval to widen. Calculating a confidence interval around a trending data set incorporates not only variability present naturally in the underlying dataset, but also incorporates variability due to the trend itself. Arsenic concentrations have already triggered assessment monitoring (e.g., not a newly identified GWPS exceedance) and an interim measure has been initiated through the removal of CCR from the bottom ash pond in 2019; therefore, traditional confidence interval calculations are presented in this statistical evaluation until more post-CCR removal data are available. If trends continued to be observed as additional post-CCR removal data are collected, confidence

---

<sup>3</sup> Confidence level is assessed for each individual comparison (i.e. per well and per constituent).

## Technical Memorandum

bands may be a more appropriate assessment to determine compliance with the CCR Rule. Confidence bands are selected by the UG as the appropriate method for calculating confidence intervals on trending data. A confidence band calculates upper and lower confidence limits at each point along the trend to reduce variability and create a narrower confidence interval. At least 8 to 10 measurements should be available when computing a confidence band around a linear regression, and as of the May 2022 event, six semi-annual sampling events have been completed post-CCR removal.

The Sanitas™ software was used to test compliance at the downgradient monitoring wells using the confidence interval method for the most recent 8 sampling events. Eight independent sampling events provide the appropriate density of data as recommended per the UG yet are collected recently enough to provide an indication of current condition. The tests were run with a per-test significance of  $\alpha = 0.01$ . The software outputs are included in Attachment 1 along with data reports showing the values used for the evaluation. The percentage of non-detect observations for well/constituent pairs with a direct GWPS exceedance are also included in Attachment 1. Non-detect data was handled in accordance with the Stats Plan for the purposes of calculating the confidence intervals.

The Sanitas™ software generates an output graph for the confidence intervals of each well. The arsenic data set at DEK-MW-15006 and DEK-MW-18001 were found to be normally distributed, DEK-MW-15005 was normalized using a square root transformation, and DEK-MW-15002 was normalized using a natural log transformation, . The confidence interval test compares the lower confidence limit to the GWPS. The statistical evaluation of the Appendix IV parameters shows exceedances for arsenic at two of the four monitoring locations (DEK-MW-15005 and DEK-MW-18001). The results of the assessment monitoring statistical evaluation for the other downgradient wells are consistent with the results of the previous assessment monitoring data statistical evaluations, indicating that arsenic is the only constituent present at concentrations above the GWPS. Consumers Energy will continue to evaluate corrective measures per §257.96 and §257.97. Consumers Energy will continue executing the self-implementing groundwater compliance schedule in conformance with §257.90 - §257.98.

### Attachments

Table 1 Comparison of Groundwater Sampling Results to Groundwater Protection Standards – November 2018 to May 2022

Attachment 1 Sanitas™ Output Files

# Table

**Table 1**  
 Comparison of Groundwater Sampling Results to Groundwater Protection Standards – November 2018 to May 2022  
 DE Karn Bottom Ash Pond – RCRA CCR Monitoring Program  
 Essexville, Michigan

Sample Location:						DEK-MW-15002								
Sample Date:						11/5/2018	4/11/2019	10/15/2019	5/13/2020	10/6/2020	10/6/2020	5/3/2021	10/4/2021	5/3/2022
Constituent	Unit	EPA MCL	EPA RSL	UTL	GWPS	downgradient								
<b>Appendix III</b>														
Boron	ug/L	NC	NA	619	NA	894	860	1,600	1,390	1,580	1,600	1,420	1,530	1,100
Calcium	mg/L	NC	NA	302	NA	67.8	72	130	170	126	122	148	73.1	105
Chloride	mg/L	250*	NA	2,440	NA	83.5	80	410	130	106	102	148	102	99.3
Fluoride	ug/L	4,000	NA	1,000	NA	< 1,000	< 1,000	< 1,000	< 1,000	1,300	< 1,000	< 1,000	< 1,000	< 1,000
Sulfate	mg/L	250*	NA	407	NA	77.2	45	150	367	142	139	216	58.3	172
Total Dissolved Solids	mg/L	500*	NA	4,600	NA	536	560	1,300	1,100	791	776	926	599	779
pH, Field	SU	6.5 - 8.5*	NA	6.5 - 7.3	NA	7.3	7.5	7.3	7.1	7.1	--	7.4	7.1	7.0
<b>Appendix IV</b>														
Antimony	ug/L	6	NA	1	6	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1
Arsenic	ug/L	10	NA	21	<b>21</b>	<b>31.7</b>	9.0	6.5	3	8	8	2	2	2
Barium	ug/L	2,000	NA	1,300	2,000	71.6	71	140	196	133	131	211	102	134
Beryllium	ug/L	4	NA	1	4	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1
Cadmium	ug/L	5	NA	0.2	5	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Chromium	ug/L	100	NA	3	100	1.4	1.3	< 1.0	< 1	1	1	< 1	1	1
Cobalt	ug/L	NC	6	15	15	< 6.0	< 6.0	< 6.0	< 6	< 6	< 6	< 6	< 6	< 6
Fluoride	ug/L	4,000	NA	1,000	4,000	< 1,000	< 1,000	< 1,000	< 1,000	1,300	< 1,000	< 1,000	< 1,000	< 1,000
Lead	ug/L	NC	15	1	15	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1
Lithium	ug/L	NC	40	180	180	32	26	35	48	35	36	36	29	28
Mercury	ug/L	2	NA	0.2	2	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Molybdenum	ug/L	NC	100	6	100	< 5.0	< 5.0	< 5.0	< 5	< 5	< 5	< 5	< 5	< 5
Radium-226	pCi/L	NC	NA	NA	NA	< 0.850	< 0.376	0.334	0.673	< 0.430	< 0.577	0.582	1.47	< 0.423
Radium-228	pCi/L	5	NA	3.32	5	< 1.39	0.846	0.987	0.899	1.06	< 0.577	0.811	2.29	< 0.530
Radium-226/228	pCi/L	NC	NA	NA	<b>NA</b>	0.730	0.684	0.654	< 0.763	0.642	< 0.460	< 0.537	0.827	0.636
Selenium	ug/L	50	NA	2	50	< 1.0	< 1.0	< 1.0	< 1	< 1	1	< 1	3	1
Thallium	ug/L	2	NA	2	2	< 2.0	< 2.0	< 2.0	< 2	< 2	< 2	< 2	< 2	< 2

**Notes:**

ug/L - micrograms per liter.  
 mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 pCi/L - picocuries per liter.  
 NA - not applicable.  
 NC - no criteria.  
 -- - not analyzed.  
 MCL - Maximum Contaminant Level, EPA Drinking Water Standards and Health Advisories, April 2012.  
 RSL - Regional Screening Level from 83 FR 36435.  
 UTL - Upper Tolerance Limit (95%) of the background data set.  
 GWPS - Groundwater Protection Standard. GWPS is the higher of the MCL/RSL and UTL as established in TRC's Technical Memorandum dated October 15, 2018.  
 \* - Secondary Maximum Contaminant Level (SMCL), EPA Secondary Drinking Water Regulations (SDWR) April 2012.  
**Bold** value indicates an exceedance of the GWPS. Data from downgradient monitoring wells are screened against the GWPS for evaluation purposes only. Confidence intervals will be used to determine compliance per the CCR rules. All metals were analyzed as total unless otherwise specified.

**Table 1**  
 Comparison of Groundwater Sampling Results to Groundwater Protection Standards – November 2018 to May 2022  
 DE Karn Bottom Ash Pond – RCRA CCR Monitoring Program  
 Essexville, Michigan

Sample Location:						DEK-MW-15005											
Sample Date:						11/6/2018	4/11/2019	4/11/2019	10/15/2019	10/15/2019	5/13/2020	5/13/2020	10/7/2020	5/3/2021	5/3/2021	10/4/2021	5/3/2022
Constituent	Unit	EPA MCL	EPA RSL	UTL	GWPS	downgradient											
<b>Appendix III</b>								Field Dup		Field Dup		Field Dup			Field Dup		
Boron	ug/L	NC	NA	619	NA	947	910	910	700	650	863	858	847	926	948	991	787
Calcium	mg/L	NC	NA	302	NA	32.9	31	31	60	59	71.0	72.1	155.0	95.6	97.6	102	127
Chloride	mg/L	250*	NA	2,440	NA	69.1	60	60	64	64	48.0	47.5	52.7	65.2	65.1	82.3	141
Fluoride	ug/L	4,000	NA	1,000	NA	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000
Sulfate	mg/L	250*	NA	407	NA	160	140	140	5.2	5.0	18.9	18.9	102	50.8	50.2	57.2	151
Total Dissolved Solids	mg/L	500*	NA	4,600	NA	474	470	470	390	400	419	425	687	534	561	546	909
pH, Field	SU	6.5 - 8.5*	NA	6.5 - 7.3	NA	7.9	7.7	--	7.6	--	8.1	--	7.7	7.6	--	7.1	7.1
<b>Appendix IV</b>																	
Antimony	ug/L	6	NA	1	6	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Arsenic	ug/L	10	NA	21	<b>21</b>	<b>35.0</b>	<b>24</b>	<b>24</b>	<b>120</b>	<b>120</b>	<b>34</b>	<b>34</b>	<b>42</b>	<b>45</b>	<b>44</b>	<b>68</b>	<b>54</b>
Barium	ug/L	2,000	NA	1,300	2,000	56.7	46	45	110	100	127	127	248	173	170	192	305
Beryllium	ug/L	4	NA	1	4	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Cadmium	ug/L	5	NA	0.2	5	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Chromium	ug/L	100	NA	3	100	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Cobalt	ug/L	NC	6	15	15	< 6.0	< 6.0	< 6.0	< 6.0	< 6.0	< 6	< 6	< 6	< 6	< 6	< 6	< 6
Fluoride	ug/L	4,000	NA	1,000	4,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000
Lead	ug/L	NC	15	1	15	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Lithium	ug/L	NC	40	180	180	17	15	14	16	15	20	20	45	38	39	41	36
Mercury	ug/L	2	NA	0.2	2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Molybdenum	ug/L	NC	100	6	100	45.3	39	38	< 5.0	< 5.0	< 5	< 5	< 5	8	8	7	12
Radium-226	pCi/L	NC	NA	NA	NA	< 0.865	< 0.379	< 0.406	0.165	0.185	< 0.469	< 0.335	0.621	0.291	< 0.187	1.12	0.620
Radium-228	pCi/L	5	NA	3.32	5	< 1.46	< 0.754	< 0.586	0.524	0.682	1.34	0.662	0.875	0.722	0.650	2.06	1.08
Radium-226/228	pCi/L	NC	NA	NA	<b>NA</b>	< 0.598	< 0.754	< 0.586	< 0.456	0.497	1.14	< 0.554	< 0.502	< 0.459	0.479	0.940	1.70
Selenium	ug/L	50	NA	2	50	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	1	1	2	1
Thallium	ug/L	2	NA	2	2	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2	< 2	< 2	< 2	< 2	< 2	< 2

**Notes:**

ug/L - micrograms per liter.  
 mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 pCi/L - picocuries per liter.  
 NA - not applicable.  
 NC - no criteria.  
 -- - not analyzed.  
 MCL - Maximum Contaminant Level, EPA Drinking Water Standards and Health Advisories, April 2012.  
 RSL - Regional Screening Level from 83 FR 36435.  
 UTL - Upper Tolerance Limit (95%) of the background data set.  
 GWPS - Groundwater Protection Standard. GWPS is the higher of the MCL/RSL and UTL as established in TRC's Technical Memorandum dated October 15, 2018.  
 \* - Secondary Maximum Contaminant Level (SMCL), EPA Secondary Drinking Water Regulations (SDWR) April 2012.  
**Bold** value indicates an exceedance of the GWPS. Data from downgradient monitoring wells are screened against the GWPS for evaluation purposes only. Confidence intervals will be used to determine compliance per the CCR rules. All metals were analyzed as total unless otherwise specified.



**Table 1**  
 Comparison of Groundwater Sampling Results to Groundwater Protection Standards – November 2018 to May 2022  
 DE Karn Bottom Ash Pond – RCRA CCR Monitoring Program  
 Essexville, Michigan

Sample Location:						DEK-MW-15006										
Sample Date:						11/5/2018	11/5/2018	4/11/2019	10/14/2019	5/13/2020	10/7/2020	5/3/2021	10/4/2021	10/4/2021	5/3/2022	5/3/2022
Constituent	Unit	EPA MCL	EPA RSL	UTL	GWPS	downgradient										
<b>Appendix III</b>							Field Dup							Field Dup		Field Dup
Boron	ug/L	NC	NA	619	NA	1,340	1,270	1,700	1,200	1,090	1,220	938	1,050	1,080	893	888
Calcium	mg/L	NC	NA	302	NA	29.4	29.6	35	34	70.4	106	115	117	117	65.0	65.5
Chloride	mg/L	250*	NA	2,440	NA	87.9	88.3	75	45	71.5	102	63.5	78.9	74.7	68.6	67.9
Fluoride	ug/L	4,000	NA	1,000	NA	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	1,060	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000
Sulfate	mg/L	250*	NA	407	NA	341	344	320	74	316	296	324	209	196	173	168
Total Dissolved Solids	mg/L	500*	NA	4,600	NA	792	784	780	450	833	1,010	790	712	708	597	609
pH, Field	SU	6.5 - 8.5*	NA	6.5 - 7.3	NA	7.9	--	7.8	7.8	8.1	7.7	7.5	7.3	--	7.4	--
<b>Appendix IV</b>																
Antimony	ug/L	6	NA	1	6	< 1.0	< 1.0	< 1.0	< 1.0	3	< 1	< 1	< 1	< 1	< 1	< 1
Arsenic	ug/L	10	NA	21	<b>21</b>	20.9	19.6	21	<b>27</b>	21	<b>27</b>	<b>24</b>	<b>23</b>	<b>24</b>	<b>25</b>	<b>24</b>
Barium	ug/L	2,000	NA	1,300	2,000	38.5	38.3	43	51	86	141	139	125	126	68	67
Beryllium	ug/L	4	NA	1	4	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Cadmium	ug/L	5	NA	0.2	5	< 0.20	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Chromium	ug/L	100	NA	3	100	< 1.0	< 1.0	< 1.0	1.1	2	6	< 1	< 1	< 1	1	< 1
Cobalt	ug/L	NC	6	15	15	< 6.0	< 6.0	< 6.0	< 6.0	< 6	< 6	< 6	< 6	< 6	< 6	< 6
Fluoride	ug/L	4,000	NA	1,000	4,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	1,060	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000
Lead	ug/L	NC	15	1	15	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Lithium	ug/L	NC	40	180	180	< 10	10	< 10	11	15	22	21	19	19	16	15
Mercury	ug/L	2	NA	0.2	2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Molybdenum	ug/L	NC	100	6	100	50.3	48.0	59	11	18	11	9	7	7	6	6
Radium-226	pCi/L	NC	NA	NA	NA	< 0.885	< 1.06	< 0.459	< 0.159	< 0.370	0.629	0.353	0.797	0.832	< 0.449	0.395
Radium-228	pCi/L	5	NA	3.32	5	< 1.53	< 1.96	< 0.677	< 0.581	1.01	1.12	1.16	1.50	1.35	0.870	< 0.502
Radium-226/228	pCi/L	NC	NA	NA	<b>NA</b>	< 0.649	< 0.897	< 0.677	< 0.581	0.780	0.492	0.804	0.704	0.518	1.29	0.742
Selenium	ug/L	50	NA	2	50	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	2	2	< 1	1
Thallium	ug/L	2	NA	2	2	< 2.0	< 2.0	< 2.0	< 2.0	< 2	< 2	< 2	< 2	< 2	< 2	< 2

**Notes:**

ug/L - micrograms per liter.  
 mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 pCi/L - picocuries per liter.  
 NA - not applicable.  
 NC - no criteria.  
 -- - not analyzed.  
 MCL - Maximum Contaminant Level, EPA Drinking Water Standards and Health Advisories, April 2012.  
 RSL - Regional Screening Level from 83 FR 36435.  
 UTL - Upper Tolerance Limit (95%) of the background data set.  
 GWPS - Groundwater Protection Standard. GWPS is the higher of the MCL/RSL and UTL as established in TRC's Technical Memorandum dated October 15, 2018.  
 \* - Secondary Maximum Contaminant Level (SMCL), EPA Secondary Drinking Water Regulations (SDWR) April 2012.  
**Bold** value indicates an exceedance of the GWPS. Data from downgradient monitoring wells are screened against the GWPS for evaluation purposes only. Confidence intervals will be used to determine compliance per the CCR rules. All metals were analyzed as total unless otherwise specified.

**Table 1**  
 Comparison of Groundwater Sampling Results to Groundwater Protection Standards – November 2018 to May 2022  
 DE Karn Bottom Ash Pond – RCRA CCR Monitoring Program  
 Essexville, Michigan

Sample Location:						DEK-MW-18001							
Sample Date:						11/6/2018	4/10/2019	10/15/2019	5/14/2020	10/6/2020	5/3/2021	10/7/2021	5/3/2022
Constituent	Unit	EPA MCL	EPA RSL	UTL	GWPS	downgradient							
<b>Appendix III</b>													
Boron	ug/L	NC	NA	619	NA	1,020	970	2,200	1,670	1,740	1,180	1,370	869
Calcium	mg/L	NC	NA	302	NA	51.1	48	84	72.1	71.7	65.2	71.0	63.7
Chloride	mg/L	250*	NA	2,440	NA	76.6	69	81	64.7	60.7	51.6	55.2	65.9
Fluoride	ug/L	4,000	NA	1,000	NA	1,300	1,200	1,000	1,090	1,240	< 1,000	< 1,000	< 1,000
Sulfate	mg/L	250*	NA	407	NA	< 2.0	< 2.0	31	51.1	91.9	121	118	187
Total Dissolved Solids	mg/L	500*	NA	4,600	NA	340	360	500	484	476	486	494	555
pH, Field	SU	6.5 - 8.5*	NA	6.5 - 7.3	NA	7.5	7.2	7.3	7.7	7.6	7.3	7.4	7.6
<b>Appendix IV</b>													
Antimony	ug/L	6	NA	1	6	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1
Arsenic	ug/L	10	NA	21	<b>21</b>	<b>116</b>	<b>68</b>	<b>63</b>	<b>79</b>	<b>85</b>	<b>92</b>	<b>85</b>	<b>113</b>
Barium	ug/L	2,000	NA	1,300	2,000	79.5	75	160	130	136	135	135	164
Beryllium	ug/L	4	NA	1	4	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1
Cadmium	ug/L	5	NA	0.2	5	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Chromium	ug/L	100	NA	3	100	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1
Cobalt	ug/L	NC	6	15	15	< 6.0	< 6.0	< 6.0	< 6	< 6	< 6	< 6	< 6
Fluoride	ug/L	4,000	NA	1,000	4,000	1,300	1,200	1,000	1,090	1,240	< 1,000	< 1,000	< 1,000
Lead	ug/L	NC	15	1	15	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1
Lithium	ug/L	NC	40	180	180	24	24	36	27	26	25	24	22
Mercury	ug/L	2	NA	0.2	2	< 0.20	< 0.20	< 0.20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Molybdenum	ug/L	NC	100	6	100	< 5.0	< 5.0	< 5.0	< 5	< 5	< 5	< 5	< 5
Radium-226	pCi/L	NC	NA	NA	NA	< 0.813	0.173	0.206	< 0.608	< 0.473	0.189	0.873	0.294
Radium-228	pCi/L	5	NA	3.32	5	1.56	0.867	0.952	< 0.676	0.591	0.828	1.85	0.592
Radium-226/228	pCi/L	NC	NA	NA	<b>NA</b>	0.811	0.694	0.746	< 0.676	0.463	0.639	0.979	0.885
Selenium	ug/L	50	NA	2	50	< 1.0	< 1.0	< 1.0	< 1	1	< 1	2	2
Thallium	ug/L	2	NA	2	2	< 2.0	< 2.0	< 2.0	< 2	< 2	< 2	< 2	< 2


**Notes:**

ug/L - micrograms per liter.  
 mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 pCi/L - picocuries per liter.  
 NA - not applicable.  
 NC - no criteria.  
 -- - not analyzed.  
 MCL - Maximum Contaminant Level, EPA Drinking Water Standards and Health Advisories, April 2012.  
 RSL - Regional Screening Level from 83 FR 36435.  
 UTL - Upper Tolerance Limit (95%) of the background data set.  
 GWPS - Groundwater Protection Standard. GWPS is the higher of the MCL/RSL and UTL as established in TRC's Technical Memorandum dated October 15, 2018.  
 \* - Secondary Maximum Contaminant Level (SMCL), EPA Secondary Drinking Water Regulations (SDWR) April 2012.  
**Bold** value indicates an exceedance of the GWPS. Data from downgradient monitoring wells are screened against the GWPS for evaluation purposes only. Confidence intervals will be used to determine compliance per the CCR rules. All metals were analyzed as total unless otherwise specified.

# **Attachment 1**

## **Sanitas™ Output Files**

### Arsenic Comparison to GWPS



Time Series Analysis Run 6/9/2022 2:46 PM  
Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2

# Summary Report


Constituent: Arsenic, Total    Analysis Run 6/9/2022 2:45 PM  
 Client: Consumers Energy    Data: DEK\_HMPCCR\_Sanitas\_22Q2

For observations made between 11/5/2018 and 5/3/2022, a summary of the selected data set:

Observations = 32  
 ND/Trace = 0  
 Wells = 4  
 Minimum Value = 2  
 Maximum Value = 120  
 Mean Value = 42.97  
 Median Value = 29.35  
 Standard Deviation = 35.57  
 Coefficient of Variation = 0.8279  
 Skewness = 0.7809

<u>Well</u>	<u>#Obs.</u>	<u>ND/Trace</u>	<u>Min</u>	<u>Max</u>	<u>Mean</u>	<u>Median</u>	<u>Std.Dev.</u>	<u>CV</u>	<u>Skewness</u>
DEK-MW-15002	8	0	2	31.7	8.025	4.75	9.985	1.244	1.915
DEK-MW-15005	8	0	24	120	52.69	43.25	30.32	0.5754	1.486
DEK-MW-15006	8	0	20.25	27	23.53	23.75	2.64	0.1122	0.1387
DEK-MW-18001	8	0	63	116	87.63	85	19.08	0.2177	0.3541


### Arsenic, Total DEK-MW-15002



n = 8  
Slope = -3.148  
units per year.  
Mann-Kendall  
statistic = -21  
critical = -20  
Decreasing trend  
significant at 98%  
confidence level  
( $\alpha = 0.01$  per  
tail).

Sen's Slope Estimator Analysis Run 6/10/2022 1:26 PM  
Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2


### Arsenic, Total DEK-MW-15005



n = 8  
Slope = 9.335  
units per year.  
Mann-Kendall  
statistic = 12  
critical = 20  
Trend not sig-  
nificant at 98%  
confidence level  
( $\alpha = 0.01$  per  
tail).

Sen's Slope Estimator Analysis Run 6/10/2022 1:26 PM  
Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2

### Arsenic, Total DEK-MW-15006




n = 8  
Slope = 1.129  
units per year.  
Mann-Kendall  
statistic = 10  
critical = 20  
Trend not sig-  
nificant at 98%  
confidence level  
( $\alpha = 0.01$  per  
tail).

Sen's Slope Estimator Analysis Run 6/10/2022 1:26 PM  
Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2



### Arsenic, Total DEK-MW-18001




n = 8  
Slope = 11.25  
units per year.  
Mann-Kendall  
statistic = 9  
critical = 20  
Trend not sig-  
nificant at 98%  
confidence level  
( $\alpha = 0.01$  per  
tail).

Sen's Slope Estimator Analysis Run 6/10/2022 1:26 PM  
Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2

### Parametric Confidence Interval

Compliance limit is exceeded.\* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic, Total    Analysis Run 6/9/2022 3:05 PM  
Client: Consumers Energy    Data: DEK\_HMPCCR\_Sanitas\_22Q2

# Confidence Interval

Constituent: Arsenic, T Total (ug/L) Analysis Run 6/9/2022 3:07 PM

Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2

---

	DEK-MW-15002	DEK-MW-15005	DEK-MW-15006	DEK-MW-18001
11/5/2018	31.7		20.25 (D)	
11/6/2018		35		116
4/10/2019				68
4/11/2019	9	24 (D)	21	
10/15/2019	6.5	120 (D)	27	63
5/13/2020	3	34 (D)	21	
5/14/2020				79
10/6/2020	8 (D)			85
10/7/2020		42	27	
5/3/2021	2	44.5 (D)	24	92
10/4/2021	2	68	23.5 (D)	
10/7/2021				85
5/3/2022	2	54	24.5 (D)	113
Mean	8.025	52.69	23.53	87.63
Std. Dev.	9.985	30.32	2.64	19.08
Upper Lim.	14.08	81.57	26.33	107.8
Lower Lim.	1.735	25.55	20.73	67.4

# Appendix C

## Laboratory Analytical Reports

To: CDBatts, Karn/Weadock

From: EBlaj, T-258

Date: May 22, 2022

Subject: RCRA GROUNDWATER MONITORING – DEK BOTTOM ASH POND WELLS – 2022 Q2

CC: HDRegister, P22-521  
BLSwanberg, P22-119

Darby Litz, Project Manager  
TRC Companies, Inc.  
1540 Eisenhower Place  
Ann Arbor, MI 48108

**Chemistry Project: 22-0436**

TRC Environmental, Inc. conducted groundwater monitoring at the DEKarn Bottom Ash Pond Wells area on 05/03/2022 for the 2<sup>nd</sup> Quarter requirement, as specified in the Sampling and Analysis Plan for the site. The samples were received for analysis by the Chemistry department of Laboratory Services on 05/04/2022.

Samples for Total Sulfide have been subcontracted to Merit Laboratories, Inc. and the results are listed under the analyst initials “Merit”. Samples for Total & Dissolved Organic Carbon have been subcontracted to Brighton Analytical LLC and the results are listed under the analyst initials “BAL”. The original reports from both labs are attached. Please note that the subcontracted work is not reported under the CE laboratory scope of accreditation.

With the exception noted above, the report that follows presents the results of the requested analytical testing; the results apply only to the samples as received. All samples have been analyzed in accordance with the 2016 TNI Standard and the applicable A2LA accreditation scope for Laboratory Services. Any exceptions to applicable test method criteria and standard compliance are noted in the Case Narrative, or flagged with applicable qualifiers in the analytical results section.

Reviewed and approved by:

Emil Blaj  
Sr. Technical Analyst  
Project Lead



*Testing performed in accordance with the A2LA scope of accreditation specified in the listed certificate. The information contained in this report is the sole property of Consumers Energy. It cannot be reproduced except in full, and with consent from Consumers Energy, or the customer for which this report was issued.*

## CASE NARRATIVE

### I. Sample Receipt

All samples were received within hold time and in good conditions; no anomalies were noted on the attached Sample Log-In Shipment Inspection Form during sample check-in. Identification of all samples included in the work order/project is provided in the sample summary section. All sample preservation and temperature upon receipt was verified by the sample custodian and confirmed to meet method requirements.

### II. Methodology

Unless otherwise indicated, sample preparation and analysis was performed in accordance with the corresponding test methods from “Methods for the Determination of Inorganic Substances in Environmental Samples (EPA/600/R-93/100); SW-846, “Test Methods for Evaluating Solid Waste – Physical/Chemical Methods”, USEPA (latest revisions), and Standard Methods for the Examination of Water and Wastewater, APHA-AWWA-WPCF, 22<sup>nd</sup> Edition, 2012.

### III. Results/Quality Control

Analytical results for this report are presented by laboratory sample ID, container, & aliquot number. Results for the field blanks, field duplicates, and recoveries of the field matrix spike & matrix spike duplicate samples are included in the results section; all other quality control data is listed in the Quality Control Summary associated with the particular test method, as appropriate. Unless specifically noted in the case narrative, all method quality control requirements have been met. If any results are qualified, the corresponding data flags/qualifiers are listed on the last page of the results section. Any additional information on method performance, when applicable, is presented in this section of the case narrative. When data flags are not needed, the qualifiers text box on the last page is left blank, and a statement confirms that no exceptions occurred.

## DEFINITIONS / QUALIFIERS

The following qualifiers and/or acronyms are used in the report, where applicable:

<u>Acronym</u>	<u>Description</u>
RL	Reporting Limit
ND	Result not detected or below Reporting Limit
NT	Non TNI analyte
LCS	Laboratory Control Sample
LRB	Laboratory Reagent Blank (also referred to as Method Blank)
DUP	Duplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
RPD	Relative Percent Difference
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
TDL	Target Detection Limit
SM	Standard Methods Compendium

<u>Qualifier</u>	<u>Description</u>
*	Generic data flag, applicable description added in the corresponding notes section
B	The analyte was detected in the LRB at a level which is significant relative to sample result
D	Reporting limit elevated due to dilution
E	Estimated due to result exceeding the linear range of the analyzer
H	The maximum recommended hold time was exceeded
I	Dilution required due to matrix interference; reporting limit elevated
J	Estimated due to result found above MDL but below PQL (or RL)
K	Reporting limit raised due to matrix interference
M	The precision for duplicate analysis was not met; RPD outside acceptance criteria
N	Non-homogeneous sample made analysis questionable
PI	Possible interference may have affected the accuracy of the laboratory result
Q	Matrix Spike or Matrix Spike Duplicate recovery outside acceptance criteria
R	Result confirmed by new sample preparation and reanalysis
X	Other notation required; comment listed in sample notes and/or case narrative

**Customer Name:** Karn/Weadock Complex  
**Work Order ID:** Q2-2022 DEK Bottom Ash Pond Wells  
**Date Received:** 5/4/2022  
**Chemistry Project:** 22-0436

<u>Sample #</u>	<u>Field Sample ID</u>	<u>Matrix</u>	<u>Sample Date</u>	<u>Site</u>
22-0436-01	DEK-MW-15002	Groundwater	05/03/2022 02:21 PM	DEK Bottom Ash Pond
22-0436-02	DEK-MW-15005	Groundwater	05/03/2022 12:56 PM	DEK Bottom Ash Pond
22-0436-03	DEK-MW-15006	Groundwater	05/03/2022 10:42 AM	DEK Bottom Ash Pond
22-0436-04	DUP-DEK-BAP-01	Groundwater	05/03/2022 12:00 AM	DEK Bottom Ash Pond
22-0436-05	FB-DEK-BAP	Water	05/03/2022 10:42 AM	DEK Bottom Ash Pond
22-0436-06	EB-DEK-BAP	Water	05/03/2022 10:42 AM	DEK Bottom Ash Pond



## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **DEK-MW-15002**  
 Lab Sample ID: 22-0436-01  
 Matrix: Groundwater

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 02:21 PM

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0436-01-C01-A01

Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Arsenic	2		ug/L	1.0	05/05/2022	AB22-0505-08
Barium	134		ug/L	5.0	05/05/2022	AB22-0505-08
Beryllium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Boron	1100		ug/L	20.0	05/05/2022	AB22-0505-08
Cadmium	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Calcium	105000		ug/L	1000.0	05/10/2022	AB22-0505-08
Chromium	1		ug/L	1.0	05/05/2022	AB22-0505-08
Cobalt	ND		ug/L	6.0	05/05/2022	AB22-0505-08
Copper	1		ug/L	1.0	05/05/2022	AB22-0505-08
Iron	1910		ug/L	20.0	05/05/2022	AB22-0505-08
Lead	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Lithium	28		ug/L	10.0	05/05/2022	AB22-0505-08
Magnesium	28800		ug/L	1000.0	05/10/2022	AB22-0505-08
Manganese	410		ug/L	5.0	05/05/2022	AB22-0505-08
Molybdenum	ND		ug/L	5.0	05/05/2022	AB22-0505-08
Nickel	6		ug/L	2.0	05/05/2022	AB22-0505-08
Potassium	8460		ug/L	100.0	05/10/2022	AB22-0505-08
Selenium	1		ug/L	1.0	05/05/2022	AB22-0505-08
Silver	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Sodium	106000		ug/L	1000.0	05/10/2022	AB22-0505-08
Thallium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Vanadium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Zinc	ND		ug/L	10.0	05/05/2022	AB22-0505-08

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0436-01-C01-A02

Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/09/2022	AB22-0509-01

### Anions by EPA 300.0 Aqueous, NO2, NO3

Aliquot #: 22-0436-01-C02-A01

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Nitrate	ND		ug/L	100.0	05/04/2022	AB22-0504-08
Nitrite	ND		ug/L	100.0	05/04/2022	AB22-0504-08

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0436-01-C02-A02

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	99300		ug/L	1000.0	05/06/2022	AB22-0505-07

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **DEK-MW-15002**  
 Lab Sample ID: 22-0436-01  
 Matrix: Groundwater

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 02:21 PM

**Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous** Aliquot #: 22-0436-01-C02-A02 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Fluoride	ND		ug/L	1000.0	05/04/2022	AB22-0505-07
Sulfate	172000		ug/L	1000.0	05/06/2022	AB22-0505-07

**Nitrogen-Ammonia by SM4500NH3(h), Groundwater HL** Aliquot #: 22-0436-01-C03-A01 Analyst: LMO

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Ammonia	6170		ug/L	25.0	05/09/2022	AB22-0509-03

**Total Dissolved Solids by SM 2540C** Aliquot #: 22-0436-01-C04-A01 Analyst: CET

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Dissolved Solids	779		mg/L	10.0	05/05/2022	AB22-0505-01

**Alkalinity by SM 2320B** Aliquot #: 22-0436-01-C05-A01 Analyst: DLS

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Alkalinity Total	302000		ug/L	10000.0	05/09/2022	AB22-0509-10
Alkalinity Bicarbonate	302000		ug/L	10000.0	05/09/2022	AB22-0509-10
Alkalinity Carbonate	ND		ug/L	10000.0	05/09/2022	AB22-0509-10

**Sulfide, Total by SM 4500 S2D** Aliquot #: 22-0436-01-C07-A01 Analyst: Merit

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Sulfide	ND		ug/L	20.0	05/05/2022	AB22-0509-14

**Total Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-01-C08-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Organic Carbon	4800		ug/L	1000.0	05/11/2022	AB22-0519-12

**Dissolved Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-01-C09-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Dissolved Organic Carbon	4800		ug/L	1000.0	05/11/2022	AB22-0519-13

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **DEK-MW-15005**  
 Lab Sample ID: 22-0436-02  
 Matrix: Groundwater

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 12:56 PM

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0436-02-C01-A01

Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Arsenic	54		ug/L	1.0	05/05/2022	AB22-0505-08
Barium	305		ug/L	5.0	05/05/2022	AB22-0505-08
Beryllium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Boron	787		ug/L	20.0	05/05/2022	AB22-0505-08
Cadmium	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Calcium	127000		ug/L	1000.0	05/10/2022	AB22-0505-08
Chromium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Cobalt	ND		ug/L	6.0	05/05/2022	AB22-0505-08
Copper	2		ug/L	1.0	05/05/2022	AB22-0505-08
Iron	1570		ug/L	20.0	05/05/2022	AB22-0505-08
Lead	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Lithium	36		ug/L	10.0	05/05/2022	AB22-0505-08
Magnesium	21700		ug/L	1000.0	05/10/2022	AB22-0505-08
Manganese	347		ug/L	5.0	05/05/2022	AB22-0505-08
Molybdenum	12		ug/L	5.0	05/05/2022	AB22-0505-08
Nickel	7		ug/L	2.0	05/05/2022	AB22-0505-08
Potassium	8830		ug/L	100.0	05/10/2022	AB22-0505-08
Selenium	1		ug/L	1.0	05/05/2022	AB22-0505-08
Silver	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Sodium	138000		ug/L	1000.0	05/10/2022	AB22-0505-08
Thallium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Vanadium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Zinc	ND		ug/L	10.0	05/05/2022	AB22-0505-08

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0436-02-C01-A02

Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/09/2022	AB22-0509-01

### Anions by EPA 300.0 Aqueous, NO2, NO3

Aliquot #: 22-0436-02-C02-A01

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Nitrate	ND		ug/L	100.0	05/04/2022	AB22-0504-08
Nitrite	ND		ug/L	100.0	05/04/2022	AB22-0504-08

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0436-02-C02-A02

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	141000		ug/L	1000.0	05/06/2022	AB22-0505-07

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **DEK-MW-15005**  
 Lab Sample ID: 22-0436-02  
 Matrix: Groundwater

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 12:56 PM

**Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous** Aliquot #: 22-0436-02-C02-A02 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Fluoride	ND		ug/L	1000.0	05/04/2022	AB22-0505-07
Sulfate	151000		ug/L	1000.0	05/06/2022	AB22-0505-07

**Nitrogen-Ammonia by SM4500NH3(h), Groundwater HL** Aliquot #: 22-0436-02-C03-A01 Analyst: LMO

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Ammonia	2100		ug/L	25.0	05/09/2022	AB22-0509-03

**Total Dissolved Solids by SM 2540C** Aliquot #: 22-0436-02-C04-A01 Analyst: CET

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Dissolved Solids	909		mg/L	10.0	05/05/2022	AB22-0505-01

**Alkalinity by SM 2320B** Aliquot #: 22-0436-02-C05-A01 Analyst: DLS

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Alkalinity Total	403000		ug/L	10000.0	05/09/2022	AB22-0509-10
Alkalinity Bicarbonate	403000		ug/L	10000.0	05/09/2022	AB22-0509-10
Alkalinity Carbonate	ND		ug/L	10000.0	05/09/2022	AB22-0509-10

**Sulfide, Total by SM 4500 S2D** Aliquot #: 22-0436-02-C07-A01 Analyst: Merit

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Sulfide	ND		ug/L	20.0	05/05/2022	AB22-0509-14

**Total Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-02-C08-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Organic Carbon	5000		ug/L	1000.0	05/11/2022	AB22-0519-12

**Dissolved Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-02-C09-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Dissolved Organic Carbon	5600		ug/L	1000.0	05/11/2022	AB22-0519-13

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **DEK-MW-15006**  
 Lab Sample ID: 22-0436-03  
 Matrix: Groundwater

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 10:42 AM

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0436-03-C01-A01

Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Arsenic	25		ug/L	1.0	05/05/2022	AB22-0505-08
Barium	68		ug/L	5.0	05/05/2022	AB22-0505-08
Beryllium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Boron	893		ug/L	20.0	05/05/2022	AB22-0505-08
Cadmium	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Calcium	65000		ug/L	1000.0	05/10/2022	AB22-0505-08
Chromium	1		ug/L	1.0	05/05/2022	AB22-0505-08
Cobalt	ND		ug/L	6.0	05/05/2022	AB22-0505-08
Copper	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Iron	715		ug/L	20.0	05/05/2022	AB22-0505-08
Lead	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Lithium	16		ug/L	10.0	05/05/2022	AB22-0505-08
Magnesium	7450		ug/L	1000.0	05/10/2022	AB22-0505-08
Manganese	202		ug/L	5.0	05/05/2022	AB22-0505-08
Molybdenum	6		ug/L	5.0	05/05/2022	AB22-0505-08
Nickel	4		ug/L	2.0	05/05/2022	AB22-0505-08
Potassium	7890		ug/L	100.0	05/10/2022	AB22-0505-08
Selenium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Silver	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Sodium	127000		ug/L	1000.0	05/10/2022	AB22-0505-08
Thallium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Vanadium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Zinc	ND		ug/L	10.0	05/05/2022	AB22-0505-08

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0436-03-C01-A02

Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/09/2022	AB22-0509-01

### Anions by EPA 300.0 Aqueous, NO2, NO3

Aliquot #: 22-0436-03-C02-A01

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Nitrate	ND		ug/L	100.0	05/04/2022	AB22-0504-08
Nitrite	ND		ug/L	100.0	05/04/2022	AB22-0504-08

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0436-03-C02-A02

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	68600		ug/L	1000.0	05/06/2022	AB22-0505-07

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **DEK-MW-15006**  
 Lab Sample ID: 22-0436-03  
 Matrix: Groundwater

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 10:42 AM

**Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous** Aliquot #: 22-0436-03-C02-A02 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Fluoride	ND		ug/L	1000.0	05/04/2022	AB22-0505-07
Sulfate	173000		ug/L	1000.0	05/06/2022	AB22-0505-07

**Nitrogen-Ammonia by SM4500NH3(h), Groundwater HL** Aliquot #: 22-0436-03-C03-A01 Analyst: LMO

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Ammonia	2920		ug/L	25.0	05/09/2022	AB22-0509-03

**Total Dissolved Solids by SM 2540C** Aliquot #: 22-0436-03-C04-A01 Analyst: CET

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Dissolved Solids	597		mg/L	10.0	05/05/2022	AB22-0505-01

**Alkalinity by SM 2320B** Aliquot #: 22-0436-03-C05-A01 Analyst: DLS

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Alkalinity Total	224000		ug/L	10000.0	05/09/2022	AB22-0509-10
Alkalinity Bicarbonate	224000		ug/L	10000.0	05/09/2022	AB22-0509-10
Alkalinity Carbonate	ND		ug/L	10000.0	05/09/2022	AB22-0509-10

**Sulfide, Total by SM 4500 S2D** Aliquot #: 22-0436-03-C07-A01 Analyst: Merit

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Sulfide	ND		ug/L	20.0	05/05/2022	AB22-0509-14

**Total Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-03-C08-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Organic Carbon	3000		ug/L	1000.0	05/11/2022	AB22-0519-12

**Dissolved Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-03-C09-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Dissolved Organic Carbon	3500		ug/L	1000.0	05/11/2022	AB22-0519-13

**Laboratory Services**  
A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
Field Sample ID: **DUP-DEK-BAP-01**  
Lab Sample ID: 22-0436-04  
Matrix: Groundwater

Laboratory Project: **22-0436**  
Collect Date: 05/03/2022  
Collect Time: 12:00 AM

**Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp**

Aliquot #: 22-0436-04-C01-A01

Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Arsenic	24		ug/L	1.0	05/05/2022	AB22-0505-08
Barium	67		ug/L	5.0	05/05/2022	AB22-0505-08
Beryllium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Boron	888		ug/L	20.0	05/05/2022	AB22-0505-08
Cadmium	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Calcium	65500		ug/L	1000.0	05/10/2022	AB22-0505-08
Chromium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Cobalt	ND		ug/L	6.0	05/05/2022	AB22-0505-08
Copper	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Iron	696		ug/L	20.0	05/05/2022	AB22-0505-08
Lead	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Lithium	15		ug/L	10.0	05/05/2022	AB22-0505-08
Magnesium	7520		ug/L	1000.0	05/10/2022	AB22-0505-08
Manganese	206		ug/L	5.0	05/05/2022	AB22-0505-08
Molybdenum	6		ug/L	5.0	05/05/2022	AB22-0505-08
Nickel	4		ug/L	2.0	05/05/2022	AB22-0505-08
Potassium	8090		ug/L	100.0	05/10/2022	AB22-0505-08
Selenium	1		ug/L	1.0	05/05/2022	AB22-0505-08
Silver	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Sodium	125000		ug/L	1000.0	05/10/2022	AB22-0505-08
Thallium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Vanadium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Zinc	ND		ug/L	10.0	05/05/2022	AB22-0505-08

**Mercury by EPA 7470A, Total, Aqueous**

Aliquot #: 22-0436-04-C01-A02

Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/09/2022	AB22-0509-01

**Anions by EPA 300.0 Aqueous, NO2, NO3**

Aliquot #: 22-0436-04-C02-A01

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Nitrate	ND		ug/L	100.0	05/04/2022	AB22-0504-08
Nitrite	ND		ug/L	100.0	05/04/2022	AB22-0504-08

**Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous**

Aliquot #: 22-0436-04-C02-A02

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	67900		ug/L	1000.0	05/06/2022	AB22-0505-07

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **DUP-DEK-BAP-01**  
 Lab Sample ID: 22-0436-04  
 Matrix: Groundwater

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 12:00 AM

**Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous** Aliquot #: 22-0436-04-C02-A02 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Fluoride	ND		ug/L	1000.0	05/04/2022	AB22-0505-07
Sulfate	168000		ug/L	1000.0	05/06/2022	AB22-0505-07

**Nitrogen-Ammonia by SM4500NH3(h), Groundwater HL** Aliquot #: 22-0436-04-C03-A01 Analyst: LMO

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Ammonia	2960		ug/L	25.0	05/09/2022	AB22-0509-03

**Total Dissolved Solids by SM 2540C** Aliquot #: 22-0436-04-C04-A01 Analyst: CET

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Dissolved Solids	609		mg/L	10.0	05/05/2022	AB22-0505-01

**Alkalinity by SM 2320B** Aliquot #: 22-0436-04-C05-A01 Analyst: DLS

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Alkalinity Total	225000		ug/L	10000.0	05/09/2022	AB22-0509-10
Alkalinity Bicarbonate	225000		ug/L	10000.0	05/09/2022	AB22-0509-10
Alkalinity Carbonate	ND		ug/L	10000.0	05/09/2022	AB22-0509-10

**Sulfide, Total by SM 4500 S2D** Aliquot #: 22-0436-04-C07-A01 Analyst: Merit

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Sulfide	ND		ug/L	20.0	05/05/2022	AB22-0509-14

**Total Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-04-C08-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Organic Carbon	3100		ug/L	1000.0	05/11/2022	AB22-0519-12

**Dissolved Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-04-C09-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Dissolved Organic Carbon	3800		ug/L	1000.0	05/11/2022	AB22-0519-13



## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **FB-DEK-BAP**  
 Lab Sample ID: 22-0436-05  
 Matrix: Water

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 10:42 AM

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0436-05-C01-A01

Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Arsenic	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Barium	ND		ug/L	5.0	05/05/2022	AB22-0505-08
Beryllium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Boron	ND		ug/L	20.0	05/05/2022	AB22-0505-08
Cadmium	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Calcium	ND		ug/L	1000.0	05/10/2022	AB22-0505-08
Chromium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Cobalt	ND		ug/L	6.0	05/05/2022	AB22-0505-08
Copper	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Iron	ND		ug/L	20.0	05/05/2022	AB22-0505-08
Lead	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Lithium	ND		ug/L	10.0	05/05/2022	AB22-0505-08
Magnesium	ND		ug/L	1000.0	05/10/2022	AB22-0505-08
Manganese	ND		ug/L	5.0	05/05/2022	AB22-0505-08
Molybdenum	ND		ug/L	5.0	05/05/2022	AB22-0505-08
Nickel	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Potassium	ND		ug/L	100.0	05/10/2022	AB22-0505-08
Selenium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Silver	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Sodium	ND		ug/L	1000.0	05/10/2022	AB22-0505-08
Thallium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Vanadium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Zinc	ND		ug/L	10.0	05/05/2022	AB22-0505-08

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0436-05-C01-A02

Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/09/2022	AB22-0509-01

### Anions by EPA 300.0 Aqueous, NO2, NO3

Aliquot #: 22-0436-05-C02-A01

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Nitrate	ND		ug/L	100.0	05/04/2022	AB22-0504-08
Nitrite	ND		ug/L	100.0	05/04/2022	AB22-0504-08

### Nitrogen-Ammonia by SM4500NH3(h), Groundwater HL

Aliquot #: 22-0436-05-C03-A01

Analyst: LMO

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Ammonia	ND		ug/L	25.0	05/09/2022	AB22-0509-09

**Laboratory Services**  
A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **FB-DEK-BAP**  
 Lab Sample ID: 22-0436-05  
 Matrix: Water

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 10:42 AM

**Sulfide, Total by SM 4500 S2D** Aliquot #: 22-0436-05-C04-A01 Analyst: Merit

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Sulfide	ND		ug/L	20.0	05/05/2022	AB22-0509-14

**Total Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-05-C05-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Organic Carbon	ND		ug/L	1000.0	05/11/2022	AB22-0519-12

**Dissolved Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-05-C06-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Dissolved Organic Carbon	1300		ug/L	1000.0	05/11/2022	AB22-0519-13

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **EB-DEK-BAP**  
 Lab Sample ID: 22-0436-06  
 Matrix: Water

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 10:42 AM

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0436-06-C01-A01

Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Arsenic	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Barium	ND		ug/L	5.0	05/05/2022	AB22-0505-08
Beryllium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Boron	ND		ug/L	20.0	05/05/2022	AB22-0505-08
Cadmium	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Calcium	ND		ug/L	1000.0	05/10/2022	AB22-0505-08
Chromium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Cobalt	ND		ug/L	6.0	05/05/2022	AB22-0505-08
Copper	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Iron	ND		ug/L	20.0	05/10/2022	AB22-0505-08
Lead	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Lithium	ND		ug/L	10.0	05/05/2022	AB22-0505-08
Magnesium	ND		ug/L	1000.0	05/10/2022	AB22-0505-08
Manganese	ND		ug/L	5.0	05/05/2022	AB22-0505-08
Molybdenum	ND		ug/L	5.0	05/05/2022	AB22-0505-08
Nickel	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Potassium	ND		ug/L	100.0	05/10/2022	AB22-0505-08
Selenium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Silver	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Sodium	ND		ug/L	1000.0	05/10/2022	AB22-0505-08
Thallium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Vanadium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Zinc	ND		ug/L	10.0	05/05/2022	AB22-0505-08

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0436-06-C01-A02

Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/09/2022	AB22-0509-01

### Anions by EPA 300.0 Aqueous, NO2, NO3

Aliquot #: 22-0436-06-C02-A01

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Nitrate	ND		ug/L	100.0	05/04/2022	AB22-0504-08
Nitrite	ND		ug/L	100.0	05/04/2022	AB22-0504-08

### Nitrogen-Ammonia by SM4500NH3(h), Groundwater HL

Aliquot #: 22-0436-06-C03-A01

Analyst: LMO

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Ammonia	ND		ug/L	25.0	05/09/2022	AB22-0509-09

**Laboratory Services**  
A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond**  
 Field Sample ID: **EB-DEK-BAP**  
 Lab Sample ID: 22-0436-06  
 Matrix: Water

Laboratory Project: **22-0436**  
 Collect Date: 05/03/2022  
 Collect Time: 10:42 AM

**Sulfide, Total by SM 4500 S2D** Aliquot #: 22-0436-06-C04-A01 Analyst: Merit

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Sulfide	ND		ug/L	20.0	05/05/2022	AB22-0509-14

**Total Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-06-C05-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Organic Carbon	ND		ug/L	1000.0	05/11/2022	AB22-0519-12

**Dissolved Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0436-06-C06-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Dissolved Organic Carbon	ND		ug/L	1000.0	05/11/2022	AB22-0519-13



# Analytical Report

Report Date: 05/22/22

**Laboratory Services**  
A CENTURY OF EXCELLENCE

Data Qualifiers	Exception Summary
-----------------	-------------------

No exceptions occurred.

**TITLE: SAMPLE LOG-IN – SHIPMENT INSPECTION FORM**

Project Log-In Number: 22-0436  
Inspection Date: 5-4-22 Inspection By: dmw  
Sample Origin/Project Name: Q2-2022 DEK Bottom Ash Pond Wells

Shipment Delivered By: Enter the type of shipment carrier.

Pony \_\_\_\_\_ FedEx  UPS \_\_\_\_\_ USPS \_\_\_\_\_ Airborne \_\_\_\_\_  
Other/Hand Carry (whom) \_\_\_\_\_  
Tracking Number: 272724708321 Shipping Form Attached: Yes  No \_\_\_\_\_

Shipping Containers: Enter the type and number of shipping containers received.

Cooler  Cardboard Box \_\_\_\_\_ Custom Case \_\_\_\_\_ Envelope/Mailer \_\_\_\_\_  
Loose/Unpackaged Containers \_\_\_\_\_ Other \_\_\_\_\_

Condition of Shipment: Enter the as-received condition of the shipment container.

Damaged Shipment Observed: None  Dented \_\_\_\_\_ Leaking \_\_\_\_\_  
Other \_\_\_\_\_

Shipment Security: Enter if any of the shipping containers were opened before receipt.

Shipping Containers Received: Opened \_\_\_\_\_ Sealed

Enclosed Documents: Enter the type of documents enclosed with the shipment.

CoC  Work Request \_\_\_\_\_ Air Data Sheet \_\_\_\_\_ Other \_\_\_\_\_

Temperature of Containers: Measure the temperature of several sample containers.

As-Received Temperature 3.1 - 4.8°C Samples Received on Ice: Yes  No \_\_\_\_\_  
M&T E # & Exp. date 015402 6/3/22

Number and Type of Containers: Enter the total number of sample containers received.

*pH paper*  
*PSC*  
*Lot No: 13-640-508*  
*0.0 - 14.8*  
*Lot: 222420*  
*Exp: 8-1-23*

Container Type	Water	Soil	Other	Broken	Leaking
VOA (40ml. or 60ml.)	_____	_____	_____	_____	_____
Quart/Liter (g/p)	_____	_____	_____	_____	_____
9-oz (amber glass jar)	_____	_____	_____	_____	_____
2-oz (amber glass)	_____	_____	_____	_____	_____
125 mL (plastic)	_____	_____	_____	_____	_____
24 mL vial (glass)	_____	_____	_____	_____	_____
500 mL (plastic)	_____	_____	_____	_____	_____
Other	_____	_____	_____	_____	_____

# CHAIN OF CUSTODY



## CONSUMERS ENERGY COMPANY – LABORATORY SERVICES

135 WEST TRAIL ST., JACKSON, MI 49201 • (517) 788-1251

SAMPLING SITE / CUSTOMER: Q2-2022 DEK Bottom Ash Pond Wells			PROJECT NUMBER: <b>22-0436</b>			SAP CC or WO#: REQUESTER: Harold Register			ANALYSIS REQUESTED (Attach List if More Space is Needed)								QA REQUIREMENT: <input type="checkbox"/> NPDES <input checked="" type="checkbox"/> TNI <input type="checkbox"/> ISO 17025 <input type="checkbox"/> 10 CFR 50 APP. B <input type="checkbox"/> INTERNAL INFO <input type="checkbox"/> OTHER _____																								
SAMPLING TEAM: Henry Schmidt Jack Krentz Janis Jasso			TURNAROUND TIME REQUIRED: <input type="checkbox"/> 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 3 DAYS <input type="checkbox"/> STANDARD <input checked="" type="checkbox"/> OTHER _____						<table border="1" style="width: 100%; text-align: center; font-size: small;"> <tr> <th rowspan="2">Total Metals</th> <th rowspan="2">Anions</th> <th rowspan="2">Ammonia</th> <th rowspan="2">TDS</th> <th rowspan="2">Alkalinity</th> <th rowspan="2">Sulfide</th> <th rowspan="2">Total Organic Carbon</th> <th rowspan="2">Dissolved Organic Carbon</th> <th colspan="8">PRESERVATIVE</th> </tr> <tr> <th>None</th> <th>HNO<sub>3</sub></th> <th>H<sub>2</sub>SO<sub>4</sub></th> <th>NaOH</th> <th>HCl</th> <th>MeOH</th> <th>Other</th> </tr> </table>								Total Metals	Anions	Ammonia	TDS	Alkalinity	Sulfide	Total Organic Carbon	Dissolved Organic Carbon	PRESERVATIVE								None	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	HCl	MeOH	Other	REMARKS	
Total Metals	Anions	Ammonia	TDS	Alkalinity	Sulfide	Total Organic Carbon	Dissolved Organic Carbon	PRESERVATIVE																																	
								None	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	HCl	MeOH	Other																											
SEND REPORT TO: Caleb Batts		email:			phone:			COPY TO: Harold Register TRC		MATRIX CODES: GW = Groundwater      OX = Other WW = Wastewater      SL = Sludge W = Water / Aqueous Liquid      A = Air S = Soil / General Solid      WP = Wipe O = Oil      WT = General Waste			LAB SAMPLE ID		SAMPLE COLLECTION		MATRIX	FIELD SAMPLE ID / LOCATION						TOTAL #																	
		DATE		TIME																																					
		5/3/22		1421		GW		DEK-MW-15002		9		4		1		1		1		2		x		x		x		x		x		x									
		-02		1256		GW		DEK-MW-15005		9		4		1		1		1		2		x		x		x		x		x		x									
		-03		1042		GW		DEK-MW-15006		9		4		1		1		1		2		x		x		x		x		x		x									
		-04		—		GW		DUP-DEK-BAP-01		9		4		1		1		1		2		x		x		x		x		x		x									
		-05		1042		W		FB-DEK-BAP		6		2		1		1		1		2		x		x		x															
		-06		1042		W		EB-DEK-BAP		6		2		1		1		1		2		x		x		x															

RELINQUISHED BY: Henry Schmidt		DATE/TIME: 5/3/22		RECEIVED BY: Fed Ex		COMMENTS: Received on Ice? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No      M&TE #: <u>015402</u> Temperature: <u>2.4-3.8</u> °C      Cal. Due Date: <u>6-3-22</u>			
RELINQUISHED BY: Fed Ex		DATE/TIME: 05-04-22 10:25		RECEIVED BY: [Signature]					



# Analytical Laboratory Report

Report ID: S35620.01(01)  
Generated on 05/06/2022

Report to

Attention: Emil Blaj  
Consumers Energy Company  
135 West Trail Street  
Jackson, MI 49201

Phone: D:517-788-5888 C:517-684-9467 FAX:  
Email: emil.blaj@cmsenergy.com

Report produced by

Merit Laboratories, Inc.  
2680 East Lansing Drive  
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:  
John Lavery (johnlavery@meritlabs.com)  
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S35620.01-S35620.06  
Project: 22-0436 PR#22050489  
Collected Date(s): 05/03/2022  
Submitted Date/Time: 05/05/2022 08:15  
Sampled by: Unknown  
P.O. #: 4400106050

Table of Contents

- Cover Page (Page 1)
- General Report Notes (Page 2)
- Report Narrative (Page 2)
- Laboratory Certifications (Page 3)
- Qualifier Descriptions (Page 3)
- Glossary of Abbreviations (Page 3)
- Method Summary (Page 4)
- Sample Summary (Page 5)

Maya Murshak  
Technical Director





# Analytical Laboratory Report

## General Report Notes

---

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

When MDL results are provided, then 'Not detected' indicates that parameter was not found at a level equal to or greater than the MDL.

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein, acrylonitrile, and 2-chlorovinylethyl ether need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Wisconsin PFAs analysis: MDL = LOD; RL = LOQ. LOD and LOQ are adjusted for dilution.

## Report Narrative

---

There is no additional narrative for this analytical report



# Analytical Laboratory Report

## Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884
Wisconsin DNR	FID# 399147320

## Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

## Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



# Analytical Laboratory Report

## Method Summary

Method	Version
SM4500-S2 D	Standard Method 4450 S2 D 2011

---



# Analytical Laboratory Report

## Sample Summary (6 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S35620.01	22-0436-01 (DEK-MW-15002)	Groundwater	05/03/22 14:21
S35620.02	22-0436-02 (DEK-MW-15005)	Groundwater	05/03/22 12:56
S35620.03	22-0436-03 (DEK-MW-15006)	Groundwater	05/03/22 10:42
S35620.04	22-0436-04 (DUP-DEK-BAP-01)	Groundwater	05/03/22 00:01
S35620.05	22-0436-05 (FB-DEK-BAP)	Groundwater	05/03/22 10:42
S35620.06	22-0436-06 (EB-DEK-BAP)	Groundwater	05/03/22 10:42



# Analytical Laboratory Report

Lab Sample ID: S35620.01

Sample Tag: 22-0436-01 (DEK-MW-15002)

Collected Date/Time: 05/03/2022 14:21

Matrix: Groundwater

COC Reference:

### Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	125ml Plastic	NaOH	Yes	3.2	IR

### Inorganics

Method: SM4500-S2 D, Run Date: 05/05/22 13:54, Analyst: JDP

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Sulfide	Not detected	0.02	0.005	mg/L	1	18496-25-8	



# Analytical Laboratory Report

Lab Sample ID: S35620.02

Sample Tag: 22-0436-02 (DEK-MW-15005)

Collected Date/Time: 05/03/2022 12:56

Matrix: Groundwater

COC Reference:

### Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	125ml Plastic	NaOH	Yes	3.2	IR

### Inorganics

Method: SM4500-S2 D, Run Date: 05/05/22 13:56, Analyst: JDP

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Sulfide	Not detected	0.02	0.005	mg/L	1	18496-25-8	



# Analytical Laboratory Report

Lab Sample ID: S35620.03

Sample Tag: 22-0436-03 (DEK-MW-15006)

Collected Date/Time: 05/03/2022 10:42

Matrix: Groundwater

COC Reference:

### Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	125ml Plastic	NaOH	Yes	3.2	IR

### Inorganics

Method: SM4500-S2 D, Run Date: 05/05/22 13:58, Analyst: JDP

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Sulfide	Not detected	0.02	0.005	mg/L	1	18496-25-8	



# Analytical Laboratory Report

Lab Sample ID: S35620.04

Sample Tag: 22-0436-04 (DUP-DEK-BAP-01)

Collected Date/Time: 05/03/2022 00:01

Matrix: Groundwater

COC Reference:

### Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	125ml Plastic	NaOH	Yes	3.2	IR

### Inorganics

Method: SM4500-S2 D, Run Date: 05/05/22 14:00, Analyst: JDP

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Sulfide	Not detected	0.02	0.005	mg/L	1	18496-25-8	





# Analytical Laboratory Report

Lab Sample ID: S35620.05

Sample Tag: 22-0436-05 (FB-DEK-BAP)

Collected Date/Time: 05/03/2022 10:42

Matrix: Groundwater

COC Reference:

### Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	125ml Plastic	NaOH	Yes	3.2	IR

### Inorganics

Method: SM4500-S2 D, Run Date: 05/05/22 14:04, Analyst: JDP

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Sulfide	Not detected	0.02	0.005	mg/L	1	18496-25-8	



# Analytical Laboratory Report

Lab Sample ID: S35620.06

Sample Tag: 22-0436-06 (EB-DEK-BAP)

Collected Date/Time: 05/03/2022 10:42

Matrix: Groundwater

COC Reference:

### Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	125ml Plastic	NaOH	Yes	3.2	IR

### Inorganics

Method: SM4500-S2 D, Run Date: 05/05/22 14:06, Analyst: JDP

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Sulfide	Not detected	0.02	0.005	mg/L	1	18496-25-8	

# Merit Laboratories Login Checklist

Lab Set ID:S35620

Client:CONSUMERS (Consumers Energy)

Project: 22-0436 PR#22050489

Submitted:05/05/2022 08:15 Login User: MMC

Attention: Emil Blaj

Address: Consumers Energy Company  
135 West Trail Street  
Jackson, MI 49201

Phone: D:517-788-5888 FAX:

Email:emil.blaj@cmsenergy.com

Selection	Description	Note
<b>Sample Receiving</b>		
01.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Samples are received at 4C +/- 2C Thermometer # IR 3.2
02.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Received on ice/ cooling process begun
03.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Samples shipped
04.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Samples left in 24 hr. drop box
05.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Are there custody seals/tape or is the drop box locked
<b>Chain of Custody</b>		
06.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	COC adequately filled out
07.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	COC signed and relinquished to the lab
08.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sample tag on bottles match COC
09.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Subcontracting needed? Subcontracted to:
<b>Preservation</b>		
10.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Do sample have correct chemical preservation
11.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Completed pH checks on preserved samples? (no VOAs)
12.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Did any samples need to be preserved in the lab?
<b>Bottle Conditions</b>		
13.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	All bottles intact
14.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Appropriate analytical bottles are used
15.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Merit bottles used
16.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sufficient sample volume received
17.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Samples require laboratory filtration
18.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Samples submitted within holding time
19.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Do water VOC or TOX bottles contain headspace

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: \_\_\_\_\_ Date: \_\_\_\_\_

# Merit Laboratories Bottle Preservation Check

Lab Set ID: S35620 Submitted: 05/05/2022 08:15

Client: CONSUMERS (Consumers Energy)

Project: 22-0436 PR#22050489

Initial Preservation Check: 05/05/2022 08:52 MMC

Preservation Recheck (E200.8): N/A

Attention: Emil Blaj

Address: Consumers Energy Company  
135 West Trail Street  
Jackson, MI 49201

Phone: D:517-788-5888 FAX:

Email: emil.blaj@cmsenergy.com

Sample ID	Bottle / Preservation	pH (Orig)	Add ml	pH (New)	Notes
S35620.01	125ml Plastic NaOH	>12			
S35620.02	125ml Plastic NaOH	>12			
S35620.03	125ml Plastic NaOH	>12			
S35620.04	125ml Plastic NaOH	>12			
S35620.05	125ml Plastic NaOH	>12			
S35620.06	125ml Plastic NaOH	>12			



2680 East Lansing Dr., East Lansing, MI 48823  
 Phone (517) 332-0167 Fax (517) 332-4034  
 www.meritlabs.com

C.O.C. PAGE # 1 OF 1

**REPORT TO** **CHAIN OF CUSTODY RECORD** **INVOICE TO**

CONTACT NAME Emil Blaj  
 COMPANY Consumers Energy  
 ADDRESS 135 W. Trail Street  
 CITY Jackson STATE MI ZIP CODE 49201  
 PHONE NO. 517-788-5888 FAX NO. 517-788-2533 P.O. NO. 4400106050  
 E-MAIL ADDRESS emil.blaj@cmsenergy.com QUOTE NO.

CONTACT NAME  SAME  
 COMPANY  
 ADDRESS  
 CITY STATE ZIP CODE  
 PHONE NO. E-MAIL ADDRESS

PROJECT NO./NAME 22-0436 PR#22050489 SAMPLER(S) - PLEASE PRINT/SIGN NAME N/A  
 TURNAROUND TIME REQUIRED  1 DAY  2 DAYS  3 DAYS  STANDARD  OTHER  
 DELIVERABLES REQUIRED  STD  LEVEL II  LEVEL III  LEVEL IV  EDD  OTHER

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID  
 SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE

**ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)**

MERIT LAB NO. <small>FOR LAB USE ONLY</small>	YEAR		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	# Containers & Preservatives								Total Sulfide	Certifications	Project Locations	Special Instructions
	DATE	TIME				NONE	HCl	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	MeOH	OTHER					
<u>35620.01</u>	<u>05/03/22</u>	<u>1421</u>	<u>22-0436-01 (DEK-MW-15002)</u>	<u>GW</u>	<u>1</u>						<u>1</u>		<input checked="" type="checkbox"/>			<u>preserved with NaOH/ZnAcetate</u>	
<u>.02</u>	<u>05/03/22</u>	<u>1256</u>	<u>22-0436-02 (DEK-MW-15005)</u>	<u>GW</u>	<u>1</u>						<u>1</u>		<input checked="" type="checkbox"/>			<u>"</u>	
<u>.03</u>	<u>05/03/22</u>	<u>1042</u>	<u>22-0436-03 (DEK-MW-15006)</u>	<u>GW</u>	<u>1</u>						<u>1</u>		<input checked="" type="checkbox"/>			<u>"</u>	
<u>.04</u>	<u>05/03/22</u>	<u>-</u>	<u>22-0436-04 (DUP-DEK-BAP-01)</u>	<u>GW</u>	<u>1</u>						<u>1</u>		<input checked="" type="checkbox"/>			<u>"</u>	
<u>.05</u>	<u>05/03/22</u>	<u>1042</u>	<u>22-0436-05 (FB-DEK-BAP)</u>	<u>GW</u>	<u>1</u>						<u>1</u>		<input checked="" type="checkbox"/>			<u>"</u>	
<u>.06</u>	<u>05/03/22</u>	<u>1042</u>	<u>22-0436-06 (EB-DEK-BAP)</u>	<u>GW</u>	<u>1</u>						<u>1</u>		<input checked="" type="checkbox"/>			<u>"</u>	

RELINQUISHED BY: SIGNATURE/ORGANIZATION Consumers Energy  Sampler DATE 05-04-22 TIME 1820  
 RECEIVED BY: SIGNATURE/ORGANIZATION  
 RELINQUISHED BY: SIGNATURE/ORGANIZATION DATE TIME  
 RECEIVED BY: SIGNATURE/ORGANIZATION DATE TIME

RELINQUISHED BY: SIGNATURE/ORGANIZATION Merit Drop Box DATE 5/5/22 TIME 0815  
 RECEIVED BY: SIGNATURE/ORGANIZATION M. Chilcote DATE 5/5/22 TIME 0815  
 SEAL NO. SEAL INTACT YES  NO  INITIALS  
 NOTES: TEMP. ON ARRIVAL 3.2

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE

Rev. 5.18.12

May 13, 2022

Consumers Energy Company  
135 W. Trail St.  
Jackson, MI 49201

Subject: Q2-2022 DEK Bottom Ash Pond Wells  
22-0436

Dear Mr. Blaj :

Thank you for making Brighton Analytical, L.L.C. your laboratory of choice. Attached are the results for the samples submitted on 05/06/2022 for the above mentioned project. NELAP/TNI Accredited Analysis and EGLE Drinking Water Certified Analysis will be identified in their respective reporting formats. Hard copies can be supplied at your request for a fee of \$20.00 per copy.

The invoice for this project will be emailed separately. If you have any questions concerning the data or invoice, please don't hesitate to contact our office. We welcome your comments and suggestions to improve our quality systems. Please reference Brighton Analytical, L.L.C. Project ID 81649 when calling or emailing. We thank you for this opportunity to partner with you on this project and hope to work with you again in the future.

Sincerely,  
Brighton Analytical, L.L.C.



**Brighton Analytical LLC**  
 2105 Pless Drive  
 Brighton, Michigan 48114  
 Phone: (810)229-7575 (810)229-8650  
 e-mail: bai-brighton@sbcglobal.net  
 EGLE Certified #9404  
 NELAC Accredited #176507

Sample Date: 05/03/2022  
 Submit Date: 05/06/2022  
 Report Date: 05/13/2022

To: Consumers Energy Company  
 135 W. Trail St.  
 Jackson, MI 49201

BA Report Number: **81649**

Project Name: **Q2-2022 DEK Bottom Ash Pond Wells**


BA Sample ID: **CR00156**

Project Number: **22-0436**

Sample ID: **22-0436-01 DEK-MW-15002**

Parameters	Result	Units	DL	Method Reference	Analyst	Analysis Date
<b>Organic Analysis</b>						
Dissolved Organic Carbon	<b>4800</b>	ug/L	1000	SM5310B	RG	05/11/2022
Total Organic Carbon	<b>4800</b>	ug/L	1000	SM5310B	RG	05/11/2022

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve EGLE designated target detection limits (TDL).

Released by   
 \_\_\_\_\_  
 Date 5/13/2022



**Brighton Analytical LLC**  
 2105 Pless Drive  
 Brighton, Michigan 48114  
 Phone: (810)229-7575 (810)229-8650  
 e-mail: bai-brighton@sbcglobal.net  
 EGLE Certified #9404  
 NELAC Accredited #176507

Sample Date: 05/03/2022  
 Submit Date: 05/06/2022  
 Report Date: 05/13/2022

To: Consumers Energy Company  
 135 W. Trail St.  
 Jackson, MI 49201

BA Report Number: **81649**

Project Name: **Q2-2022 DEK Bottom Ash Pond Wells**


BA Sample ID: **CR00157**

Project Number: **22-0436**

Sample ID: **22-0436-02 DEK-MW-15005**

Parameters	Result	Units	DL	Method Reference	Analyst	Analysis Date
<b>Organic Analysis</b>						
Dissolved Organic Carbon	<b>5600</b>	ug/L	1000	SM5310B	RG	05/12/2022
Total Organic Carbon	<b>5000</b>	ug/L	1000	SM5310B	RG	05/12/2022

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve EGLE designated target detection limits (TDL).

Released by   
 \_\_\_\_\_  
 Date 5/13/2022





**Brighton Analytical LLC**  
 2105 Pless Drive  
 Brighton, Michigan 48114  
 Phone: (810)229-7575 (810)229-8650  
 e-mail: bai-brighton@sbcglobal.net  
 EGLE Certified #9404  
 NELAC Accredited #176507

Sample Date: 05/03/2022  
 Submit Date: 05/06/2022  
 Report Date: 05/13/2022

To: Consumers Energy Company  
 135 W. Trail St.  
 Jackson, MI 49201

BA Report Number: **81649**

Project Name: **Q2-2022 DEK Bottom Ash Pond Wells**


BA Sample ID: **CR00158**

Project Number: **22-0436**

Sample ID: **22-0436-03 DEK-MW-15006**

Parameters	Result	Units	DL	Method Reference	Analyst	Analysis Date
<b>Organic Analysis</b>						
Dissolved Organic Carbon	<b>3500</b>	ug/L	1000	SM5310B	RG	05/12/2022
Total Organic Carbon	<b>3000</b>	ug/L	1000	SM5310B	RG	05/12/2022

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve EGLE designated target detection limits (TDL).

Released by   
 \_\_\_\_\_  
 Date 5/13/2022



**Brighton Analytical LLC**  
 2105 Pless Drive  
 Brighton, Michigan 48114  
 Phone: (810)229-7575 (810)229-8650  
 e-mail: bai-brighton@sbcglobal.net  
 EGLE Certified #9404  
 NELAC Accredited #176507

Sample Date: 05/03/2022  
 Submit Date: 05/06/2022  
 Report Date: 05/13/2022

To: Consumers Energy Company  
 135 W. Trail St.  
 Jackson, MI 49201

BA Report Number: **81649**

Project Name: **Q2-2022 DEK Bottom Ash Pond Wells**


BA Sample ID: **CR00159**

Project Number: **22-0436**

Sample ID: **22-0436-04 DUP-DEK-BAP-01**

Parameters	Result	Units	DL	Method Reference	Analyst	Analysis Date
<b>Organic Analysis</b>						
Dissolved Organic Carbon	<b>3800</b>	ug/L	1000	SM5310B	RG	05/12/2022
Total Organic Carbon	<b>3100</b>	ug/L	1000	SM5310B	RG	05/12/2022

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve EGLE designated target detection limits (TDL).

Released by   
 \_\_\_\_\_  
 Date 5/13/2022



**Brighton Analytical LLC**  
 2105 Pless Drive  
 Brighton, Michigan 48114  
 Phone: (810)229-7575 (810)229-8650  
 e-mail: bai-brighton@sbcglobal.net  
 EGLE Certified #9404  
 NELAC Accredited #176507


Sample Date: 05/03/2022  
 Submit Date: 05/06/2022  
 Report Date: 05/13/2022

To: Consumers Energy Company  
 135 W. Trail St.  
 Jackson, MI 49201

BA Report Number: **81649** Project Name: **Q2-2022 DEK Bottom Ash Pond Wells**  
 BA Sample ID: **CR00160** Project Number: **22-0436**  
 Sample ID: **22-0436-05 FB-DEK-BAP**

Parameters	Result	Units	DL	Method Reference	Analyst	Analysis Date
<b>Organic Analysis</b>						
Dissolved Organic Carbon	<b>1300</b>	ug/L	1000	SM5310B	RG	05/12/2022
Total Organic Carbon	<b>Not detected</b>	ug/L	1000	SM5310B	RG	05/12/2022

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve EGLE designated target detection limits (TDL).

Released by   
 Date 5/13/2022



**Brighton Analytical LLC**  
 2105 Pless Drive  
 Brighton, Michigan 48114  
 Phone: (810)229-7575 (810)229-8650  
 e-mail: bai-brighton@sbcglobal.net  
 EGLE Certified #9404  
 NELAC Accredited #176507

Sample Date: 05/03/2022  
 Submit Date: 05/06/2022  
 Report Date: 05/13/2022


To: Consumers Energy Company  
 135 W. Trail St.  
 Jackson, MI 49201

BA Report Number: **81649** Project Name: **Q2-2022 DEK Bottom Ash Pond Wells**  
 BA Sample ID: **CR00161** Project Number: **22-0436**

Sample ID: **22-0436-06 EB-DEK-BAP**

Parameters	Result	Units	DL	Method Reference	Analyst	Analysis Date
<b>Organic Analysis</b>						
Dissolved Organic Carbon	Not detected	ug/L	1000	SM5310B	RG	05/12/2022
Total Organic Carbon	Not detected	ug/L	1000	SM5310B	RG	05/12/2022

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve EGLE designated target detection limits (TDL).

Released by   
 \_\_\_\_\_  
 Date 5/13/2022

# CHAIN OF CUSTODY

81449



## CONSUMERS ENERGY COMPANY – LABORATORY SERVICES

135 WEST TRAIL ST., JACKSON, MI 49201 • (517) 788-1251

Page \_\_\_\_\_ of \_\_\_\_\_

SAMPLING SITE / CUSTOMER: Q2-2022 DEK Bottom Ash Pond Wells			PROJECT NUMBER: <b>22-0436</b>		SAP CC or WO#: _____ REQUESTER: Emil Blaj		ANALYSIS REQUESTED (Attach List if More Space is Needed)		QA REQUIREMENT: <input type="checkbox"/> NPDES <input checked="" type="checkbox"/> TNI <input type="checkbox"/> ISO 17025 <input type="checkbox"/> 10 CFR 50 APP. B <input type="checkbox"/> INTERNAL INFO <input type="checkbox"/> OTHER _____													
SAMPLING TEAM: SEND REPORT TO: Emil Blaj			TURNAROUND TIME REQUIRED: <input type="checkbox"/> 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 3 DAYS <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> OTHER _____		email: Emil.Blaj@cmsenergy.com    phone: _____				Total Organic Carbon <input type="checkbox"/> Dissolved Organic Carbon													
COPY TO:			MATRIX CODES: GW = Groundwater    OX = Other WW = Wastewater    SL = Sludge W = Water / Aqueous Liquid    A = Air S = Soil / General Solid    WP = Waste O = Oil    WT = General Waste		CONTAINERS PRESERVATIVE																	
LAB SAMPLE ID	SAMPLE COLLECTION		MATRIX	FIELD SAMPLE ID / LOCATION		TOTAL #	PRESERVATIVE							REMARKS								
	DATE	TIME		OX	SL		A	WP	WT	None	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH		HCl	MeOH	Other					
22-0436-01	05/03/2022	1421	GW	DEK-MW-15002		2							2					x				
-02	05/03/2022	1256	GW	DEK-MW-15005		2							2					x				154
-03	05/03/2022	1042	GW	DEK-MW-15006		2							2					x				157
-04	05/03/2022	-	GW	DUP-DEK-BAP-01		2							2					x				158
-05	05/03/2022	1042	GW	FB-DEK-BAP		2							2					x				159
-06	05/03/2022	1042	GW	EB-DEK-BAP		2							2					x				160
																		x				161
RELINQUISHED BY: <i>Keana Steps</i>			DATE/TIME: 5.06.22 1555		RECEIVED BY: <i>[Signature]</i>							COMMENTS: PR 22050507										
RELINQUISHED BY: _____			DATE/TIME: _____		RECEIVED BY: _____							Received on Ice? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No    M&TE #: _____										
_____			_____		_____							Temperature: 34 °C    Cal. Due Date: _____										



BRIGHTON ANALYTICAL, LLC

QUALITY ASSURANCE/QUALITY  
CONTROL

# REPRESENTATIVE BATCH QUALITY CONTROL

## Accuracy & Precision

Analyst: RG

Parameter: TOC

Analysis Date: 5/11/2022

Method Reference: EPA 415.1/SM5310B/9060

SPIKE - ACCURACY					
Laboratory ID	Spike level PPB	Background PPB	Recoveries (%)	Acceptable Range (%)	Method Blank Concentration
CR00151	TV=10000	2500	107/109	80 - 120	ND
MISCELLANEOUS					
Laboratory ID	Observed A PPB	Observed B PPB	RPD (%)	Acceptable Range(%)	
CR00151	13200	13300	0.75	≤ 20	
MISCELLANEOUS					
	Standard ID #	%Recoveries			
Independent Secondary Reference Material:	#4295.1	109			
Method Standard (Lab. Control Spike):	#3046.6	106			

COMMENTS: \_\_\_\_\_

# REPRESENTATIVE BATCH QUALITY CONTROL

## Accuracy & Precision

Analyst: RG

Parameter: DOC

Analysis Date: 5/11/2022

Method Reference: EPA 415.1/SM5310B/9060

SPIKE - ACCURACY					
Laboratory ID	Spike level PPB	Background PPB	Recoveries (%)	Acceptable Range (%)	Method Blank Concentration
CR00151	TV=10000	3300	105/107	80 - 120	ND
MISCELLANEOUS					
Laboratory ID	Observed A PPB	Observed B PPB	RPD (%)	Acceptable Range(%)	
CR00151	13800	14000	1.40	≤ 20	
MISCELLANEOUS					
	Standard ID #	%Recoveries			
Independent Secondary Reference Material:	#4295.1	109			
Method Standard (Lab. Control Spike):	#3046.6	106			

COMMENTS: \_\_\_\_\_



# REPRESENTATIVE BATCH QUALITY CONTROL

## Accuracy & Precision

Analyst:           RG          

Parameter:           TOC          

Analysis Date:           5/12/2022          

Method Reference:           EPA 415.1/SM5310B/9060          

SPIKE - ACCURACY					
Laboratory ID	Spike level PPB	Background PPB	Recoveries (%)	Acceptable Range (%)	Method Blank Concentration
CR00159	TV=10000	3100	117/112	80 - 120	ND
MISCELLANEOUS					
Laboratory ID	Observed A PPB	Observed B PPB	RPD (%)	Acceptable Range(%)	
CR00159	14800	14400	2.70	≤ 20	
MISCELLANEOUS					
	Standard ID #	%Recoveries			
Independent Secondary Reference Material:	#4295.1	106			
Method Standard (Lab. Control Spike):	#3046.6	104			

COMMENTS: \_\_\_\_\_

# REPRESENTATIVE BATCH QUALITY CONTROL

## Accuracy & Precision

Analyst: RG

Parameter: DOC

Analysis Date: 5/12/2022

Method Reference: EPA 415.1/SM5310B/9060

SPIKE - ACCURACY					
Laboratory ID	Spike level PPB	Background PPB	Recoveries (%)	Acceptable Range (%)	Method Blank Concentration
CR00159	TV=10000	3800	105/106	80 - 120	ND
MISCELLANEOUS					
Laboratory ID	Observed A PPB	Observed B PPB	RPD (%)	Acceptable Range(%)	
CR00159	14300	14400	0.70	≤ 20	
MISCELLANEOUS					
	Standard ID #	%Recoveries			
Independent Secondary Reference Material:	#4295.1	106			
Method Standard (Lab. Control Spike):	#3046.6	104			

COMMENTS: \_\_\_\_\_

To: CDBatts, Karn/Weadock

From: EBlaj, T-258

Date: May 22, 2022

Subject: RCRA GROUNDWATER MONITORING – KARN BAP & LINED IMP. WELLS – 2022 Q2

CC: HDRegister, P22-521  
BLSwanberg, P22-119

Darby Litz, Project Manager  
TRC Companies, Inc.  
1540 Eisenhower Place  
Ann Arbor, MI 48108

**Chemistry Project: 22-0437**

TRC Environmental, Inc. conducted groundwater monitoring at the DEKarn Bottom Ash Pond and Lined Impoundment Wells area on 05/03/2022, for the 2<sup>nd</sup> Quarter requirement, as specified in the Sampling and Analysis Plan for the site. The samples were received for analysis by the Chemistry department of Laboratory Services on 05/04/2022.

Samples for Total Sulfide have been subcontracted to Merit Laboratories, Inc. and the results are listed under the analyst initials “Merit”. Samples for Total & Dissolved Organic Carbon have been subcontracted to Brighton Analytical LLC and the results are listed under the analyst initials “BAL”. The original reports from both labs are attached. Please note that the subcontracted work is not reported under the CE laboratory scope of accreditation.

With the exception noted above, the report that follows presents the results of the requested analytical testing; the results apply only to the samples as received. All samples have been analyzed in accordance with the 2016 TNI Standard and the applicable A2LA accreditation scope for Laboratory Services. Any exceptions to applicable test method criteria and standard compliance are noted in the Case Narrative, or flagged with applicable qualifiers in the analytical results section.

Reviewed and approved by:

Emil Blaj  
Sr. Technical Analyst  
Project Lead



*Testing performed in accordance with the A2LA scope of accreditation specified in the listed certificate. The information contained in this report is the sole property of Consumers Energy. It cannot be reproduced except in full, and with consent from Consumers Energy, or the customer for which this report was issued.*

## CASE NARRATIVE

### I. Sample Receipt

All samples were received within hold time and in good conditions; no anomalies were noted on the attached Sample Log-In Shipment Inspection Form during sample check-in. Identification of all samples included in the work order/project is provided in the sample summary section. All sample preservation and temperature upon receipt was verified by the sample custodian and confirmed to meet method requirements.

### II. Methodology

Unless otherwise indicated, sample preparation and analysis was performed in accordance with the corresponding test methods from “Methods for the Determination of Inorganic Substances in Environmental Samples (EPA/600/R-93/100); SW-846, “Test Methods for Evaluating Solid Waste – Physical/Chemical Methods”, USEPA (latest revisions), and Standard Methods for the Examination of Water and Wastewater, APHA-AWWA-WPCF, 22<sup>nd</sup> Edition, 2012.

### III. Results/Quality Control

Analytical results for this report are presented by laboratory sample ID, container, & aliquot number. Results for the field blanks, field duplicates, and recoveries of the field matrix spike & matrix spike duplicate samples are included in the results section; all other quality control data is listed in the Quality Control Summary associated with the particular test method, as appropriate. Unless specifically noted in the case narrative, all method quality control requirements have been met. If any results are qualified, the corresponding data flags/qualifiers are listed on the last page of the results section. Any additional information on method performance, when applicable, is presented in this section of the case narrative. When data flags are not needed, the qualifiers text box on the last page is left blank, and a statement confirms that no exceptions occurred.

## DEFINITIONS / QUALIFIERS

The following qualifiers and/or acronyms are used in the report, where applicable:

<u>Acronym</u>	<u>Description</u>
RL	Reporting Limit
ND	Result not detected or below Reporting Limit
NT	Non TNI analyte
LCS	Laboratory Control Sample
LRB	Laboratory Reagent Blank (also referred to as Method Blank)
DUP	Duplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
RPD	Relative Percent Difference
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
TDL	Target Detection Limit
SM	Standard Methods Compendium

<u>Qualifier</u>	<u>Description</u>
*	Generic data flag, applicable description added in the corresponding notes section
B	The analyte was detected in the LRB at a level which is significant relative to sample result
D	Reporting limit elevated due to dilution
E	Estimated due to result exceeding the linear range of the analyzer
H	The maximum recommended hold time was exceeded
I	Dilution required due to matrix interference; reporting limit elevated
J	Estimated due to result found above MDL but below PQL (or RL)
K	Reporting limit raised due to matrix interference
M	The precision for duplicate analysis was not met; RPD outside acceptance criteria
N	Non-homogeneous sample made analysis questionable
PI	Possible interference may have affected the accuracy of the laboratory result
Q	Matrix Spike or Matrix Spike Duplicate recovery outside acceptance criteria
R	Result confirmed by new sample preparation and reanalysis
X	Other notation required; comment listed in sample notes and/or case narrative

**Customer Name:** Karn/Weadock Complex  
**Work Order ID:** Q2-2022 DEK Bottom Ash Pond & Lined Impoundment  
**Date Received:** 5/4/2022  
**Chemistry Project:** 22-0437

<u>Sample #</u>	<u>Field Sample ID</u>	<u>Matrix</u>	<u>Sample Date</u>	<u>Site</u>
22-0437-01	DEK-MW-18001	Groundwater	05/03/2022 01:44 PM	DEK Bottom Ash Pond & Lined Impoundment
22-0437-02	DEK-MW-18001 MS	Groundwater	05/03/2022 01:44 PM	DEK Bottom Ash Pond & Lined Impoundment
22-0437-03	DEK-MW-18001 MSD	Groundwater	05/03/2022 01:44 PM	DEK Bottom Ash Pond & Lined Impoundment

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond & Lined Impoundment**  
 Field Sample ID: **DEK-MW-18001**  
 Lab Sample ID: 22-0437-01  
 Matrix: Groundwater

Laboratory Project: **22-0437**  
 Collect Date: 05/03/2022  
 Collect Time: 01:44 PM

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0437-01-C01-A01

Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Arsenic	113		ug/L	1.0	05/05/2022	AB22-0505-08
Barium	164		ug/L	5.0	05/05/2022	AB22-0505-08
Beryllium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Boron	869		ug/L	20.0	05/05/2022	AB22-0505-08
Cadmium	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Calcium	63700		ug/L	1000.0	05/10/2022	AB22-0505-08
Chromium	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Cobalt	ND		ug/L	6.0	05/05/2022	AB22-0505-08
Copper	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Iron	1360		ug/L	20.0	05/05/2022	AB22-0505-08
Lead	ND		ug/L	1.0	05/05/2022	AB22-0505-08
Lithium	22		ug/L	10.0	05/05/2022	AB22-0505-08
Magnesium	13300		ug/L	1000.0	05/10/2022	AB22-0505-08
Manganese	200		ug/L	5.0	05/05/2022	AB22-0505-08
Molybdenum	ND		ug/L	5.0	05/05/2022	AB22-0505-08
Nickel	3		ug/L	2.0	05/05/2022	AB22-0505-08
Potassium	4270		ug/L	100.0	05/10/2022	AB22-0505-08
Selenium	2		ug/L	1.0	05/05/2022	AB22-0505-08
Silver	ND		ug/L	0.2	05/05/2022	AB22-0505-08
Sodium	97400		ug/L	1000.0	05/10/2022	AB22-0505-08
Thallium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Vanadium	ND		ug/L	2.0	05/05/2022	AB22-0505-08
Zinc	ND		ug/L	10.0	05/05/2022	AB22-0505-08

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0437-01-C01-A02

Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/09/2022	AB22-0509-01

### Anions by EPA 300.0 Aqueous, NO2, NO3

Aliquot #: 22-0437-01-C02-A01

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Nitrate	ND		ug/L	100.0	05/04/2022	AB22-0504-08
Nitrite	ND		ug/L	100.0	05/04/2022	AB22-0504-08

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0437-01-C02-A02

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	65900		ug/L	1000.0	05/06/2022	AB22-0505-07

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond & Lined Impoundment**  
 Field Sample ID: **DEK-MW-18001**  
 Lab Sample ID: 22-0437-01  
 Matrix: Groundwater

Laboratory Project: **22-0437**  
 Collect Date: 05/03/2022  
 Collect Time: 01:44 PM

**Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous** Aliquot #: 22-0437-01-C02-A02 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Fluoride	ND		ug/L	1000.0	05/04/2022	AB22-0505-07
Sulfate	187000		ug/L	1000.0	05/06/2022	AB22-0505-07

**Nitrogen-Ammonia by SM4500NH3(h), Groundwater HL** Aliquot #: 22-0437-01-C03-A01 Analyst: LMO

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Ammonia	2040		ug/L	25.0	05/09/2022	AB22-0509-09

**Total Dissolved Solids by SM 2540C** Aliquot #: 22-0437-01-C04-A01 Analyst: CET

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Dissolved Solids	555		mg/L	10.0	05/05/2022	AB22-0505-01

**Alkalinity by SM 2320B** Aliquot #: 22-0437-01-C05-A01 Analyst: DLS

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Alkalinity Total	174000		ug/L	10000.0	05/09/2022	AB22-0509-08
Alkalinity Bicarbonate	174000		ug/L	10000.0	05/09/2022	AB22-0509-08
Alkalinity Carbonate	ND		ug/L	10000.0	05/09/2022	AB22-0509-08

**Sulfide, Total by SM 4500 S2D** Aliquot #: 22-0437-01-C07-A01 Analyst: Merit

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Sulfide	ND		ug/L	20.0	05/06/2022	AB22-0509-15

**Total Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0437-01-C08-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Organic Carbon	4400		ug/L	1000.0	05/10/2022	AB22-0519-08

**Dissolved Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0437-01-C09-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Dissolved Organic Carbon	4800		ug/L	1000.0	05/10/2022	AB22-0519-09



## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond & Lined Impoundment**  
 Field Sample ID: **DEK-MW-18001 MS**  
 Lab Sample ID: 22-0437-02  
 Matrix: Groundwater

Laboratory Project: **22-0437**  
 Collect Date: 05/03/2022  
 Collect Time: 01:44 PM

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0437-02-C01-A01

Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	110		%	1.0	05/05/2022	AB22-0505-08
Arsenic	94		%	1.0	05/05/2022	AB22-0505-08
Barium	104		%	5.0	05/05/2022	AB22-0505-08
Beryllium	100		%	1.0	05/05/2022	AB22-0505-08
Boron	107		%	20.0	05/05/2022	AB22-0505-08
Cadmium	104		%	0.2	05/05/2022	AB22-0505-08
Calcium	102		%	1000.0	05/10/2022	AB22-0505-08
Chromium	97		%	1.0	05/05/2022	AB22-0505-08
Cobalt	98		%	6.0	05/05/2022	AB22-0505-08
Copper	92		%	1.0	05/05/2022	AB22-0505-08
Iron	114		%	20.0	05/05/2022	AB22-0505-08
Lead	99		%	1.0	05/05/2022	AB22-0505-08
Lithium	101		%	10.0	05/05/2022	AB22-0505-08
Magnesium	111		%	1000.0	05/10/2022	AB22-0505-08
Manganese	97		%	5.0	05/05/2022	AB22-0505-08
Molybdenum	111		%	5.0	05/05/2022	AB22-0505-08
Nickel	92		%	2.0	05/05/2022	AB22-0505-08
Potassium	109		%	100.0	05/10/2022	AB22-0505-08
Selenium	97		%	1.0	05/05/2022	AB22-0505-08
Silver	115		%	0.2	05/05/2022	AB22-0505-08
Sodium	114		%	1000.0	05/10/2022	AB22-0505-08
Thallium	98		%	2.0	05/05/2022	AB22-0505-08
Vanadium	101		%	2.0	05/05/2022	AB22-0505-08
Zinc	93		%	10.0	05/05/2022	AB22-0505-08

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0437-02-C01-A02

Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	101		%	0.2	05/09/2022	AB22-0509-01

### Anions by EPA 300.0 Aqueous, NO2, NO3

Aliquot #: 22-0437-02-C02-A01

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Nitrate	93		%	100.0	05/04/2022	AB22-0504-08
Nitrite	93		%	100.0	05/04/2022	AB22-0504-08

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0437-02-C02-A02

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	108		%	1000.0	05/06/2022	AB22-0505-07

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond & Lined Impoundment**  
 Field Sample ID: **DEK-MW-18001 MS**  
 Lab Sample ID: 22-0437-02  
 Matrix: Groundwater

Laboratory Project: **22-0437**  
 Collect Date: 05/03/2022  
 Collect Time: 01:44 PM

**Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous** Aliquot #: 22-0437-02-C02-A02 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Fluoride	83		%	1000.0	05/04/2022	AB22-0505-07
Sulfate	108		%	1000.0	05/06/2022	AB22-0505-07

**Nitrogen-Ammonia by SM4500NH3(h), Groundwater HL** Aliquot #: 22-0437-02-C03-A01 Analyst: LMO

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Ammonia	99		%	25.0	05/09/2022	AB22-0509-09

**Alkalinity by SM 2320B** Aliquot #: 22-0437-02-C05-A01 Analyst: DLS

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Alkalinity Total	96.2		%	10000.0	05/09/2022	AB22-0509-08

**Sulfide, Total by SM 4500 S2D** Aliquot #: 22-0437-02-C07-A01 Analyst: Merit

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Sulfide	92		%	20.0	05/06/2022	AB22-0509-15

**Total Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0437-02-C08-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Organic Carbon	114		%	1000.0	05/10/2022	AB22-0519-08

**Dissolved Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0437-02-C09-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Dissolved Organic Carbon	106		%	1000.0	05/10/2022	AB22-0519-09

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond & Lined Impoundment**  
 Field Sample ID: **DEK-MW-18001 MSD**  
 Lab Sample ID: 22-0437-03  
 Matrix: Groundwater

Laboratory Project: **22-0437**  
 Collect Date: 05/03/2022  
 Collect Time: 01:44 PM

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0437-03-C01-A01

Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	108		%	1.0	05/05/2022	AB22-0505-08
Arsenic	91		%	1.0	05/05/2022	AB22-0505-08
Barium	101		%	5.0	05/05/2022	AB22-0505-08
Beryllium	101		%	1.0	05/05/2022	AB22-0505-08
Boron	111		%	20.0	05/05/2022	AB22-0505-08
Cadmium	103		%	0.2	05/05/2022	AB22-0505-08
Calcium	102		%	1000.0	05/10/2022	AB22-0505-08
Chromium	97		%	1.0	05/05/2022	AB22-0505-08
Cobalt	96		%	6.0	05/05/2022	AB22-0505-08
Copper	91		%	1.0	05/05/2022	AB22-0505-08
Iron	113		%	20.0	05/05/2022	AB22-0505-08
Lead	99		%	1.0	05/05/2022	AB22-0505-08
Lithium	103		%	10.0	05/05/2022	AB22-0505-08
Magnesium	114		%	1000.0	05/10/2022	AB22-0505-08
Manganese	94		%	5.0	05/05/2022	AB22-0505-08
Molybdenum	110		%	5.0	05/05/2022	AB22-0505-08
Nickel	90		%	2.0	05/05/2022	AB22-0505-08
Potassium	109		%	100.0	05/10/2022	AB22-0505-08
Selenium	92		%	1.0	05/05/2022	AB22-0505-08
Silver	113		%	0.2	05/05/2022	AB22-0505-08
Sodium	116		%	1000.0	05/10/2022	AB22-0505-08
Thallium	99		%	2.0	05/05/2022	AB22-0505-08
Vanadium	98		%	2.0	05/05/2022	AB22-0505-08
Zinc	91		%	10.0	05/05/2022	AB22-0505-08

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0437-03-C01-A02

Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	94.0		%	0.2	05/09/2022	AB22-0509-01

### Anions by EPA 300.0 Aqueous, NO2, NO3

Aliquot #: 22-0437-03-C02-A01

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Nitrate	93		%	100.0	05/04/2022	AB22-0504-08
Nitrite	93		%	100.0	05/04/2022	AB22-0504-08

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0437-03-C02-A02

Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	113		%	1000.0	05/06/2022	AB22-0505-07

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK Bottom Ash Pond & Lined Impoundment**  
 Field Sample ID: **DEK-MW-18001 MSD**  
 Lab Sample ID: 22-0437-03  
 Matrix: Groundwater

Laboratory Project: **22-0437**  
 Collect Date: 05/03/2022  
 Collect Time: 01:44 PM

**Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous** Aliquot #: 22-0437-03-C02-A02 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Fluoride	83		%	1000.0	05/04/2022	AB22-0505-07
Sulfate	114		%	1000.0	05/06/2022	AB22-0505-07

**Nitrogen-Ammonia by SM4500NH3(h), Groundwater HL** Aliquot #: 22-0437-03-C03-A01 Analyst: LMO

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Ammonia	103		%	25.0	05/09/2022	AB22-0509-09

**Alkalinity by SM 2320B** Aliquot #: 22-0437-03-C05-A01 Analyst: DLS

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Alkalinity Total	96.7		%	10000.0	05/09/2022	AB22-0509-08

**Sulfide, Total by SM 4500 S2D** Aliquot #: 22-0437-03-C07-A01 Analyst: Merit

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Sulfide	92		%	20.0	05/06/2022	AB22-0509-15

**Total Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0437-03-C08-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Organic Carbon	117		%	1000.0	05/10/2022	AB22-0519-08

**Dissolved Organic Carbon by SM 5310B, Aqueous** Aliquot #: 22-0437-03-C09-A01 Analyst: BAL

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Dissolved Organic Carbon	87		%	1000.0	05/10/2022	AB22-0519-09

---

Data Qualifiers	Exception Summary
-----------------	-------------------

---

No exceptions occurred.

---

CONSUMERS  
ENERGY

Chemistry Department  
General Standard Operating Procedure

PROC CHEM-1.2.01  
PAGE 1 OF 2  
REVISION 2  
ATTACHMENT A

**TITLE: SAMPLE LOG-IN – SHIPMENT INSPECTION FORM**

Project Log-In Number: 22-0437

Inspection Date: 05/04/22 Inspection By: CUH

Sample Origin/Project Name: DEK LI + BAP

Shipment Delivered By: Enter the type of shipment carrier.

Pony \_\_\_\_\_ FedEx  UPS \_\_\_\_\_ USPS \_\_\_\_\_ Airborne \_\_\_\_\_

Other/Hand Carry (whom) \_\_\_\_\_

Tracking Number: 272720301342 Shipping Form Attached: Yes  No \_\_\_\_\_

Shipping Containers: Enter the type and number of shipping containers received.

Cooler  Cardboard Box \_\_\_\_\_ Custom Case \_\_\_\_\_ Envelope/Mailer \_\_\_\_\_

Loose/Unpackaged Containers \_\_\_\_\_ Other \_\_\_\_\_

Condition of Shipment: Enter the as-received condition of the shipment container.

Damaged Shipment Observed: None  Dented \_\_\_\_\_ Leaking \_\_\_\_\_

Other \_\_\_\_\_

Shipment Security: Enter if any of the shipping containers were opened before receipt.

Shipping Containers Received: Opened \_\_\_\_\_ Sealed

Enclosed Documents: Enter the type of documents enclosed with the shipment.

CoC  Work Request \_\_\_\_\_ Air Data Sheet \_\_\_\_\_ Other \_\_\_\_\_

Temperature of Containers: Measure the temperature of several sample containers.

As-Received Temperature 1.2-1.6°C Samples Received on Ice: Yes  No \_\_\_\_\_

# 015402 exp: 6-3-22

Number and Type of Containers: Enter the total number of sample containers received.

Container Type	Water	Soil	Other	Broken	Leaking
VOA (40ml. or 60ml.)	<u>40 = 6</u>	_____	_____	_____	_____
Quart/Liter (g/p)	<u>60 = 6</u>	_____	_____	_____	_____
9-oz (amber glass jar)	_____	_____	_____	_____	_____
2-oz (amber glass)	_____	_____	_____	_____	_____
125 mL (plastic)	<u>12</u>	_____	_____	_____	_____
24 mL vial (glass)	_____	_____	_____	_____	_____
500 mL (plastic)	<u>1</u>	_____	_____	_____	_____
Other	_____	_____	_____	_____	_____

PH paper  
0-14

lot #  
222420

exp: 8-1-23

# CHAIN OF CUSTODY



## CONSUMERS ENERGY COMPANY – LABORATORY SERVICES

135 WEST TRAIL ST., JACKSON, MI 49201 • (517) 788-1251

SAMPLING SITE / CUSTOMER: Q2-2022 DEK Bottom Ash Pond & Lined Impound.			PROJECT NUMBER: <b>22-0437</b>			SAP CC or WO#: REQUESTER: Harold Register			ANALYSIS REQUESTED (Attach List if More Space is Needed)						QA REQUIREMENT: <input type="checkbox"/> NPDES <input checked="" type="checkbox"/> TNI <input type="checkbox"/> ISO 17025 <input type="checkbox"/> 10 CFR 50 APP. B <input type="checkbox"/> INTERNAL INFO <input type="checkbox"/> OTHER _____																							
SAMPLING TEAM:			TURNAROUND TIME REQUIRED: <input type="checkbox"/> 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 3 DAYS <input type="checkbox"/> STANDARD <input checked="" type="checkbox"/> OTHER _____			SEND REPORT TO: Caleb Batts email: _____ phone: _____											<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td rowspan="2" style="writing-mode: vertical-rl; transform: rotate(180deg);">Total Metals</td> <td rowspan="2">Anions</td> <td rowspan="2">Ammonia</td> <td rowspan="2">TDS</td> <td rowspan="2">Alkalinity</td> <td rowspan="2">Sulfide</td> <td rowspan="2">Total Organic Carbon</td> <td rowspan="2">Dissolved Organic Carbon</td> <td colspan="8"></td> </tr> <tr> <td colspan="8"></td> </tr> </table>						Total Metals	Anions	Ammonia	TDS	Alkalinity	Sulfide	Total Organic Carbon	Dissolved Organic Carbon								
Total Metals	Anions	Ammonia	TDS	Alkalinity	Sulfide	Total Organic Carbon	Dissolved Organic Carbon																															
COPY TO: Harold Register		MATRIX CODES:		MATRIX CODES: GW = Groundwater      OX = Other WW = Wastewater      SL = Sludge W = Water / Aqueous Liquid      A = Air S = Soil / General Solid      WP = Wipe O = Oil      WT = General Waste			CONTAINERS						REMARKS																									
TRC		FIELD SAMPLE ID / LOCATION					PRESERVATIVE																															
LAB SAMPLE ID		SAMPLE COLLECTION		MATRIX		TOTAL #		None		HNO <sub>3</sub>		H <sub>2</sub> SO <sub>4</sub>		NaOH		HCl		MeOH		Other																		
		DATE      TIME																																				
22-0437-01		5/3/22      1344		GW		DEK-MW-18001		9		4		1		1		2																						
↓ -02		11'      1344		GW		DEK-MW-18001 MS		8		3		1		1		2																						
↓ -03		11'      1344		GW		DEK-MW-18001 MSD		8		3		1		1		2																						

RELINQUISHED BY:		DATE/TIME: 5/3/22 1430		RECEIVED BY: Fed Ex		COMMENTS:  Received on Ice? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No      M&TE #: <u>015402</u> Temperature: <u>1.2-1.6</u> °C      Cal. Due Date: <u>6-3-22</u>					
RELINQUISHED BY: Fed Ex		DATE/TIME: 05.04.22 10:25		RECEIVED BY:							



# Analytical Laboratory Report

Report ID: S35622.01(01)  
Generated on 05/06/2022

Report to

Attention: Emil Blaj  
Consumers Energy Company  
135 West Trail Street  
Jackson, MI 49201

Phone: D:517-788-5888 C:517-684-9467 FAX:  
Email: emil.blaj@cmsenergy.com

Report produced by

Merit Laboratories, Inc.  
2680 East Lansing Drive  
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:  
John Lavery (johnlavery@meritlabs.com)  
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S35622.01-S35622.03  
Project: 22-0437 PR#22050489  
Collected Date(s): 05/03/2022  
Submitted Date/Time: 05/05/2022 08:15  
Sampled by: Unknown  
P.O. #: 4400106050

Table of Contents

- Cover Page (Page 1)
- General Report Notes (Page 2)
- Report Narrative (Page 2)
- Laboratory Certifications (Page 3)
- Qualifier Descriptions (Page 3)
- Glossary of Abbreviations (Page 3)
- Method Summary (Page 4)
- Sample Summary (Page 5)

Maya Murshak  
Technical Director





# Analytical Laboratory Report

## General Report Notes

---

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

When MDL results are provided, then 'Not detected' indicates that parameter was not found at a level equal to or greater than the MDL.

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein, acrylonitrile, and 2-chlorovinylethyl ether need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Wisconsin PFAs analysis: MDL = LOD; RL = LOQ. LOD and LOQ are adjusted for dilution.

## Report Narrative

---

There is no additional narrative for this analytical report



# Analytical Laboratory Report

## Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884
Wisconsin DNR	FID# 399147320

## Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

## Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



# Analytical Laboratory Report

## Method Summary

Method	Version
SM4500-S2 D	Standard Method 4450 S2 D 2011

---



# Analytical Laboratory Report

## Sample Summary (3 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S35622.01	22-0437-01 (DEK-MW-18001)	Groundwater	05/03/22 07:18
S35622.02	22-0437-01 (DEK-MW-18001 Field MS)	Groundwater	05/03/22 08:05
S35622.03	22-0437-01 (DEK-MW-18001 Field MSD)	Groundwater	05/03/22 09:20



# Analytical Laboratory Report

Lab Sample ID: S35622.01

Sample Tag: 22-0437-01 (DEK-MW-18001)

Collected Date/Time: 05/03/2022 07:18

Matrix: Groundwater

COC Reference:

### Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	125ml Plastic	NaOH	Yes	3.2	IR

### Inorganics

Method: SM4500-S2 D, Run Date: 05/06/22 08:06, Analyst: JDP

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Sulfide	Not detected	0.02	0.005	mg/L	1	18496-25-8	



# Analytical Laboratory Report

Lab Sample ID: S35622.02

Sample Tag: 22-0437-01 (DEK-MW-18001 Field MS)

Collected Date/Time: 05/03/2022 08:05

Matrix: Groundwater

COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	125ml Plastic	NaOH	Yes	3.2	IR

## Inorganics

Method: SM4500-S2 D, Run Date: 05/06/22 08:10, Analyst: JDP

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Sulfide	0.183	0.02	0.005	mg/L	1	18496-25-8	1

1-\* Sample spiked @ 0.200 mg/L



# Analytical Laboratory Report

Lab Sample ID: S35622.03

Sample Tag: 22-0437-01 (DEK-MW-18001 Field MSD)

Collected Date/Time: 05/03/2022 09:20

Matrix: Groundwater

COC Reference:

### Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	125ml Plastic	NaOH	Yes	3.2	IR

### Inorganics

Method: SM4500-S2 D, Run Date: 05/06/22 08:12, Analyst: JDP

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Sulfide	0.183	0.02	0.005	mg/L	1	18496-25-8	1

1-\* Sample spiked @ 0.200 mg/L

# Merit Laboratories Login Checklist

Lab Set ID:S35622

Client:CONSUMERS (Consumers Energy)

Project: 22-0437 PR#22050489

Submitted:05/05/2022 08:15 Login User: MMC

Attention: Emil Blaj

Address: Consumers Energy Company  
135 West Trail Street  
Jackson, MI 49201

Phone: D:517-788-5888 FAX:

Email:emil.blaj@cmsenergy.com

Selection	Description	Note
<b>Sample Receiving</b>		
01.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Samples are received at 4C +/- 2C Thermometer # IR 3.2
02.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Received on ice/ cooling process begun
03.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Samples shipped
04.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Samples left in 24 hr. drop box
05.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Are there custody seals/tape or is the drop box locked
<b>Chain of Custody</b>		
06.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	COC adequately filled out
07.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	COC signed and relinquished to the lab
08.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sample tag on bottles match COC
09.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Subcontracting needed? Subcontracted to:
<b>Preservation</b>		
10.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Do sample have correct chemical preservation
11.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Completed pH checks on preserved samples? (no VOAs)
12.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Did any samples need to be preserved in the lab?
<b>Bottle Conditions</b>		
13.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	All bottles intact
14.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Appropriate analytical bottles are used
15.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Merit bottles used
16.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sufficient sample volume received
17.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Samples require laboratory filtration
18.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Samples submitted within holding time
19.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Do water VOC or TOX bottles contain headspace

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: \_\_\_\_\_ Date: \_\_\_\_\_



# Merit Laboratories Bottle Preservation Check

Lab Set ID: S35622 Submitted: 05/05/2022 08:15

Client: CONSUMERS (Consumers Energy)

Project: 22-0437 PR#22050489

Initial Preservation Check: 05/05/2022 08:56 MMC

Preservation Recheck (E200.8): N/A

Attention: Emil Blaj

Address: Consumers Energy Company  
135 West Trail Street  
Jackson, MI 49201

Phone: D:517-788-5888 FAX:

Email: emil.blaj@cmsenergy.com

Sample ID	Bottle / Preservation	pH (Orig)	Add ml	pH (New)	Notes
S35622.01	125ml Plastic NaOH	>12			
S35622.02	125ml Plastic NaOH	>12			
S35622.03	125ml Plastic NaOH	>12			



2680 East Lansing Dr., East Lansing, MI 48823  
 Phone (517) 332-0167 Fax (517) 332-4034  
 www.meritlabs.com

C.O.C. PAGE # 1 OF 1

**REPORT TO**

**CHAIN OF CUSTODY RECORD**

**INVOICE TO**

CONTACT NAME Emil Blaj  
 COMPANY Consumers Energy  
 ADDRESS 135 W. Trail Street  
 CITY Jackson STATE MI ZIP CODE 49201  
 PHONE NO. 517-788-5888 FAX NO. 517-788-2533 P.O. NO. 4400106050  
 E-MAIL ADDRESS emil.blaj@cmsenergy.com QUOTE NO.

CONTACT NAME  SAME  
 COMPANY  
 ADDRESS  
 CITY STATE ZIP CODE  
 PHONE NO. E-MAIL ADDRESS

PROJECT NO./NAME 22-0434 PR#22050489 <sup>CB 050422</sup> SAMPLER(S) - PLEASE PRINT/SIGN NAME N/A

TURNAROUND TIME REQUIRED  1 DAY  2 DAYS  3 DAYS  STANDARD  OTHER

DELIVERABLES REQUIRED  STD  LEVEL II  LEVEL III  LEVEL IV  EDD  OTHER

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID  
 SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE

**ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)**

MERIT LAB NO. <small>FOR LAB USE ONLY</small>	YEAR		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	# Containers & Preservatives								Total Sulfide
	DATE	TIME				NONE	HCl	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	MeOH	OTHER		
<u>35/22.01</u>	<u>05/03/22</u>	<u>0718</u>	<u>22-0437-01 (DEK-MW-18001)</u>	<u>GW</u>	<u>1</u>					<u>1</u>			<input checked="" type="checkbox"/>	
<u>.02</u>	<u>05/03/22</u>	<u>0805</u>	<u>22-0437-02 (DEK-MW-18001 Field MS)</u>	<u>GW</u>	<u>1</u>					<u>1</u>			<input checked="" type="checkbox"/>	
<u>.03</u>	<u>05/03/22</u>	<u>0920</u>	<u>22-0437-03 (DEK-MW-18001 Field MSD)</u>	<u>GW</u>	<u>1</u>					<u>1</u>			<input checked="" type="checkbox"/>	

**Certifications**  
 OHIO VAP  Drinking Water  
 DoD  NPDES  
**Project Locations**  
 Detroit  New York  
 Other \_\_\_\_\_  
**Special Instructions**

preserved with NaOH/ZnAcetate  
 "  
 "  
 Please spike MS/MSD and report spike concentration and/or rec.

RELINQUISHED BY: Consumers Energy  Sampler DATE 05-04-22 TIME 1820  
 RECEIVED BY: \_\_\_\_\_ DATE \_\_\_\_\_ TIME \_\_\_\_\_  
 RELINQUISHED BY: \_\_\_\_\_ DATE \_\_\_\_\_ TIME \_\_\_\_\_  
 RECEIVED BY: \_\_\_\_\_ DATE \_\_\_\_\_ TIME \_\_\_\_\_

RELINQUISHED BY: Merit Drop Box DATE 5/5/22 TIME 0815  
 RECEIVED BY: M. Chilcote DATE 5/5/22 TIME 0815  
 SEAL NO. SEAL INTACT YES  NO  INITIALS \_\_\_\_\_ NOTES: TEMP. ON ARRIVAL 3.2  
 SEAL NO. SEAL INTACT YES  NO  INITIALS \_\_\_\_\_

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE

Rev. 5.18.12

May 11, 2022

Consumers Energy Company  
135 W. Trail St.  
Jackson, MI 49201

Subject: Q2-2022 DEK Bottom Ash Pond&Lined Impound  
22-0437

Dear Mr. Blaj :

Thank you for making Brighton Analytical, L.L.C. your laboratory of choice. Attached are the results for the samples submitted on 05/06/2022 for the above mentioned project. NELAP/TNI Accredited Analysis and EGLE Drinking Water Certified Analysis will be identified in their respective reporting formats. Hard copies can be supplied at your request for a fee of \$20.00 per copy.

The invoice for this project will be emailed separately. If you have any questions concerning the data or invoice, please don't hesitate to contact our office. We welcome your comments and suggestions to improve our quality systems. Please reference Brighton Analytical, L.L.C. Project ID 81646 when calling or emailing. We thank you for this opportunity to partner with you on this project and hope to work with you again in the future.

Sincerely,  
Brighton Analytical, L.L.C.



**Brighton Analytical LLC**  
 2105 Pless Drive  
 Brighton, Michigan 48114  
 Phone: (810)229-7575 (810)229-8650  
 e-mail: bai-brighton@sbcglobal.net  
 EGLE Certified #9404  
 NELAC Accredited #176507

Sample Date: 05/03/2022  
 Submit Date: 05/06/2022  
 Report Date: 05/11/2022


To: Consumers Energy Company  
 135 W. Trail St.  
 Jackson, MI 49201

BA Report Number: **81646** Project Name: **Q2-2022 DEK Bottom Ash Pond&Lined Impound**  
 BA Sample ID: **CR00137** Project Number: **22-0437**  
 Sample ID: **22-0437-01 DEK-MW-18001**

Parameters	Result	Units	DL	Method Reference	Analyst	Analysis Date
<b>Organic Analysis</b>						
Dissolved Organic Carbon	<b>4800</b>	ug/L	5000	SM5310B	RG	05/10/2022
Total Organic Carbon	<b>4400</b>	ug/L	1000	SM5310B	RG	05/10/2022

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve EGLE designated target detection limits (TDL).

Elevated DOC dl due to sample matrix.

Released by   
 \_\_\_\_\_  
 Date 5/11/2022



**Brighton Analytical LLC**  
 2105 Pless Drive  
 Brighton, Michigan 48114  
 Phone: (810)229-7575 (810)229-8650  
 e-mail: bai-brighton@sbcglobal.net  
 EGLE Certified #9404  
 NELAC Accredited #176507

Sample Date: 05/03/2022  
 Submit Date: 05/06/2022  
 Report Date: 05/11/2022


To: Consumers Energy Company  
 135 W. Trail St.  
 Jackson, MI 49201

BA Report Number: **81646** Project Name: **Q2-2022 DEK Bottom Ash Pond&Lined Impound**  
 BA Sample ID: **CR00138** Project Number: **22-0437**

Sample ID: **22-0437-02 DEK-MW-18001 MS**

Parameters	Result	Units	DL	Method Reference	Analyst	Analysis Date
<b>Organic Analysis</b>						
Dissolved Organic Carbon	<b>106%</b>	ug/L		SM5310B	RG	05/10/2022
Total Organic Carbon	<b>114%</b>	ug/L		SM5310B	RG	05/10/2022

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve EGLE designated target detection limits (TDL).

Released by   
 \_\_\_\_\_  
 Date 5/11/2022



**Brighton Analytical LLC**  
 2105 Pless Drive  
 Brighton, Michigan 48114  
 Phone: (810)229-7575 (810)229-8650  
 e-mail: bai-brighton@sbcglobal.net  
 EGLE Certified #9404  
 NELAC Accredited #176507


Sample Date: 05/03/2022  
 Submit Date: 05/06/2022  
 Report Date: 05/11/2022

To: Consumers Energy Company  
 135 W. Trail St.  
 Jackson, MI 49201

BA Report Number: **81646** Project Name: **Q2-2022 DEK Bottom Ash Pond&Lined Impound**  
 BA Sample ID: **CR00139** Project Number: **22-0437**  
 Sample ID: **22-0437-03 DEK-MW-18001 MSD**

Parameters	Result	Units	DL	Method Reference	Analyst	Analysis Date
<b>Organic Analysis</b>						
Dissolved Organic Carbon	87%	ug/L		SM5310B	RG	05/10/2022
Total Organic Carbon	117%	ug/L		SM5310B	RG	05/10/2022

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve EGLE designated target detection limits (TDL).

Released by   
 \_\_\_\_\_  
 Date 5/11/2022

# CHAIN OF CUSTODY

81644



## CONSUMERS ENERGY COMPANY - LABORATORY SERVICES

135 WEST TRAIL ST., JACKSON, MI 49201 • (517) 788-1251

Page \_\_\_ of \_\_\_

SAMPLING SITE / CUSTOMER: Q2-2022 DEK Bottom Ash Pond & Lined Impoundment.		PROJECT NUMBER: 22-0437		SAP CC or WO#:		ANALYSIS REQUESTED (Attach List if More Space is Needed)	QA REQUIREMENT: <input type="checkbox"/> NPDES <input checked="" type="checkbox"/> TNI <input type="checkbox"/> ISO 17025 <input type="checkbox"/> 10 CFR 50 APP. B <input type="checkbox"/> INTERNAL INFO <input type="checkbox"/> OTHER
SAMPLING TEAM: SEND REPORT TO: Emil Blaj		TURNAROUND TIME REQUIRED: <input type="checkbox"/> 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 3 DAYS <input type="checkbox"/> STANDARD <input checked="" type="checkbox"/> OTHER		REQUESTER: Emil Blaj			
SEND REPORT TO: Emil Blaj email: Emil.Blaj@cmsenergy.com phone:		MATRIX CODES: GW = Groundwater OX = Other WW = Wastewater SL = Sludge W = Water / Aqueous Liquid A = Air S = Soil / General Solid WP = Wipe O = Oil WT = General Waste		CONTAINERS PRESERVATIVE		Total Organic Carbon Dissolved Organic Carbon	REMARKS 137 138 139
LAB SAMPLE ID	SAMPLE COLLECTION DATE	TIME	MATRIX	FIELD SAMPLE ID / LOCATION	TOTAL #		
22-0437-01	05/03/2022	1344	GW	DEK-MW-18001	2		
-02	05/03/2022	1344	GW	DEK-MW-18001 MS	2		
-03	05/03/2022	1344	GW	DEK-MW-18001 MSD	2		

REINQUISHED BY: Yelana Gopez DATE/TIME: 5.06.22 1555

RECEIVED BY: *[Signature]*

REINQUISHED BY: DATE/TIME:

COMMENTS: PR 22050501

Received on Ice?  Yes  No M&TE #: \_\_\_\_\_

Temperature: 3.4 °C Cal. Due Date: \_\_\_\_\_

BRIGHTON ANALYTICAL, LLC

QUALITY ASSURANCE/QUALITY  
CONTROL



# REPRESENTATIVE BATCH QUALITY CONTROL

## Accuracy & Precision

Analyst: RG

Parameter: TOC

Analysis Date: 5/10/2022

Method Reference: EPA 415.1/SM5310B/9060

SPIKE - ACCURACY					
Laboratory ID	Spike level PPB	Background PPB	Recoveries (%)	Acceptable Range (%)	Method Blank Concentration
CR00137	TV=10000	4400	114/117	80 - 120	ND
RECOVERY					
Laboratory ID	Observed A PPB	Observed B PPB	RPD (%)	Acceptable Range(%)	
CR00137	15800	16100	1.90	≤ 20	
MISCELLANEOUS					
	Standard ID #	%Recoveries			
Independent Secondary Reference Material:	#4295.1	93			
Method Standard (Lab. Control Spike):	#3046.6	108			

COMMENTS: \_\_\_\_\_

# REPRESENTATIVE BATCH QUALITY CONTROL

## Accuracy & Precision

Analyst: RG

Parameter: DOC

Analysis Date: 5/10/2022

Method Reference: EPA 415.1/SM5310B/9060

SPIKE - ACCURACY					
Laboratory ID	Spike level PPB	Background PPB	Recoveries (%)	Acceptable Range (%)	Method Blank Concentration
CR00137	TV=10000	4800	106/87	80 - 120	ND
MISCELLANEOUS					
Laboratory ID	Observed A PPB	Observed B PPB	RPD (%)	Acceptable Range(%)	
CR00137	15400	13500	13.10	≤ 20	
MISCELLANEOUS					
	Standard ID #	%Recoveries			
Independent Secondary Reference Material:	#4295.1	93			
Method Standard (Lab. Control Spike):	#3046.6	108			

COMMENTS: \_\_\_\_\_

To: CDBatts, Karn/Weadock

From: EBlaj, T-258

Date: May 25, 2022

Subject: RCRA GROUNDWATER MONITORING – DEK-JCW BACKGROUND WELLS – 2022 Q2

CC: HDRegister, P22-521  
BLSwanberg, P22-119

Darby Litz, Project Manager  
TRC Companies, Inc.  
1540 Eisenhower Place  
Ann Arbor, MI 48108

**Chemistry Project: 22-0443**

TRC Environmental, Inc. conducted groundwater monitoring at the Karn/Weadock Background Wells area on 05/02/2022 and 05/03/2022, for the 2<sup>nd</sup> Quarter monitoring requirement, as specified in the Sampling and Analysis Plan for the site. The samples were received for analysis by the Chemistry department of Laboratory Services on 05/04/2022.

The report that follows presents the results of the requested analytical testing; the results apply only to the samples as received. All samples have been analyzed in accordance with the 2016 TNI Standard and the applicable A2LA accreditation scope for Laboratory Services. Any exceptions to applicable test method criteria and standard compliance are noted in the Case Narrative, or flagged with applicable qualifiers in the analytical results section.

Reviewed and approved by:

Emil Blaj  
Sr. Technical Analyst  
Project Lead



*Testing performed in accordance with the A2LA scope of accreditation specified in the listed certificate. The information contained in this report is the sole property of Consumers Energy. It cannot be reproduced except in full, and with consent from Consumers Energy, or the customer for which this report was issued.*

## CASE NARRATIVE

### I. Sample Receipt

All samples were received within hold time and in good conditions; no anomalies were noted on the attached Sample Log-In Shipment Inspection Form during sample check-in. Identification of all samples included in the work order/project is provided in the sample summary section. All sample preservation and temperature upon receipt was verified by the sample custodian and confirmed to meet method requirements.

### II. Methodology

Unless otherwise indicated, sample preparation and analysis was performed in accordance with the corresponding test methods from “Methods for the Determination of Inorganic Substances in Environmental Samples (EPA/600/R-93/100); SW-846, “Test Methods for Evaluating Solid Waste – Physical/Chemical Methods”, USEPA (latest revisions), and Standard Methods for the Examination of Water and Wastewater, APHA-AWWA-WPCF, 22<sup>nd</sup> Edition, 2012.

### III. Results/Quality Control

Analytical results for this report are presented by laboratory sample ID, container, & aliquot number. Results for the field blanks, field duplicates, and recoveries of the field matrix spike & matrix spike duplicate samples are included in the results section, when applicable; all other quality control data is listed in the Quality Control Summary associated with the particular test method, as appropriate. Unless specifically noted in the case narrative, all method quality control requirements have been met. If any results are qualified, the corresponding data flags/qualifiers are listed on the last page of the results section. Any additional information on method performance, when applicable, is presented in this section of the case narrative. When data flags are not needed, the qualifiers text box on the last page is left blank, and a statement confirms that no exceptions occurred.

## DEFINITIONS / QUALIFIERS

The following qualifiers and/or acronyms are used in the report, where applicable:

<u>Acronym</u>	<u>Description</u>
RL	Reporting Limit
ND	Result not detected or below Reporting Limit
NT	Non TNI analyte
LCS	Laboratory Control Sample
LRB	Laboratory Reagent Blank (also referred to as Method Blank)
DUP	Duplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
RPD	Relative Percent Difference
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
TDL	Target Detection Limit
SM	Standard Methods Compendium

<u>Qualifier</u>	<u>Description</u>
*	Generic data flag, applicable description added in the corresponding notes section
B	The analyte was detected in the LRB at a level which is significant relative to sample result
D	Reporting limit elevated due to dilution
E	Estimated due to result exceeding the linear range of the analyzer
H	The maximum recommended hold time was exceeded
I	Dilution required due to matrix interference; reporting limit elevated
J	Estimated due to result found above MDL but below PQL (or RL)
K	Reporting limit raised due to matrix interference
M	The precision for duplicate analysis was not met; RPD outside acceptance criteria
N	Non-homogeneous sample made analysis questionable
PI	Possible interference may have affected the accuracy of the laboratory result
Q	Matrix Spike or Matrix Spike Duplicate recovery outside acceptance criteria
R	Result confirmed by new sample preparation and reanalysis
X	Other notation required; comment listed in sample notes and/or case narrative

**Customer Name:** Karn/Weadock Complex  
**Work Order ID:** Q2-2022 JCW-DEK Background Wells  
**Date Received:** 5/04/2022  
**Chemistry Project:** 22-0443

<u>Sample #</u>	<u>Field Sample ID</u>	<u>Matrix</u>	<u>Sample Date</u>	<u>Site</u>
22-0443-01	MW-15002	Groundwater	05/02/2022 05:24 PM	DEK JCW Background
22-0443-02	MW-15008	Groundwater	05/02/2022 01:45 PM	DEK JCW Background
22-0443-03	MW-15016	Groundwater	05/03/2022 08:37 AM	DEK JCW Background
22-0443-04	MW-15019	Groundwater	05/02/2022 03:20 PM	DEK JCW Background
22-0443-05	DUP-Background	Groundwater	05/02/2022 12:00 AM	DEK JCW Background
22-0443-06	FB- Background	Water	05/02/2022 01:45 PM	DEK JCW Background

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK JCW Background**  
 Field Sample ID: **MW-15002**  
 Lab Sample ID: 22-0443-01  
 Matrix: Groundwater

Laboratory Project: **22-0443**  
 Collect Date: 05/02/2022  
 Collect Time: 05:24 PM

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0443-01-C01-A01 Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/10/2022	AB22-0510-04

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0443-01-C01-A02 Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Arsenic	14		ug/L	1.0	05/11/2022	AB22-0511-14
Barium	682		ug/L	5.0	05/11/2022	AB22-0511-14
Beryllium	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Boron	103		ug/L	20.0	05/11/2022	AB22-0511-14
Cadmium	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Calcium	238000		ug/L	1000.0	05/12/2022	AB22-0511-14
Chromium	3		ug/L	1.0	05/11/2022	AB22-0511-14
Cobalt	ND		ug/L	6.0	05/11/2022	AB22-0511-14
Copper	3		ug/L	1.0	05/11/2022	AB22-0511-14
Iron	16100		ug/L	20.0	05/11/2022	AB22-0511-14
Lead	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Lithium	16		ug/L	10.0	05/11/2022	AB22-0511-14
Molybdenum	ND		ug/L	5.0	05/11/2022	AB22-0511-14
Nickel	14		ug/L	2.0	05/11/2022	AB22-0511-14
Selenium	54		ug/L	1.0	05/11/2022	AB22-0511-14
Silver	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Thallium	ND		ug/L	2.0	05/11/2022	AB22-0511-14
Vanadium	15		ug/L	2.0	05/11/2022	AB22-0511-14
Zinc	23		ug/L	10.0	05/11/2022	AB22-0511-14

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0443-01-C02-A01 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	2210000		ug/L	1000.0	05/17/2022	AB22-0509-05
Fluoride	ND		ug/L	1000.0	05/16/2022	AB22-0509-05
Sulfate	6000		ug/L	1000.0	05/16/2022	AB22-0509-05

### Total Dissolved Solids by SM 2540C

Aliquot #: 22-0443-01-C03-A01 Analyst: CET

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Dissolved Solids	4240		mg/L	10.0	05/05/2022	AB22-0505-01



# Analytical Report

Report Date: 05/25/22

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK JCW Background**  
 Field Sample ID: **MW-15008**  
 Lab Sample ID: 22-0443-02  
 Matrix: Groundwater

Laboratory Project: **22-0443**  
 Collect Date: 05/02/2022  
 Collect Time: 01:45 PM

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0443-02-C01-A01 Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/10/2022	AB22-0510-04

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0443-02-C01-A02 Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Arsenic	2		ug/L	1.0	05/11/2022	AB22-0511-14
Barium	52		ug/L	5.0	05/11/2022	AB22-0511-14
Beryllium	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Boron	112		ug/L	20.0	05/11/2022	AB22-0511-14
Cadmium	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Calcium	89500		ug/L	1000.0	05/12/2022	AB22-0511-14
Chromium	1		ug/L	1.0	05/11/2022	AB22-0511-14
Cobalt	ND		ug/L	6.0	05/11/2022	AB22-0511-14
Copper	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Iron	15500		ug/L	20.0	05/11/2022	AB22-0511-14
Lead	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Lithium	16		ug/L	10.0	05/11/2022	AB22-0511-14
Molybdenum	ND		ug/L	5.0	05/11/2022	AB22-0511-14
Nickel	5		ug/L	2.0	05/11/2022	AB22-0511-14
Selenium	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Silver	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Thallium	ND		ug/L	2.0	05/11/2022	AB22-0511-14
Vanadium	6		ug/L	2.0	05/11/2022	AB22-0511-14
Zinc	ND		ug/L	10.0	05/11/2022	AB22-0511-14

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0443-02-C02-A01 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	197000		ug/L	1000.0	05/17/2022	AB22-0509-05
Fluoride	ND		ug/L	1000.0	05/16/2022	AB22-0509-05
Sulfate	4990		ug/L	1000.0	05/16/2022	AB22-0509-05

### Total Dissolved Solids by SM 2540C

Aliquot #: 22-0443-02-C03-A01 Analyst: CET

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Dissolved Solids	783		mg/L	10.0	05/05/2022	AB22-0505-02



## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK JCW Background**  
 Field Sample ID: **MW-15016**  
 Lab Sample ID: 22-0443-03  
 Matrix: Groundwater

Laboratory Project: **22-0443**  
 Collect Date: 05/03/2022  
 Collect Time: 08:37 AM

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0443-03-C01-A01 Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/10/2022	AB22-0510-04

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0443-03-C01-A02 Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Arsenic	8		ug/L	1.0	05/11/2022	AB22-0511-14
Barium	72		ug/L	5.0	05/11/2022	AB22-0511-14
Beryllium	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Boron	329		ug/L	20.0	05/11/2022	AB22-0511-14
Cadmium	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Calcium	216000		ug/L	1000.0	05/12/2022	AB22-0511-14
Chromium	1		ug/L	1.0	05/11/2022	AB22-0511-14
Cobalt	ND		ug/L	6.0	05/11/2022	AB22-0511-14
Copper	5		ug/L	1.0	05/11/2022	AB22-0511-14
Iron	8020		ug/L	20.0	05/11/2022	AB22-0511-14
Lead	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Lithium	80		ug/L	10.0	05/11/2022	AB22-0511-14
Molybdenum	ND		ug/L	5.0	05/11/2022	AB22-0511-14
Nickel	13		ug/L	2.0	05/11/2022	AB22-0511-14
Selenium	2		ug/L	1.0	05/11/2022	AB22-0511-14
Silver	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Thallium	ND		ug/L	2.0	05/11/2022	AB22-0511-14
Vanadium	3		ug/L	2.0	05/11/2022	AB22-0511-14
Zinc	ND		ug/L	10.0	05/11/2022	AB22-0511-14

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0443-03-C02-A01 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	243000		ug/L	1000.0	05/17/2022	AB22-0509-05
Fluoride	ND		ug/L	1000.0	05/16/2022	AB22-0509-05
Sulfate	267000		ug/L	1000.0	05/17/2022	AB22-0509-05

### Total Dissolved Solids by SM 2540C

Aliquot #: 22-0443-03-C03-A01 Analyst: CET

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Dissolved Solids	1390		mg/L	10.0	05/05/2022	AB22-0505-02

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK JCW Background**  
 Field Sample ID: **MW-15019**  
 Lab Sample ID: 22-0443-04  
 Matrix: Groundwater

Laboratory Project: **22-0443**  
 Collect Date: 05/02/2022  
 Collect Time: 03:20 PM

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0443-04-C01-A01 Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/10/2022	AB22-0510-04

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0443-04-C01-A02 Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Arsenic	2		ug/L	1.0	05/11/2022	AB22-0511-14
Barium	308		ug/L	5.0	05/11/2022	AB22-0511-14
Beryllium	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Boron	236		ug/L	20.0	05/11/2022	AB22-0511-14
Cadmium	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Calcium	139000		ug/L	1000.0	05/12/2022	AB22-0511-14
Chromium	1		ug/L	1.0	05/11/2022	AB22-0511-14
Cobalt	ND		ug/L	6.0	05/11/2022	AB22-0511-14
Copper	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Iron	21000		ug/L	20.0	05/11/2022	AB22-0511-14
Lead	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Lithium	12		ug/L	10.0	05/11/2022	AB22-0511-14
Molybdenum	ND		ug/L	5.0	05/11/2022	AB22-0511-14
Nickel	8		ug/L	2.0	05/11/2022	AB22-0511-14
Selenium	2		ug/L	1.0	05/11/2022	AB22-0511-14
Silver	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Thallium	ND		ug/L	2.0	05/11/2022	AB22-0511-14
Vanadium	3		ug/L	2.0	05/11/2022	AB22-0511-14
Zinc	ND		ug/L	10.0	05/11/2022	AB22-0511-14

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0443-04-C02-A01 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	324000		ug/L	1000.0	05/17/2022	AB22-0509-05
Fluoride	ND		ug/L	1000.0	05/16/2022	AB22-0509-05
Sulfate	62500		ug/L	1000.0	05/16/2022	AB22-0509-05

### Total Dissolved Solids by SM 2540C

Aliquot #: 22-0443-04-C03-A01 Analyst: CET

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Dissolved Solids	1200		mg/L	10.0	05/05/2022	AB22-0505-02

## Laboratory Services

A CENTURY OF EXCELLENCE

Sample Site: **DEK JCW Background**  
 Field Sample ID: **DUP-Background**  
 Lab Sample ID: 22-0443-05  
 Matrix: Groundwater

Laboratory Project: **22-0443**  
 Collect Date: 05/02/2022  
 Collect Time: 12:00 AM

### Mercury by EPA 7470A, Total, Aqueous

Aliquot #: 22-0443-05-C01-A01 Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/10/2022	AB22-0510-04

### Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp

Aliquot #: 22-0443-05-C01-A02 Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Arsenic	2		ug/L	1.0	05/11/2022	AB22-0511-14
Barium	58		ug/L	5.0	05/11/2022	AB22-0511-14
Beryllium	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Boron	125		ug/L	20.0	05/11/2022	AB22-0511-14
Cadmium	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Calcium	103000		ug/L	1000.0	05/12/2022	AB22-0511-14
Chromium	2		ug/L	1.0	05/11/2022	AB22-0511-14
Cobalt	ND		ug/L	6.0	05/11/2022	AB22-0511-14
Copper	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Iron	16600		ug/L	20.0	05/11/2022	AB22-0511-14
Lead	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Lithium	17		ug/L	10.0	05/11/2022	AB22-0511-14
Molybdenum	ND		ug/L	5.0	05/11/2022	AB22-0511-14
Nickel	5		ug/L	2.0	05/11/2022	AB22-0511-14
Selenium	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Silver	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Thallium	ND		ug/L	2.0	05/11/2022	AB22-0511-14
Vanadium	6		ug/L	2.0	05/11/2022	AB22-0511-14
Zinc	ND		ug/L	10.0	05/11/2022	AB22-0511-14

### Anions by EPA 300.0 CCR Rule Analyte List, Cl, F, SO4, Aqueous

Aliquot #: 22-0443-05-C02-A01 Analyst: DMW

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Chloride	198000		ug/L	1000.0	05/17/2022	AB22-0509-05
Fluoride	ND		ug/L	1000.0	05/16/2022	AB22-0509-05
Sulfate	4950		ug/L	1000.0	05/16/2022	AB22-0509-05

### Total Dissolved Solids by SM 2540C

Aliquot #: 22-0443-05-C03-A01 Analyst: CET

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Total Dissolved Solids	786		mg/L	10.0	05/05/2022	AB22-0505-02

**Laboratory Services**  
A CENTURY OF EXCELLENCE

Sample Site: **DEK JCW Background**  
 Field Sample ID: **FB- Background**  
 Lab Sample ID: 22-0443-06  
 Matrix: Water

Laboratory Project: **22-0443**  
 Collect Date: 05/02/2022  
 Collect Time: 01:45 PM

**Mercury by EPA 7470A, Total, Aqueous**

Aliquot #: 22-0443-06-C01-A01

Analyst: CLH

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Mercury	ND		ug/L	0.2	05/10/2022	AB22-0510-04

**Metals by EPA 6020B: CCR Rule Appendix III-IV Total Metals Exp**

Aliquot #: 22-0443-06-C01-A02

Analyst: EB

Parameter(s)	Result	Flag	Units	RL	Analysis Date	Tracking
Antimony	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Arsenic	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Barium	ND		ug/L	5.0	05/11/2022	AB22-0511-14
Beryllium	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Boron	ND		ug/L	20.0	05/11/2022	AB22-0511-14
Cadmium	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Calcium	ND		ug/L	1000.0	05/12/2022	AB22-0511-14
Chromium	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Cobalt	ND		ug/L	6.0	05/11/2022	AB22-0511-14
Copper	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Iron	ND		ug/L	20.0	05/11/2022	AB22-0511-14
Lead	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Lithium	ND		ug/L	10.0	05/11/2022	AB22-0511-14
Molybdenum	ND		ug/L	5.0	05/11/2022	AB22-0511-14
Nickel	ND		ug/L	2.0	05/11/2022	AB22-0511-14
Selenium	ND		ug/L	1.0	05/11/2022	AB22-0511-14
Silver	ND		ug/L	0.2	05/11/2022	AB22-0511-14
Thallium	ND		ug/L	2.0	05/11/2022	AB22-0511-14
Vanadium	ND		ug/L	2.0	05/11/2022	AB22-0511-14
Zinc	ND		ug/L	10.0	05/11/2022	AB22-0511-14



# Analytical Report

Report Date: 05/25/22

**Laboratory Services**  
A CENTURY OF EXCELLENCE

Data Qualifiers	Exception Summary
-----------------	-------------------

No exceptions occurred.

**TITLE: SAMPLE LOG-IN -- SHIPMENT INSPECTION FORM**

Project Log-In Number: 22-0443

Inspection Date: 5.4.22 Inspection By: dmw

Sample Origin/Project Name: Q2-2022 JCN-DEK Background Wells

Shipment Delivered By: Enter the type of shipment carrier.

Pony \_\_\_\_\_ FedEx  UPS \_\_\_\_\_ USPS \_\_\_\_\_ Airborne \_\_\_\_\_

Other/Hand Carry (whom) \_\_\_\_\_

Tracking Number: 272724708310 Shipping Form Attached: Yes  No \_\_\_\_\_

Shipping Containers: Enter the type and number of shipping containers received.

Cooler  Cardboard Box \_\_\_\_\_ Custom Case \_\_\_\_\_ Envelope/Mailer \_\_\_\_\_

Loose/Unpackaged Containers \_\_\_\_\_ Other \_\_\_\_\_

Condition of Shipment: Enter the as-received condition of the shipment container.

Damaged Shipment Observed: None  Dented \_\_\_\_\_ Leaking \_\_\_\_\_

Other \_\_\_\_\_

Shipment Security: Enter if any of the shipping containers were opened before receipt.

Shipping Containers Received: Opened \_\_\_\_\_ Sealed

Enclosed Documents: Enter the type of documents enclosed with the shipment.

CoC  Work Request \_\_\_\_\_ Air Data Sheet \_\_\_\_\_ Other \_\_\_\_\_

Temperature of Containers: Measure the temperature of several sample containers.

As-Received Temperature 2.9-4.7°C Samples Received on Ice: Yes  No \_\_\_\_\_

M&T E# & Ex. Date: 015402 6.3.22

Number and Type of Containers: Enter the total number of sample containers received.

Container Type	Water	Soil	Other	Broken	Leaking
VOA (40ml. or 60ml.)	_____	_____	_____	_____	_____
Quart/Liter (g/p)	_____	_____	_____	_____	_____
9-oz (amber glass jar)	_____	_____	_____	_____	_____
2-oz (amber glass)	_____	_____	_____	_____	_____
125 mL (plastic)	<u>11</u>	_____	_____	_____	_____
24 mL vial (glass)	_____	_____	_____	_____	_____
500 mL (plastic)	_____	_____	_____	_____	_____
Other <u>250 ml plastic</u>	<u>5</u>	_____	_____	_____	_____

PH paper

COA NO: 13-640-508

0.0-14.0

LOT: 222420

EXP: 8.1.23

# CHAIN OF CUSTODY



## CONSUMERS ENERGY COMPANY – LABORATORY SERVICES

135 WEST TRAIL ST., JACKSON, MI 49201 • (517) 788-1251

SAMPLING SITE / CUSTOMER: Q2-2022 JCW-DEK Background Wells			PROJECT NUMBER: <b>22-0443</b>			SAP CC or WO#: REQUESTER: Harold Register			ANALYSIS REQUESTED (Attach List if More Space is Needed)						QA REQUIREMENT:  <input type="checkbox"/> NPDES <input checked="" type="checkbox"/> TNI <input type="checkbox"/> ISO 17025 <input type="checkbox"/> 10 CFR 50 APP. B <input type="checkbox"/> INTERNAL INFO <input type="checkbox"/> OTHER _____								
SAMPLING TEAM:			TURNAROUND TIME REQUIRED: <input type="checkbox"/> 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 3 DAYS <input type="checkbox"/> STANDARD <input checked="" type="checkbox"/> OTHER _____																				
SEND REPORT TO: Caleb Batts			email:			phone:									REMARKS								
COPY TO:		Harold Register		MATRIX CODES: GW = Groundwater      OX = Other WW = Wastewater        SL = Sludge W = Water / Aqueous Liquid    A = Air S = Soil / General Solid      WP = Wipe O = Oil                              WT = General Waste			CONTAINERS																
TRC							PRESERVATIVE																
LAB SAMPLE ID	SAMPLE COLLECTION		MATRIX	FIELD SAMPLE ID / LOCATION					TOTAL #	None	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	HCl		MeOH	Other	Total Metals	Anions	TDS			
	DATE	TIME								None	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	HCl	MeOH	Other							
22-0443-01	5/2/22	1726	GW	MW-15002					4	3	1						x	x	x				
-02	5/2/22	1345	GW	MW-15008					4	3	1						x	x	x				
-03	5/3/22	837	GW	MW-15016					4	3	1						x	x	x				
-04	5/4/22	1520	GW	MW-15019					4	3	1						x	x	x				
-05	5/2/22	—	GW	DUP-Background					4	3	1						x	x	x				
-06	5/2/22	1345	W	FB- Background					1								x						

RELINQUISHED BY: <i>M. S. Schwartz</i>		DATE/TIME: <i>5/3/22</i>		RECEIVED BY: <i>Red Ex</i>		COMMENTS:  Received on Ice? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No      M&TE #: <u>015402</u> Temperature: <u>2.4-4.6</u> °C      Cal. Due Date: <u>6-3-22</u>					
RELINQUISHED BY: <i>Red Ex</i>		DATE/TIME: <i>05-04-2022 10:25</i>		RECEIVED BY: <i>[Signature]</i>							

## ANALYTICAL REPORT

Eurofins Canton  
180 S. Van Buren Avenue  
Barberton, OH 44203  
Tel: (330)497-9396

Laboratory Job ID: 240-166154-1  
Client Project/Site: CCR DEK Bottom Ash Pond

For:  
TRC Environmental Corporation.  
1540 Eisenhower Place  
Ann Arbor, Michigan 48108-7080

Attn: Darby Litz



Authorized for release by:  
6/12/2022 7:41:03 PM

Kris Brooks, Project Manager II  
(330)966-9790  
[Kris.Brooks@et.eurofinsus.com](mailto:Kris.Brooks@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14





# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Client Sample Results . . . . .	7
Tracer Carrier Summary . . . . .	12
QC Sample Results . . . . .	13
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	16
Certification Summary . . . . .	18
Chain of Custody . . . . .	19
Receipt Checklists . . . . .	24

# Definitions/Glossary

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

## Qualifiers

### Rad

Qualifier	Qualifier Description
*	RPD of the LCS and LCSD exceeds the control limits
U	Result is less than the sample detection limit.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

---

## Job ID: 240-166154-1

---

### Laboratory: Eurofins Canton

#### Narrative

---

#### Job Narrative 240-166154-1

#### Comments

The EPA Method 904.0 Radium-228, EPA Method 903.0 Radium-226, and Ra226\_Ra228 Combined Radium 226 and Radium 228 analyses were performed at the Eurofins St. Louis laboratory.

#### Receipt

The samples were received on 5/6/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 0.9° C, 1.3° C and 1.4° C.

#### RAD

Method 903.0: Radium-226 batch 564568

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. DEK-MW-15002 (240-166154-1), DEK-MW-EB (240-166154-2), DEK-MW-15005 (240-166154-3), DEK-MW-15006 (240-166154-4), DUP-DEK-BAP (240-166154-5), (LCS 160-564568/1-A), (LCSD 160-564568/2-A) and (MB 160-564568/23-A)

Method 904.0: Radium-228 batch 564569

The RER/DER of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) was outside control limits. However the recovery for the LCS/LCSD passed and the RPD was <40% demonstrating acceptable method performance. Original results will be reported. (LCSD 160-564569/2-A)

Method 904.0: Radium-228 batch 564569

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. DEK-MW-15002 (240-166154-1), DEK-MW-EB (240-166154-2), DEK-MW-15005 (240-166154-3), DEK-MW-15006 (240-166154-4), DUP-DEK-BAP (240-166154-5), (LCS 160-564569/1-A), (LCSD 160-564569/2-A) and (MB 160-564569/23-A)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Method Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	TAL SL
904.0	Radium-228 (GFPC)	EPA	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
PrecSep STD	Preparation, Precipitate Separation (Standard In-Growth)	None	TAL SL
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL

#### Protocol References:

EPA = US Environmental Protection Agency

None = None

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

#### Laboratory References:

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

# Sample Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-166154-1	DEK-MW-15002	Water	05/03/22 14:21	05/06/22 08:00
240-166154-2	DEK-MW-EB	Water	05/03/22 10:42	05/06/22 08:00
240-166154-3	DEK-MW-15005	Water	05/03/22 12:56	05/06/22 08:00
240-166154-4	DEK-MW-15006	Water	05/03/22 10:42	05/06/22 08:00
240-166154-5	DUP-DEK-BAP	Water	05/03/22 00:00	05/06/22 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Client Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

**Client Sample ID: DEK-MW-15002**

**Lab Sample ID: 240-166154-1**

Date Collected: 05/03/22 14:21

Matrix: Water

Date Received: 05/06/22 08:00

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.353	U	0.282	0.283	1.00	0.423	pCi/L	05/10/22 09:51	06/07/22 18:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.5		40 - 110					05/10/22 09:51	06/07/22 18:09	1

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.283	U *	0.323	0.324	1.00	0.530	pCi/L	05/10/22 10:04	06/07/22 15:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.5		40 - 110					05/10/22 10:04	06/07/22 15:36	1
Y Carrier	88.2		40 - 110					05/10/22 10:04	06/07/22 15:36	1

**Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Combined Radium 226 + 228</b>	<b>0.636</b>		0.429	0.430	5.00	0.530	pCi/L		06/08/22 13:03	1

# Client Sample Results

Client: TRC Environmental Corporation.  
 Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

**Client Sample ID: DEK-MW-EB**

**Lab Sample ID: 240-166154-2**

Date Collected: 05/03/22 10:42

Matrix: Water

Date Received: 05/06/22 08:00

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0206	U	0.279	0.279	1.00	0.571	pCi/L	05/10/22 09:51	06/07/22 18:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	57.9		40 - 110					05/10/22 09:51	06/07/22 18:09	1

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.185	U *	0.434	0.435	1.00	0.763	pCi/L	05/10/22 10:04	06/07/22 15:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	57.9		40 - 110					05/10/22 10:04	06/07/22 15:36	1
Y Carrier	87.1		40 - 110					05/10/22 10:04	06/07/22 15:36	1

**Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.165	U	0.516	0.517	5.00	0.763	pCi/L		06/08/22 13:03	1

# Client Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

**Client Sample ID: DEK-MW-15005**

**Lab Sample ID: 240-166154-3**

Date Collected: 05/03/22 12:56

Matrix: Water

Date Received: 05/06/22 08:00

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.620		0.301	0.306	1.00	0.356	pCi/L	05/10/22 09:51	06/07/22 18:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.8		40 - 110					05/10/22 09:51	06/07/22 18:09	1

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.08	*	0.399	0.412	1.00	0.498	pCi/L	05/10/22 10:04	06/07/22 15:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.8		40 - 110					05/10/22 10:04	06/07/22 15:36	1
Y Carrier	87.1		40 - 110					05/10/22 10:04	06/07/22 15:36	1

**Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.70		0.500	0.513	5.00	0.498	pCi/L		06/08/22 13:03	1



# Client Sample Results

Client: TRC Environmental Corporation.  
 Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

**Client Sample ID: DEK-MW-15006**

**Lab Sample ID: 240-166154-4**

Date Collected: 05/03/22 10:42

Matrix: Water

Date Received: 05/06/22 08:00

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.417	U	0.305	0.308	1.00	0.449	pCi/L	05/10/22 09:51	06/07/22 18:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.3		40 - 110					05/10/22 09:51	06/07/22 18:09	1

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.870	*	0.402	0.410	1.00	0.554	pCi/L	05/10/22 10:04	06/07/22 15:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.3		40 - 110					05/10/22 10:04	06/07/22 15:36	1
Y Carrier	87.9		40 - 110					05/10/22 10:04	06/07/22 15:36	1

**Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.29		0.505	0.513	5.00	0.554	pCi/L		06/08/22 13:03	1

# Client Sample Results

Client: TRC Environmental Corporation.  
 Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

**Client Sample ID: DUP-DEK-BAP**

**Lab Sample ID: 240-166154-5**

Date Collected: 05/03/22 00:00

Matrix: Water

Date Received: 05/06/22 08:00

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.395		0.273	0.275	1.00	0.386	pCi/L	05/10/22 09:51	06/07/22 18:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.0		40 - 110					05/10/22 09:51	06/07/22 18:09	1

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.347	U *	0.316	0.318	1.00	0.502	pCi/L	05/10/22 10:04	06/07/22 15:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.0		40 - 110					05/10/22 10:04	06/07/22 15:36	1
Y Carrier	88.6		40 - 110					05/10/22 10:04	06/07/22 15:36	1

**Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.742		0.418	0.420	5.00	0.502	pCi/L		06/08/22 13:03	1

# Tracer/Carrier Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

## Method: 903.0 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

### Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (40-110)
240-166154-1	DEK-MW-15002	88.5
240-166154-2	DEK-MW-EB	57.9
240-166154-3	DEK-MW-15005	88.8
240-166154-4	DEK-MW-15006	86.3
240-166154-5	DUP-DEK-BAP	90.0
LCS 160-564568/1-A	Lab Control Sample	94.3
LCSD 160-564568/2-A	Lab Control Sample Dup	82.3
MB 160-564568/23-A	Method Blank	99.3

#### Tracer/Carrier Legend

Ba = Ba Carrier

## Method: 904.0 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

### Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (40-110)	Y (40-110)
240-166154-1	DEK-MW-15002	88.5	88.2
240-166154-2	DEK-MW-EB	57.9	87.1
240-166154-3	DEK-MW-15005	88.8	87.1
240-166154-4	DEK-MW-15006	86.3	87.9
240-166154-5	DUP-DEK-BAP	90.0	88.6
LCS 160-564569/1-A	Lab Control Sample	94.3	84.9
LCSD 160-564569/2-A	Lab Control Sample Dup	82.3	84.5
MB 160-564569/23-A	Method Blank	99.3	91.2

#### Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

# QC Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

## Method: 903.0 - Radium-226 (GFPC)

**Lab Sample ID: MB 160-564568/23-A**  
**Matrix: Water**  
**Analysis Batch: 569008**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 564568**

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.002143	U	0.135	0.135	1.00	0.285	pCi/L	05/10/22 09:51	06/07/22 20:02	1
Carrier	MB %Yield	MB Qualifier	Limits				Prepared		Analyzed	Dil Fac
Ba Carrier	99.3		40 - 110				05/10/22 09:51		06/07/22 20:02	1

**Lab Sample ID: LCS 160-564568/1-A**  
**Matrix: Water**  
**Analysis Batch: 568823**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 564568**

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	9.625		1.28	1.00	0.274	pCi/L	85	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	94.3		40 - 110						

**Lab Sample ID: LCSD 160-564568/2-A**  
**Matrix: Water**  
**Analysis Batch: 568823**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 564568**

Analyte	Spike Added	LCSD Result	LCSD Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits	RER	RER
				Uncert. (2σ+/-)							Limit
Radium-226	11.3	9.709		1.34	1.00	0.405	pCi/L	86	75 - 125	0.03	1
Carrier	LCSD %Yield	LCSD Qualifier	Limits								
Ba Carrier	82.3		40 - 110								

## Method: 904.0 - Radium-228 (GFPC)

**Lab Sample ID: MB 160-564569/23-A**  
**Matrix: Water**  
**Analysis Batch: 568850**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 564569**

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.03881	U	0.215	0.215	1.00	0.396	pCi/L	05/10/22 10:04	06/07/22 15:38	1
Carrier	MB %Yield	MB Qualifier	Limits				Prepared		Analyzed	Dil Fac
Ba Carrier	99.3		40 - 110				05/10/22 10:04		06/07/22 15:38	1
Y Carrier	91.2		40 - 110				05/10/22 10:04		06/07/22 15:38	1

# QC Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

## Method: 904.0 - Radium-228 (GFPC) (Continued)

**Lab Sample ID: LCS 160-564569/1-A**  
**Matrix: Water**  
**Analysis Batch: 569007**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 564569**

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits																	
Radium-228	8.55	6.624		1.00	1.00	0.571	pCi/L	77	75 - 125																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">LCS</th> <th colspan="2">LCS</th> </tr> <tr> <th>Carrier</th> <th>%Yield</th> <th>Qualifier</th> <th>Limits</th> </tr> </thead> <tbody> <tr> <td>Ba Carrier</td> <td>94.3</td> <td></td> <td>40 - 110</td> </tr> <tr> <td>Y Carrier</td> <td>84.9</td> <td></td> <td>40 - 110</td> </tr> </tbody> </table>											LCS		LCS		Carrier	%Yield	Qualifier	Limits	Ba Carrier	94.3		40 - 110	Y Carrier	84.9		40 - 110
LCS		LCS																								
Carrier	%Yield	Qualifier	Limits																							
Ba Carrier	94.3		40 - 110																							
Y Carrier	84.9		40 - 110																							

**Lab Sample ID: LCSD 160-564569/2-A**  
**Matrix: Water**  
**Analysis Batch: 569007**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 564569**

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits		RER	RER Limit																
Radium-228	8.55	9.176	*	1.28	1.00	0.579	pCi/L	107	75 - 125	1.12	1																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">LCSD</th> <th colspan="2">LCSD</th> </tr> <tr> <th>Carrier</th> <th>%Yield</th> <th>Qualifier</th> <th>Limits</th> </tr> </thead> <tbody> <tr> <td>Ba Carrier</td> <td>82.3</td> <td></td> <td>40 - 110</td> </tr> <tr> <td>Y Carrier</td> <td>84.5</td> <td></td> <td>40 - 110</td> </tr> </tbody> </table>													LCSD		LCSD		Carrier	%Yield	Qualifier	Limits	Ba Carrier	82.3		40 - 110	Y Carrier	84.5		40 - 110
LCSD		LCSD																										
Carrier	%Yield	Qualifier	Limits																									
Ba Carrier	82.3		40 - 110																									
Y Carrier	84.5		40 - 110																									

# QC Association Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

## Rad

### Prep Batch: 564568

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166154-1	DEK-MW-15002	Total/NA	Water	PrecSep STD	
240-166154-2	DEK-MW-EB	Total/NA	Water	PrecSep STD	
240-166154-3	DEK-MW-15005	Total/NA	Water	PrecSep STD	
240-166154-4	DEK-MW-15006	Total/NA	Water	PrecSep STD	
240-166154-5	DUP-DEK-BAP	Total/NA	Water	PrecSep STD	
MB 160-564568/23-A	Method Blank	Total/NA	Water	PrecSep STD	
LCS 160-564568/1-A	Lab Control Sample	Total/NA	Water	PrecSep STD	
LCSD 160-564568/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep STD	

### Prep Batch: 564569

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166154-1	DEK-MW-15002	Total/NA	Water	PrecSep_0	
240-166154-2	DEK-MW-EB	Total/NA	Water	PrecSep_0	
240-166154-3	DEK-MW-15005	Total/NA	Water	PrecSep_0	
240-166154-4	DEK-MW-15006	Total/NA	Water	PrecSep_0	
240-166154-5	DUP-DEK-BAP	Total/NA	Water	PrecSep_0	
MB 160-564569/23-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-564569/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-564569/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

# Lab Chronicle

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

**Client Sample ID: DEK-MW-15002**

**Lab Sample ID: 240-166154-1**

**Date Collected: 05/03/22 14:21**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	568835	06/07/22 18:09	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568835	06/07/22 15:36	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

**Client Sample ID: DEK-MW-EB**

**Lab Sample ID: 240-166154-2**

**Date Collected: 05/03/22 10:42**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	568835	06/07/22 18:09	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568835	06/07/22 15:36	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

**Client Sample ID: DEK-MW-15005**

**Lab Sample ID: 240-166154-3**

**Date Collected: 05/03/22 12:56**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	568835	06/07/22 18:09	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568835	06/07/22 15:36	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

**Client Sample ID: DEK-MW-15006**

**Lab Sample ID: 240-166154-4**

**Date Collected: 05/03/22 10:42**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	568835	06/07/22 18:09	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568835	06/07/22 15:36	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

# Lab Chronicle

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

**Client Sample ID: DUP-DEK-BAP**

**Lab Sample ID: 240-166154-5**

**Date Collected: 05/03/22 00:00**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Prepared or Analyzed</u>	<u>Analyst</u>	<u>Lab</u>
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	568835	06/07/22 18:09	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568835	06/07/22 15:36	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

**Laboratory References:**

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566





# Accreditation/Certification Summary

Client: TRC Environmental Corporation.  
 Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166154-1

## Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-06-25
Arizona	State	AZ0813	12-08-22
California	Los Angeles County Sanitation Districts	10259	06-30-22
California	State	2886	07-01-22
Connecticut	State	PH-0241	03-31-23
Florida	NELAP	E87689	06-30-22
HI - RadChem Recognition	State	n/a	06-30-22
Illinois	NELAP	200023	11-30-22
Iowa	State	373	12-01-22
Kansas	NELAP	E-10236	10-31-22
Kentucky (DW)	State	KY90125	12-31-22
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-22
Louisiana	NELAP	04080	06-30-22
Louisiana (DW)	State	LA011	12-31-22
Maryland	State	310	09-30-22
MI - RadChem Recognition	State	9005	06-30-22
Missouri	State	780	06-30-22
Nevada	State	MO000542020-1	07-31-22
New Jersey	NELAP	MO002	06-30-22
New York	NELAP	11616	04-01-23
North Dakota	State	R-207	06-30-22
NRC	NRC	24-24817-01	12-31-22
Oklahoma	NELAP	9997	08-31-22
Oregon	NELAP	4157	09-01-22
Pennsylvania	NELAP	68-00540	02-28-23
South Carolina	State	85002001	06-30-22
Texas	NELAP	T104704193	07-31-22
US Fish & Wildlife	US Federal Programs	058448	07-31-22
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542021-14	08-01-22
Virginia	NELAP	10310	06-14-22
Washington	State	C592	08-30-22
West Virginia DEP	State	381	10-31-22

**Chain of Custody Record**

**MICHIGAN  
190**



Environment Testing  
America

<b>Client Information</b> Client Contact: Jacob Krenz Company: TRC Environmental Corporation Address: 1540 Eisenhower Place City: Ann Arbor State, Zip: MI, 48108-7080 Phone: 734-971-7080 (Tel) 734-971-9022 (Fax) E-Mail: JKrenz@trccompanies.com Project Name: KarmWeadock CCR DEK Bottom Ash Pond Site:		Lab PM: Brooks, Kris M E-Mail: Kris.Brooks@et.eurofinsus.com PWSID:		Sampler: Henry Schwandt Phone:		Camer Tracking No(s): 240-94789-29052.1 Page: Page 1 of 1 Job #:		COC No: 240-94789-29052.1			
<b>Due Date Requested:</b> TAT Requested (days): Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No PO #: TBD WO #: Project #: 24024154 SSOW#:		Field Filtered Sample (Yes or No): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Perform MS/MSD (Yes or No): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 903.0 Ra226Ra228 GPPC 904.0 - Standard Target List		<b>Analysis Requested</b>		Total Number of Containers: <input checked="" type="checkbox"/>		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:		Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
<b>Sample Identification</b>		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, B=solid, O=soil/sediment, AT=Tissue, A=Air)		Special Instructions/Note:	
DEK-MW-15002		5/3/22		1421		Water		Water		Special Instructions/Note:	
DEK-MW- <del>15002</del> -EB				1043		Water		Water		Special Instructions/Note:	
DEK-MW-15005				1256		Water		Water		Special Instructions/Note:	
DEK-MW-15006				1083		Water		Water		Special Instructions/Note:	
DUP-DEK-BAP				-		Water		Water		Special Instructions/Note:	
<p>240-166154 Chain of Custody</p>											
<b>Possible Hazard Identification</b> <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological <b>Deliverable Requested:</b> I, II, III, IV, Other (specify)											
<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months											
<b>Special Instructions/QC Requirements:</b> Empty Kit Relinquished by: _____ Date: _____ Relinquished by: Henry Schwandt Date/Time: 5/3/22 1600 Company: TRC Relinquished by: [Signature] Date/Time: 5-5-22/1330 Company: TRC Relinquished by: [Signature] Date/Time: 5/5/22 1335 Company: TRC Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Custody Seal No.: _____ Cooler Temperature(s) °C and Other Remarks: _____											



**Eurofins TestAmerica Canton Sample Receipt Form/Narrative** Login # : 166154  
**Canton Facility**

Client TRC Site Name \_\_\_\_\_ Cooler unpacked by: UMP  
 Cooler Received on 5-6-22 Opened on 5-6-22  
 FedEx: 1<sup>st</sup> Grd Exp UPS FAS (Clippe) Client Drop Off TestAmerica Courier Other \_\_\_\_\_

**Receipt After-hours: Drop-off Date/Time** \_\_\_\_\_ **Storage Location** \_\_\_\_\_

TestAmerica Cooler # TA Foam Box \_\_\_\_\_ Client Cooler \_\_\_\_\_ Box \_\_\_\_\_ Other \_\_\_\_\_  
 Packing material used: Bubble Wrap \_\_\_\_\_ Foam \_\_\_\_\_ Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice \_\_\_\_\_ Dry Ice \_\_\_\_\_ Water \_\_\_\_\_ None \_\_\_\_\_

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-13 (CF 0.0 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
 IR GUN #IR-15 (CF -0.7 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity See  Yes  No  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  NA  
 -Were tamper/custody seals intact and uncompromised?  Yes  No  NA

3. Shippers' packing slip attached to the cooler(s)?  Yes  No  
 4. Did custody papers accompany the sample(s)?  Yes  No  
 5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No  
 6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  
 7. Did all bottles arrive in good condition (Unbroken)?  Yes  No  
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No  
 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No  
 10. Were correct bottle(s) used for the test(s) indicated?  Yes  No  
 11. Sufficient quantity received to perform indicated analyses?  Yes  No  
 12. Are these work share samples and all listed on the COC?  Yes  No  
 If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC157842  
 14. Were VOAs on the COC?  Yes  No  NA  
 15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA **Larger than this.**  
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_  Yes  No  
 17. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_  Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page Samples processed by: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**19. SAMPLE CONDITION**  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

Login #: 166154

Eurofins - Canton Sample Receipt Multiple Cooler Form										
Cooler Description (Circle)				IR Gun # (Circle)		Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
TA	Client	Box	Other	IR-13	IR-15	1.3	1.3	Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15	1.4	1.4	Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15	0.9	0.9	Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	

See Temperature Excursion Form

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Temperature readings: \_\_\_\_\_

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservative</u>	
			<u>pH</u>	<u>Temp</u>	<u>Added (mls)</u>	<u>Lot #</u>
DEK-MW-15002	240-166154-A-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DEK-MW-15002	240-166154-B-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DEK-MW-EB	240-166154-A-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DEK-MW-EB	240-166154-B-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DEK-MW-15005	240-166154-A-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DEK-MW-15005	240-166154-B-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DEK-MW-15006	240-166154-A-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DEK-MW-15006	240-166154-B-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DUP-DEK-BAP	240-166154-A-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DUP-DEK-BAP	240-166154-B-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____

# Chain of Custody Record



<b>Client Information (Sub Contract Lab)</b>		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:							
Client Contact:		Brooks, Kris M	Brooks, Kris M		240-151693.1							
Shipping/Receiving		Phone:	E-Mail:	State of Origin:	Page:							
Company:			Kris.Brooks@et.eurofinsus.com	Michigan	Page 1 of 1							
TestAmerica Laboratories, Inc.		Accreditations Required (See note):		Job #:	240-166154-1							
Address:		Due Date Requested:	<b>Analysis Requested</b>									
13715 Rider Trail North,		6/7/2022	M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 X - EDTA Y - EDA Z - other (specify) Other:									
City:	Earth City	TAT Requested (days):										
State, Zip:	MO, 63045											
Phone:	314-298-8566(Tel) 314-298-8757(Fax)											
Email:												
Project #:	24024154											
Site:	CCR DEK Bottom Ash Pond											
<b>Sample Identification - Client ID (Lab ID)</b>		<b>Sample Date</b>	<b>Sample Time</b>	<b>Sample Type (C=comp, G=grab)</b>	<b>Matrix (Water, Swab, Soil, Other)</b>	<b>Field Filtered Sample (Yes or No)</b>	<b>Form MS/MSD (Yes or No)</b>	<b>903.0/PreSep STD Standard Target List</b>	<b>904.0/PreSep STD Standard Target List</b>	<b>Ra26Ra228 GFC</b>	<b>Total Number of Containers</b>	<b>Special Instructions/Note:</b>
DEK-MW-15002 (240-166154-1)		5/3/22	14:21 Eastern	Water	Water	X	X	X	X		2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L
DEK-MW-EB (240-166154-2)		5/3/22	10:42 Eastern	Water	Water	X	X	X	X		2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L
DEK-MW-15005 (240-166154-3)		5/3/22	12:56 Eastern	Water	Water	X	X	X	X		2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L
DEK-MW-15006 (240-166154-4)		5/3/22	10:42 Eastern	Water	Water	X	X	X	X		2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L
DUP-DEK-BAP (240-166154-5)		5/3/22	Eastern	Water	Water	X	X	X	X		2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.

**Possible Hazard Identification**  
 Unconfirmed  
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2  
 Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_  
 Relinquished by: *[Signature]* Date: 5-6-22  
 Relinquished by: \_\_\_\_\_ Date: 1428  
 Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_  
 Custody Seals Intact: \_\_\_\_\_  
 Δ Yes Δ No  
 Custody Seal No.: \_\_\_\_\_

**Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)**  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months  
 Special Instructions/QC Requirements:

Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received by: *Suna Worthington* Date/Time: MAY 09 2022  
 Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Cooler Temperature(s) °C and Other Remarks:

## Login Sample Receipt Checklist

Client: TRC Environmental Corporation.

Job Number: 240-166154-1

SDG Number:

**Login Number: 166154**

**List Number: 2**

**Creator: Worthington, Sierra M**

**List Source: Eurofins St. Louis**

**List Creation: 05/09/22 02:40 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

## ANALYTICAL REPORT

Eurofins Canton  
180 S. Van Buren Avenue  
Barberton, OH 44203  
Tel: (330)497-9396

Laboratory Job ID: 240-166148-1  
Client Project/Site: CCR DEK Bottom Ash Pond

For:  
TRC Environmental Corporation.  
1540 Eisenhower Place  
Ann Arbor, Michigan 48108-7080

Attn: Darby Litz



Authorized for release by:  
6/10/2022 8:42:08 PM

Kris Brooks, Project Manager II  
(330)966-9790  
[Kris.Brooks@et.eurofinsus.com](mailto:Kris.Brooks@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.





# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Client Sample Results . . . . .	7
Tracer Carrier Summary . . . . .	8
QC Sample Results . . . . .	9
QC Association Summary . . . . .	11
Lab Chronicle . . . . .	12
Certification Summary . . . . .	13
Chain of Custody . . . . .	14
Receipt Checklists . . . . .	19

# Definitions/Glossary

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

## Qualifiers

### Rad

Qualifier	Qualifier Description
*	RPD of the LCS and LCSD exceeds the control limits
U	Result is less than the sample detection limit.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

---

## Job ID: 240-166148-1

---

### Laboratory: Eurofins Canton

#### Narrative

---

#### Job Narrative 240-166148-1

#### Comments

The EPA Method 904.0 Radium-228, EPA Method 903.0 Radium-226, and Ra226\_Ra228 Combined Radium 226 and Radium 228 analyses were performed at the Eurofins St. Louis laboratory.

#### Receipt

The samples were received on 5/6/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 0.9° C, 1.3° C and 1.4° C.

#### RAD

Method 903.0: Radium-226 batch 564568

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

DEK-MW-18001 (240-166148-1), (LCS 160-564568/1-A), (LCSD 160-564568/2-A) and (MB 160-564568/23-A)

Method 904.0: Radium-228 batch 564569

The RER/DER of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) was outside control limits. However the recovery for the LCS/LCSD passed and the RPD was <40% demonstrating acceptable method performance. Original results will be reported. (LCSD 160-564569/2-A)

Method 904.0: Radium-228 batch 564569

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

DEK-MW-18001 (240-166148-1), (LCS 160-564569/1-A), (LCSD 160-564569/2-A) and (MB 160-564569/23-A)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Method Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	TAL SL
904.0	Radium-228 (GFPC)	EPA	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
PrecSep STD	Preparation, Precipitate Separation (Standard In-Growth)	None	TAL SL
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL

#### Protocol References:

EPA = US Environmental Protection Agency

None = None

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

#### Laboratory References:

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

# Sample Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-166148-1	DEK-MW-18001	Water	05/04/22 13:44	05/06/22 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Client Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

**Client Sample ID: DEK-MW-18001**

**Lab Sample ID: 240-166148-1**

Date Collected: 05/04/22 13:44

Matrix: Water

Date Received: 05/06/22 08:00

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.294		0.214	0.216	1.00	0.292	pCi/L	05/09/22 14:15	06/07/22 18:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.8		40 - 110					05/09/22 14:15	06/07/22 18:10	1

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.592	*	0.317	0.321	1.00	0.438	pCi/L	05/09/22 14:18	06/07/22 15:33	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.8		40 - 110					05/09/22 14:18	06/07/22 15:33	1
Y Carrier	87.5		40 - 110					05/09/22 14:18	06/07/22 15:33	1

**Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.885		0.382	0.387	5.00	0.438	pCi/L		06/08/22 13:03	1

# Tracer/Carrier Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

## Method: 903.0 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

### Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (40-110)							
240-166148-1	DEK-MW-18001	90.8							
LCS 160-564568/1-A	Lab Control Sample	94.3							
LCSD 160-564568/2-A	Lab Control Sample Dup	82.3							
MB 160-564568/23-A	Method Blank	99.3							

#### Tracer/Carrier Legend

Ba = Ba Carrier

## Method: 904.0 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

### Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (40-110)	Y (40-110)						
240-166148-1	DEK-MW-18001	90.8	87.5						
LCS 160-564569/1-A	Lab Control Sample	94.3	84.9						
LCSD 160-564569/2-A	Lab Control Sample Dup	82.3	84.5						
MB 160-564569/23-A	Method Blank	99.3	91.2						

#### Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

# QC Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

## Method: 903.0 - Radium-226 (GFPC)

**Lab Sample ID: MB 160-564568/23-A**  
**Matrix: Water**  
**Analysis Batch: 569008**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 564568**

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.002143	U	0.135	0.135	1.00	0.285	pCi/L	05/10/22 09:51	06/07/22 20:02	1
Carrier	MB	MB	Limits			Prepared	Analyzed	Dil Fac		
	%Yield	Qualifier								
Ba Carrier	99.3		40 - 110			05/10/22 09:51	06/07/22 20:02	1		

**Lab Sample ID: LCS 160-564568/1-A**  
**Matrix: Water**  
**Analysis Batch: 568823**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 564568**

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	9.625		1.28	1.00	0.274	pCi/L	85	75 - 125
Carrier	LCS	LCS	Limits			Prepared	Analyzed	Dil Fac	
	%Yield	Qualifier							
Ba Carrier	94.3		40 - 110						

**Lab Sample ID: LCSD 160-564568/2-A**  
**Matrix: Water**  
**Analysis Batch: 568823**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 564568**

Analyte	Spike Added	LCSD Result	LCSD Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits	RER	Limit
				Uncert. (2σ+/-)							
Radium-226	11.3	9.709		1.34	1.00	0.405	pCi/L	86	75 - 125	0.03	1
Carrier	LCSD	LCSD	Limits			Prepared	Analyzed	Dil Fac			
	%Yield	Qualifier									
Ba Carrier	82.3		40 - 110								

## Method: 904.0 - Radium-228 (GFPC)

**Lab Sample ID: MB 160-564569/23-A**  
**Matrix: Water**  
**Analysis Batch: 568850**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 564569**

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.03881	U	0.215	0.215	1.00	0.396	pCi/L	05/10/22 10:04	06/07/22 15:38	1
Carrier	MB	MB	Limits			Prepared	Analyzed	Dil Fac		
	%Yield	Qualifier								
Ba Carrier	99.3		40 - 110			05/10/22 10:04	06/07/22 15:38	1		
Y Carrier	91.2		40 - 110			05/10/22 10:04	06/07/22 15:38	1		



# QC Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

## Method: 904.0 - Radium-228 (GFPC) (Continued)

**Lab Sample ID: LCS 160-564569/1-A**  
**Matrix: Water**  
**Analysis Batch: 569007**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 564569**

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	
Radium-228	8.55	6.624		1.00	1.00	0.571	pCi/L	77	75 - 125	
<b>LCS LCS</b>										
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>							
Ba Carrier	94.3		40 - 110							
Y Carrier	84.9		40 - 110							

**Lab Sample ID: LCSD 160-564569/2-A**  
**Matrix: Water**  
**Analysis Batch: 569007**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 564569**

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits		RER	RER Limit
Radium-228	8.55	9.176	*	1.28	1.00	0.579	pCi/L	107	75 - 125	1.12	1	
<b>LCSD LCSD</b>												
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>									
Ba Carrier	82.3		40 - 110									
Y Carrier	84.5		40 - 110									

# QC Association Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

## Rad

### Prep Batch: 564568

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166148-1	DEK-MW-18001	Total/NA	Water	PrecSep STD	
MB 160-564568/23-A	Method Blank	Total/NA	Water	PrecSep STD	
LCS 160-564568/1-A	Lab Control Sample	Total/NA	Water	PrecSep STD	
LCSD 160-564568/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep STD	

### Prep Batch: 564569

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166148-1	DEK-MW-18001	Total/NA	Water	PrecSep_0	
MB 160-564569/23-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-564569/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-564569/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Lab Chronicle

Client: TRC Environmental Corporation.  
Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

**Client Sample ID: DEK-MW-18001**

**Lab Sample ID: 240-166148-1**

**Date Collected: 05/04/22 13:44**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Prepared or Analyzed</u>	<u>Analyst</u>	<u>Lab</u>
Total/NA	Prep	PrecSep STD			564568	05/09/22 14:15	LPS	TAL SL
Total/NA	Analysis	903.0		1	568823	06/07/22 18:10	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/09/22 14:18	LPS	TAL SL
Total/NA	Analysis	904.0		1	568823	06/07/22 15:33	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

**Laboratory References:**

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



# Accreditation/Certification Summary

Client: TRC Environmental Corporation.  
 Project/Site: CCR DEK Bottom Ash Pond

Job ID: 240-166148-1

## Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-06-25
Arizona	State	AZ0813	12-08-22
California	Los Angeles County Sanitation Districts	10259	06-30-22
California	State	2886	07-01-22
Connecticut	State	PH-0241	03-31-23
Florida	NELAP	E87689	06-30-22
HI - RadChem Recognition	State	n/a	06-30-22
Illinois	NELAP	200023	11-30-22
Iowa	State	373	12-01-22
Kansas	NELAP	E-10236	10-31-22
Kentucky (DW)	State	KY90125	12-31-22
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-22
Louisiana	NELAP	04080	06-30-22
Louisiana (DW)	State	LA011	12-31-22
Maryland	State	310	09-30-22
MI - RadChem Recognition	State	9005	06-30-22
Missouri	State	780	06-30-22
Nevada	State	MO000542020-1	07-31-22
New Jersey	NELAP	MO002	06-30-22
New York	NELAP	11616	04-01-23
North Dakota	State	R-207	06-30-22
NRC	NRC	24-24817-01	12-31-22
Oklahoma	NELAP	9997	08-31-22
Oregon	NELAP	4157	09-01-22
Pennsylvania	NELAP	68-00540	02-28-23
South Carolina	State	85002001	06-30-22
Texas	NELAP	T104704193	07-31-22
US Fish & Wildlife	US Federal Programs	058448	07-31-22
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542021-14	08-01-22
Virginia	NELAP	10310	06-14-22
Washington	State	C592	08-30-22
West Virginia DEP	State	381	10-31-22

**Chain of Custody Record**

**MICHIGAN 190**



Environment Testing  
 America

<b>Client Information</b>		Lab PM: Brooks, Kris M		Camer Tracking No(s): 240-94787-29053.1					
Client Contact: Jacob Krenz		E-Mail: Kris.Brooks@et.eurofins.com		Page: Page 1 of 1					
Company: TRC Environmental Corporation.		PWSID		Job #:					
Address: 1540 Eisenhower Place		Due Date Requested:		Preservation Codes:					
City: Ann Arbor		TAT Requested (days):		A - HCL B - NBOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:					
Slate Zip: MI, 48108-7080		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 Z - other (specify)					
Phone: 734-971-7080(Tel) 734-971-9022(Fax)		PO #: TBD		Total Number of containers: <input checked="" type="checkbox"/>					
Email: JKrenz@trccompanies.com		WO #: TBD		Special Instructions/Note:					
Project Name: Karn/Weadock CCR DEK Bottom Ash Pond & I		Project #: 24024154							
Site:		SSOW#:							
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=wastohl, BT=tissue, A=air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	903.0, Ra226Ra228, GFPC	904.0 - Standard Target List	
DEK-MW-15000				Water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
DEK-MW-18001	5-4-21	1344	G	water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
				Water					
<p><b>Possible Hazard Identification</b>  <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological                  Deliverable Requested: I, II, III, IV, Other (specify)</p>									
<p><b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>  <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months</p>									
<p><b>Special Instructions/QC Requirements:</b></p>									
Empty Kit Relinquished by:					Date:				
Relinquished by: <i>[Signature]</i>					Date/Time: 5-5-21 / 1730				
Relinquished by: <i>[Signature]</i>					Date/Time: 5/5/21 1336				
Relinquished by: <i>[Signature]</i>					Date/Time: 5-6-22 0800				
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No					Cooler Temperature(s) °C and Other Remarks:				



Ver: 06/08/2021

Eurofins TestAmerica Canton Sample Receipt Form/Narrative  
Canton Facility

Login #: 166148

Client TRC Site Name \_\_\_\_\_

Cooler unpacked by:

Cooler Received on 5-6-22 Opened on 5-6-22

UMP

FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box Client Cooler Box Other \_\_\_\_\_  
Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
IR GUN# IR-13 (CF 0.0 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Lea  Yes  No  
-Were the seals on the outside of the cooler(s) signed & dated?  Yes  No NA  
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No NA  
-Were tamper/custody seals intact and uncompromised?  Yes  No NA

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC

3. Shippers' packing slip attached to the cooler(s)?  Yes  No  
4. Did custody papers accompany the sample(s)?  Yes  No  
5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No  
6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  
7. Did all bottles arrive in good condition (Unbroken)?  Yes  No  
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No

9. For each sample, does the COC specify preservatives  (Y/N), # of containers  (Y/N), and sample type of grab/comp  (Y/N)?

10. Were correct bottle(s) used for the test(s) indicated?  Yes  No  
11. Sufficient quantity received to perform indicated analyses?  Yes  No  
12. Are these work share samples and all listed on the COC?  Yes  No

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No NA pH Strip Lot# HC157842

14. Were VOAs on the COC?  Yes  No

15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA  ← Larger than this.

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_  Yes  No

17. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_  Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other

Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page

Samples processed by:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

19. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.

Sample(s) \_\_\_\_\_ were received in a broken container.

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.

Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_



Temperature readings: \_\_\_\_\_

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservative</u>	
			<u>pH</u>	<u>Temp</u>	<u>Added (mls)</u>	<u>Lot #</u>
DEK-MW-18001	240-166148-A-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DEK-MW-18001	240-166148-B-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14





## Login Sample Receipt Checklist

Client: TRC Environmental Corporation.

Job Number: 240-166148-1

SDG Number:

**Login Number: 166148**

**List Number: 2**

**Creator: Worthington, Sierra M**

**List Source: Eurofins St. Louis**

**List Creation: 05/09/22 02:25 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



## ANALYTICAL REPORT

Eurofins Canton  
180 S. Van Buren Avenue  
Barberton, OH 44203  
Tel: (330)497-9396

Laboratory Job ID: 240-166150-1  
Client Project/Site: CCR Background Well

For:  
TRC Environmental Corporation.  
1540 Eisenhower Place  
Ann Arbor, Michigan 48108-7080

Attn: Darby Litz



Authorized for release by:  
6/12/2022 7:33:54 PM

Kris Brooks, Project Manager II  
(330)966-9790  
[Kris.Brooks@et.eurofinsus.com](mailto:Kris.Brooks@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Client Sample Results . . . . .	7
Tracer Carrier Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	16
Lab Chronicle . . . . .	17
Certification Summary . . . . .	19
Chain of Custody . . . . .	20
Receipt Checklists . . . . .	25

# Definitions/Glossary

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

## Qualifiers

### Rad

Qualifier	Qualifier Description
*	RPD of the LCS and LCSD exceeds the control limits
U	Result is less than the sample detection limit.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

---

## Job ID: 240-166150-1

---

### Laboratory: Eurofins Canton

---

#### Narrative

#### Job Narrative 240-166150-1

#### Comments

The EPA Method 904.0 Radium-228, EPA Method 903.0 Radium-226, and Ra226\_Ra228 Combined Radium 226 and Radium 228 analyses were performed at the Eurofins St. Louis laboratory.

#### Receipt

The samples were received on 5/6/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 0.9° C, 1.3° C and 1.4° C.

#### RAD

Method 903.0: Radium-226 batch 564568

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-15002 (240-166150-1), MW-15008 (240-166150-2), MW-15016 (240-166150-3), MW-15019 (240-166150-4), DUP-04 (240-166150-5), EB-04 (240-166150-6), (LCS 160-564568/1-A), (LCSD 160-564568/2-A) and (MB 160-564568/23-A)

Method 904.0: Radium-228 batch 564569

The RER/DER of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) was outside control limits. However the recovery for the LCS/LCSD passed and the RPD was <40% demonstrating acceptable method performance. Original results will be reported. (LCSD 160-564569/2-A)

Method 904.0: Radium-228 batch 564569

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-15002 (240-166150-1), MW-15008 (240-166150-2), MW-15016 (240-166150-3), MW-15019 (240-166150-4), DUP-04 (240-166150-5), EB-04 (240-166150-6), (LCS 160-564569/1-A), (LCSD 160-564569/2-A) and (MB 160-564569/23-A)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Method Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	TAL SL
904.0	Radium-228 (GFPC)	EPA	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
PrecSep STD	Preparation, Precipitate Separation (Standard In-Growth)	None	TAL SL
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL

#### Protocol References:

EPA = US Environmental Protection Agency

None = None

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

#### Laboratory References:

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

# Sample Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-166150-1	MW-15002	Water	05/02/22 17:24	05/06/22 08:00
240-166150-2	MW-15008	Water	05/02/22 13:45	05/06/22 08:00
240-166150-3	MW-15016	Water	05/03/22 08:37	05/06/22 08:00
240-166150-4	MW-15019	Water	05/02/22 15:20	05/06/22 08:00
240-166150-5	DUP-04	Water	05/02/22 00:00	05/06/22 08:00
240-166150-6	EB-04	Water	05/02/22 13:45	05/06/22 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



# Client Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

**Client Sample ID: MW-15002**

**Lab Sample ID: 240-166150-1**

Date Collected: 05/02/22 17:24

Matrix: Water

Date Received: 05/06/22 08:00

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>1.37</b>		0.522	0.536	1.00	0.574	pCi/L	05/10/22 09:51	06/07/22 18:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	82.3		40 - 110					05/10/22 09:51	06/07/22 18:11	1

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-228</b>	<b>3.30</b>	*	0.757	0.816	1.00	0.785	pCi/L	05/10/22 10:04	06/07/22 15:33	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	82.3		40 - 110					05/10/22 10:04	06/07/22 15:33	1
Y Carrier	86.7		40 - 110					05/10/22 10:04	06/07/22 15:33	1

**Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Combined Radium 226 + 228</b>	<b>4.68</b>		0.920	0.976	5.00	0.785	pCi/L		06/08/22 13:03	1

# Client Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

**Client Sample ID: MW-15008**

**Lab Sample ID: 240-166150-2**

Date Collected: 05/02/22 13:45

Matrix: Water

Date Received: 05/06/22 08:00

## Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.317	U	0.294	0.295	1.00	0.447	pCi/L	05/10/22 09:51	06/07/22 18:35	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.8		40 - 110					05/10/22 09:51	06/07/22 18:35	1

## Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.509	U *	0.388	0.391	1.00	0.588	pCi/L	05/10/22 10:04	06/07/22 15:33	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.8		40 - 110					05/10/22 10:04	06/07/22 15:33	1
Y Carrier	86.4		40 - 110					05/10/22 10:04	06/07/22 15:33	1

## Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.826		0.487	0.490	5.00	0.588	pCi/L		06/08/22 13:03	1

# Client Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

**Client Sample ID: MW-15016**

**Lab Sample ID: 240-166150-3**

Date Collected: 05/03/22 08:37

Matrix: Water

Date Received: 05/06/22 08:00

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0815	U	0.195	0.195	1.00	0.368	pCi/L	05/10/22 09:51	06/07/22 18:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.0		40 - 110					05/10/22 09:51	06/07/22 18:11	1

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.542	U *	0.403	0.406	1.00	0.611	pCi/L	05/10/22 10:04	06/07/22 15:33	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.0		40 - 110					05/10/22 10:04	06/07/22 15:33	1
Y Carrier	84.5		40 - 110					05/10/22 10:04	06/07/22 15:33	1

**Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Combined Radium 226 + 228</b>	<b>0.624</b>		0.448	0.450	5.00	0.611	pCi/L		06/08/22 13:03	1

# Client Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

**Client Sample ID: MW-15019**

**Lab Sample ID: 240-166150-4**

Date Collected: 05/02/22 15:20

Matrix: Water

Date Received: 05/06/22 08:00

## Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.278	U	0.349	0.350	1.00	0.579	pCi/L	05/10/22 09:51	06/07/22 18:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.8		40 - 110					05/10/22 09:51	06/07/22 18:05	1

## Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.83	*	0.601	0.625	1.00	0.742	pCi/L	05/10/22 10:04	06/07/22 15:33	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.8		40 - 110					05/10/22 10:04	06/07/22 15:33	1
Y Carrier	86.7		40 - 110					05/10/22 10:04	06/07/22 15:33	1

## Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	2.11		0.695	0.716	5.00	0.742	pCi/L		06/08/22 13:03	1

# Client Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

**Client Sample ID: DUP-04**

**Lab Sample ID: 240-166150-5**

Date Collected: 05/02/22 00:00

Matrix: Water

Date Received: 05/06/22 08:00

## Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.650		0.422	0.426	1.00	0.599	pCi/L	05/10/22 09:51	06/07/22 18:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		40 - 110					05/10/22 09:51	06/07/22 18:05	1

## Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.938	*	0.482	0.490	1.00	0.675	pCi/L	05/10/22 10:04	06/07/22 15:34	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		40 - 110					05/10/22 10:04	06/07/22 15:34	1
Y Carrier	89.0		40 - 110					05/10/22 10:04	06/07/22 15:34	1

## Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.59		0.641	0.649	5.00	0.675	pCi/L		06/08/22 13:03	1

# Client Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

**Client Sample ID: EB-04**

**Lab Sample ID: 240-166150-6**

Date Collected: 05/02/22 13:45

Matrix: Water

Date Received: 05/06/22 08:00

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0315	U	0.209	0.209	1.00	0.466	pCi/L	05/10/22 09:51	06/07/22 18:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	57.6		40 - 110					05/10/22 09:51	06/07/22 18:05	1

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.292	U *	0.488	0.488	1.00	0.832	pCi/L	05/10/22 10:04	06/07/22 15:35	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	57.6		40 - 110					05/10/22 10:04	06/07/22 15:35	1
Y Carrier	87.9		40 - 110					05/10/22 10:04	06/07/22 15:35	1

**Method: Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.260	U	0.531	0.531	5.00	0.832	pCi/L		06/08/22 13:03	1

# Tracer/Carrier Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

## Method: 903.0 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

		Percent Yield (Acceptance Limits)	
Lab Sample ID	Client Sample ID	Ba (40-110)	
240-166150-1	MW-15002	82.3	
240-166150-2	MW-15008	89.8	
240-166150-3	MW-15016	93.0	
240-166150-4	MW-15019	89.8	
240-166150-5	DUP-04	88.3	
240-166150-6	EB-04	57.6	
LCS 160-564568/1-A	Lab Control Sample	94.3	
LCSD 160-564568/2-A	Lab Control Sample Dup	82.3	
MB 160-564568/23-A	Method Blank	99.3	
<b>Tracer/Carrier Legend</b>			
Ba = Ba Carrier			

## Method: 904.0 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

		Percent Yield (Acceptance Limits)	
Lab Sample ID	Client Sample ID	Ba (40-110)	Y (40-110)
240-166150-1	MW-15002	82.3	86.7
240-166150-2	MW-15008	89.8	86.4
240-166150-3	MW-15016	93.0	84.5
240-166150-4	MW-15019	89.8	86.7
240-166150-5	DUP-04	88.3	89.0
240-166150-6	EB-04	57.6	87.9
LCS 160-564569/1-A	Lab Control Sample	94.3	84.9
LCSD 160-564569/2-A	Lab Control Sample Dup	82.3	84.5
MB 160-564569/23-A	Method Blank	99.3	91.2
<b>Tracer/Carrier Legend</b>			
Ba = Ba Carrier			
Y = Y Carrier			

# QC Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

## Method: 903.0 - Radium-226 (GFPC)

**Lab Sample ID: MB 160-564568/23-A**  
**Matrix: Water**  
**Analysis Batch: 569008**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 564568**

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.002143	U	0.135	0.135	1.00	0.285	pCi/L	05/10/22 09:51	06/07/22 20:02	1
Carrier	MB %Yield	MB Qualifier	Limits				Prepared		Analyzed	Dil Fac
Ba Carrier	99.3		40 - 110				05/10/22 09:51		06/07/22 20:02	1

**Lab Sample ID: LCS 160-564568/1-A**  
**Matrix: Water**  
**Analysis Batch: 568823**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 564568**

Analyte	LCS		Spike	LCS	Total	RL	MDC	Unit	%Rec	%Rec Limits
	%Yield	LCS Qualifier	Added	Result	Uncert. (2σ+/-)					
Radium-226			11.3	9.625	1.28	1.00	0.274	pCi/L	85	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits							
Ba Carrier	94.3		40 - 110							

**Lab Sample ID: LCSD 160-564568/2-A**  
**Matrix: Water**  
**Analysis Batch: 568823**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 564568**

Analyte	LCSD		Spike	LCSD	Total	RL	MDC	Unit	%Rec	%Rec Limits	RER	RER Limit
	%Yield	LCSD Qualifier	Added	Result	Uncert. (2σ+/-)							
Radium-226			11.3	9.709	1.34	1.00	0.405	pCi/L	86	75 - 125	0.03	1
Carrier	LCSD %Yield	LCSD Qualifier	Limits									
Ba Carrier	82.3		40 - 110									

## Method: 904.0 - Radium-228 (GFPC)

**Lab Sample ID: MB 160-564569/23-A**  
**Matrix: Water**  
**Analysis Batch: 568850**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 564569**

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.03881	U	0.215	0.215	1.00	0.396	pCi/L	05/10/22 10:04	06/07/22 15:38	1
Carrier	MB %Yield	MB Qualifier	Limits				Prepared		Analyzed	Dil Fac
Ba Carrier	99.3		40 - 110				05/10/22 10:04		06/07/22 15:38	1
Y Carrier	91.2		40 - 110				05/10/22 10:04		06/07/22 15:38	1

Eurofins Canton



# QC Sample Results

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

## Method: 904.0 - Radium-228 (GFPC) (Continued)

**Lab Sample ID: LCS 160-564569/1-A**  
**Matrix: Water**  
**Analysis Batch: 569007**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 564569**

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	
Radium-228	8.55	6.624		1.00	1.00	0.571	pCi/L	77	75 - 125	
<b>LCS LCS</b>										
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>							
Ba Carrier	94.3		40 - 110							
Y Carrier	84.9		40 - 110							

**Lab Sample ID: LCSD 160-564569/2-A**  
**Matrix: Water**  
**Analysis Batch: 569007**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 564569**

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits		RER	RER Limit
Radium-228	8.55	9.176	*	1.28	1.00	0.579	pCi/L	107	75 - 125	1.12	1	
<b>LCSD LCSD</b>												
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>									
Ba Carrier	82.3		40 - 110									
Y Carrier	84.5		40 - 110									

# QC Association Summary

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

## Rad

### Prep Batch: 564568

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166150-1	MW-15002	Total/NA	Water	PrecSep STD	
240-166150-2	MW-15008	Total/NA	Water	PrecSep STD	
240-166150-3	MW-15016	Total/NA	Water	PrecSep STD	
240-166150-4	MW-15019	Total/NA	Water	PrecSep STD	
240-166150-5	DUP-04	Total/NA	Water	PrecSep STD	
240-166150-6	EB-04	Total/NA	Water	PrecSep STD	
MB 160-564568/23-A	Method Blank	Total/NA	Water	PrecSep STD	
LCS 160-564568/1-A	Lab Control Sample	Total/NA	Water	PrecSep STD	
LCSD 160-564568/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep STD	

### Prep Batch: 564569

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-166150-1	MW-15002	Total/NA	Water	PrecSep_0	
240-166150-2	MW-15008	Total/NA	Water	PrecSep_0	
240-166150-3	MW-15016	Total/NA	Water	PrecSep_0	
240-166150-4	MW-15019	Total/NA	Water	PrecSep_0	
240-166150-5	DUP-04	Total/NA	Water	PrecSep_0	
240-166150-6	EB-04	Total/NA	Water	PrecSep_0	
MB 160-564569/23-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-564569/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-564569/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

# Lab Chronicle

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

**Client Sample ID: MW-15002**

**Lab Sample ID: 240-166150-1**

**Date Collected: 05/02/22 17:24**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	568823	06/07/22 18:11	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568823	06/07/22 15:33	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

**Client Sample ID: MW-15008**

**Lab Sample ID: 240-166150-2**

**Date Collected: 05/02/22 13:45**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	568823	06/07/22 18:35	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568823	06/07/22 15:33	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

**Client Sample ID: MW-15016**

**Lab Sample ID: 240-166150-3**

**Date Collected: 05/03/22 08:37**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	568823	06/07/22 18:11	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568823	06/07/22 15:33	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

**Client Sample ID: MW-15019**

**Lab Sample ID: 240-166150-4**

**Date Collected: 05/02/22 15:20**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	569008	06/07/22 18:05	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568823	06/07/22 15:33	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

# Lab Chronicle

Client: TRC Environmental Corporation.  
Project/Site: CCR Background Well

Job ID: 240-166150-1

**Client Sample ID: DUP-04**

**Lab Sample ID: 240-166150-5**

**Date Collected: 05/02/22 00:00**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Prepared or Analyzed</u>	<u>Analyst</u>	<u>Lab</u>
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	569008	06/07/22 18:05	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568823	06/07/22 15:34	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

**Client Sample ID: EB-04**

**Lab Sample ID: 240-166150-6**

**Date Collected: 05/02/22 13:45**

**Matrix: Water**

**Date Received: 05/06/22 08:00**

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Prepared or Analyzed</u>	<u>Analyst</u>	<u>Lab</u>
Total/NA	Prep	PrecSep STD			564568	05/10/22 09:51	LPS	TAL SL
Total/NA	Analysis	903.0		1	569008	06/07/22 18:05	FLC	TAL SL
Total/NA	Prep	PrecSep_0			564569	05/10/22 10:04	LPS	TAL SL
Total/NA	Analysis	904.0		1	568835	06/07/22 15:35	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	569042	06/08/22 13:03	SCB	TAL SL

**Laboratory References:**

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

# Accreditation/Certification Summary


Client: TRC Environmental Corporation.  
 Project/Site: CCR Background Well

Job ID: 240-166150-1

## Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-06-25
Arizona	State	AZ0813	12-08-22
California	Los Angeles County Sanitation Districts	10259	06-30-22
California	State	2886	07-01-22
Connecticut	State	PH-0241	03-31-23
Florida	NELAP	E87689	06-30-22
HI - RadChem Recognition	State	n/a	06-30-22
Illinois	NELAP	200023	11-30-22
Iowa	State	373	12-01-22
Kansas	NELAP	E-10236	10-31-22
Kentucky (DW)	State	KY90125	12-31-22
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-22
Louisiana	NELAP	04080	06-30-22
Louisiana (DW)	State	LA011	12-31-22
Maryland	State	310	09-30-22
MI - RadChem Recognition	State	9005	06-30-22
Missouri	State	780	06-30-22
Nevada	State	MO000542020-1	07-31-22
New Jersey	NELAP	MO002	06-30-22
New York	NELAP	11616	04-01-23
North Dakota	State	R-207	06-30-22
NRC	NRC	24-24817-01	12-31-22
Oklahoma	NELAP	9997	08-31-22
Oregon	NELAP	4157	09-01-22
Pennsylvania	NELAP	68-00540	02-28-23
South Carolina	State	85002001	06-30-22
Texas	NELAP	T104704193	07-31-22
US Fish & Wildlife	US Federal Programs	058448	07-31-22
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542021-14	08-01-22
Virginia	NELAP	10310	06-14-22
Washington	State	C592	08-30-22
West Virginia DEP	State	381	10-31-22

<b>Client Information</b>		Sampler: <i>Henry Schwandt</i>		Lab PM: Brooks, Kris M	Carrier Tracking No(s): COC No: 230282-1		
Client Contact: Jacob Krenz		Phone: <i>330-497-9396</i>		E-Mail: Kris.Brooks@et.eurofins.com	Page 1 of 1		
Company: TRC Environmental Corporation.		PWSID		Job #			
Address: 1540 Eisenhower Place		Due Date Requested:		Preservation Codes:			
City: Ann Arbor		TAT Requested (days):		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Anchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:			
State, Zip: MI, 48108-7080		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		M - Hexane N - None O - AsNB02 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)			
Phone: 734-971-7080(Tel) 734-971-9022(Fax)		PO #:		Total Number of Containers:			
Email: <i>JKrenz@trccompanies.com</i>		WO #:		Special Instructions/Note:			
Project Name: KarmWeadock CCR Background Well		Project #: 24024154		 240-166150 Chain of Custody			
Site:		SSOW#:					
Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)			Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)
MW-15002	5/2/22	1724	G			Water	903.0, Ra226Ra228, GPC
MW-15008	5/2/22	1345	G			Water	904.0 - Standard Target List
MW-15016	5/3/22	837	G			Water	
MW-15019	5/2/22	1520	G			Water	
DUP-04	5/2/22	-	G	Water			
EB-04	5/2/22	1245	G	Water			
<b>Possible Hazard Identification</b>		<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>			
Deliverable Requested: I, II, III, IV, Other (specify)		Empty Kit Relinquished by:		<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months			
Date:		Date:		Special Instructions/QC Requirements:			
Relinquished by: <i>Henry Schwandt</i>		Date/Time: 5/3/22/1600		Method of Shipment:			
Relinquished by: <i>Henry Schwandt</i>		Date/Time: 5-5-22/1330		Company: TRC			
Relinquished by: <i>Henry Schwandt</i>		Date/Time: 5/5/22 1330		Company: TRC			
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Company: TRC			
Cooler Temperature(s) °C and Other Remarks:		Cooler Temperature(s) °C and Other Remarks:		Company: TRC			



**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**

Login # : 166150

Client TRC Site Name \_\_\_\_\_

Cooler unpacked by:

Cooler Received on 5-6-22 Opened on 5-6-22

JMP

FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clippers Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-13 (CF 0.0 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
 IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Lea  Yes  No  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No NA  
 -Were tamper/custody seals intact and uncompromised?  Yes  No NA

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

3. Shippers' packing slip attached to the cooler(s)?  Yes  No  
 4. Did custody papers accompany the sample(s)?  Yes  No  
 5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No  
 6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  
 7. Did all bottles arrive in good condition (Unbroken)?  Yes  No  
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No

9. For each sample, does the COC specify preservatives  (Y/N), # of containers  (Y/N), and sample type of grab/comp  (Y/N)?

10. Were correct bottle(s) used for the test(s) indicated?  Yes  No  
 11. Sufficient quantity received to perform indicated analyses?  Yes  No  
 12. Are these work share samples and all listed on the COC?  Yes  No

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No NA pH Strip Lot# HC157842

14. Were VOAs on the COC?  Yes  No

15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA **← Larger than this.**

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_  Yes  No

17. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_  Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other

Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page

Samples processed by:

Containers for DUP-04 and EB-04 are labeled as  
DUP-Background and EB-Background. Dates and times  
match COC. Samples are logged per the COC. JMP 5-6-22

**19. SAMPLE CONDITION**

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.

Sample(s) \_\_\_\_\_ were received in a broken container.

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.

Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14

Login #: 166150

Eurofins - Canton Sample Receipt Multiple Cooler Form

Cooler Description (Circle)				IR Gun # (Circle)		Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
TA	Client	Box	Other	IR-13	IR-15	1.3	1.3	Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15	1.4	1.4	Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15	0.9	0.9	Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-13	IR-15			Wet Ice	Blue Ice	Dry Ice
								Water	None	

See Temperature Excursion Form



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Temperature readings: \_\_\_\_\_

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservative</u>	
			<u>pH</u>	<u>Temp</u>	<u>Added (mls)</u>	<u>Lot #</u>
MW-15002	240-166150-A-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-15002	240-166150-B-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-15008	240-166150-A-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-15008	240-166150-B-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-15016	240-166150-A-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-15016	240-166150-B-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-15019	240-166150-A-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-15019	240-166150-B-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DUP-04	240-166150-A-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DUP-04	240-166150-B-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
EB-04	240-166150-A-6	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
EB-04	240-166150-B-6	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____

# Chain of Custody Record



<b>Client Information (Sub Contract Lab)</b>		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:								
Client Contact: Shipping/Receiving		Phone:	Brooks, Kris M		240-151693.1								
Company: TestAmerica Laboratories, Inc.		E-Mail:	Kris.Brooks@et.eurofins.com	State of Origin:	Michigan								
Address: 13715 Rider Trail North,		Accreditations Required (See note)		Page:	Page 1 of 1								
City: Earth City		Due Date Requested:	Job #:										
State, Zip: MO: 63045		6/7/2022	240-166150-1										
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		TAT Requested (days):	Preservation Codes:										
E-Mail:			A - HCL M - Hexane N - None O - ASNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 L - EDA Z - other (specify)										
Project Name: CCR Background Well			Other:										
Site: SSOW#:													
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=oil, A=air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	90.0/PreSep STD Standard Target List	904.0/PreSep STD Standard Target List	Ra226Ra228 GFPC	Analysis Requested	Total Number of Containers	Special Instructions/Note:
MW-15002 (240-166150-1)	5/2/22	17:24 Eastern	Water		X	X	X	X	X			2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L
MW-15008 (240-166150-2)	5/2/22	13:45 Eastern	Water		X	X	X	X	X			2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L
MW-15016 (240-166150-3)	5/3/22	08:37 Eastern	Water		X	X	X	X	X			2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L
MW-15019 (240-166150-4)	5/2/22	15:20 Eastern	Water		X	X	X	X	X			2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L
DUP-04 (240-166150-5)	5/2/22	Eastern	Water		X	X	X	X	X			2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L
EB-04 (240-166150-6)	5/2/22	13:45 Eastern	Water		X	X	X	X	X			2	TVA protocol - Ra-226+228 action limit at 5.0 pCi/L
<p>Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte &amp; accreditation compliance upon subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/max, being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.</p>													
<b>Possible Hazard Identification</b>													
<input type="checkbox"/> Unconfirmed <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months													
Deliverable Requested: I, II, III, IV, Other (specify) _____													
Primary Deliverable Rank: 2													
Empty Kit Relinquished by: _____ Date: _____ Time: _____ Method of Shipment: _____													
Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____ Company: _____													
Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____ Company: _____													
Custody Seals Intact: _____ Δ Yes Δ No _____ Cooler Temperature(s) °C and Other Remarks: _____													

## Login Sample Receipt Checklist

Client: TRC Environmental Corporation.

Job Number: 240-166150-1

SDG Number:

**Login Number: 166150**

**List Number: 2**

**Creator: Worthington, Sierra M**

**List Source: Eurofins St. Louis**

**List Creation: 05/09/22 02:40 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	False	

## Technical Memorandum

---

**Date:** July 27, 2022

**To:** J.R. Register, Consumers Energy

**From:** Darby Litz, TRC  
Kristin Lowery, TRC

**Project No.:** 464095.0001.0000 Phase 2 Task 2

**Subject:** First Semiannual 2022 Nature and Extent Data Summary, DE Karn Bottom Ash Pond, Consumers Energy, Essexville, Michigan

---

In response to the United States Environmental Protection Agency's (U.S. EPA's) Resource Conservation and Recovery Act (RCRA) Coal Combustion Residual rule ("CCR Rule") promulgated on April 17, 2015, as amended, Consumers Energy Company (Consumers Energy) has conducted groundwater monitoring at the DE Karn Bottom Ash Pond CCR Unit. During the statistical evaluation of the initial assessment monitoring event (May 2018) for the Karn Bottom Ash Pond, arsenic was present in one or more downgradient monitoring well(s) at statistically significant levels exceeding the Groundwater Protection Standards (GWPSs)<sup>1</sup>.

The CCR Rule 40 CFR §257.96(a) requires that an owner or operator initiate an assessment of corrective measures (ACM) to prevent further release, to remediate any releases, and to restore impacted areas to original conditions if any Appendix IV constituent has been detected at a statistically significant level exceeding a GWPS. The *Assessment of Corrective Measures (ACM)* (TRC, September 2019) was initiated on April 14, 2019 and was certified and submitted to the Michigan Department of Environment, Great Lakes, and Energy (EGLE) on September 11, 2019 in accordance with the schedule in §257.96.

Per §257.95(g)(1), in the event that the facility determines, pursuant to §257.93(h), that there is a statistical exceedance of the GWPSs for one or more of the Appendix IV constituents, the facility must characterize the nature and extent of the release of CCR as well as any site conditions that may affect the remedy selected. Installation of additional monitoring wells at locations downgradient of the Karn Bottom Ash Pond groundwater monitoring system was not necessary or feasible due to the presence of existing monitoring wells sampled under the groundwater surface water interface (GSI) Compliance Monitoring Program administered under a Michigan-approved Hydrogeological Monitoring Plan (Consumers Energy, 2019), and the proximity of the surface water bodies. Monitoring wells designated for nature and extent characterization are shown on Figures 1 and 2 and data collected over the past year (July 2021 through May 2022) from these nature and extent groundwater monitoring wells are included in Tables 1 and 2.

---

<sup>1</sup> TRC. 2019. *Statistical Evaluation of Initial Assessment Monitoring Sampling Event, DE Karn Bottom Ash Pond, Consumers Energy Company, Essexville, Michigan*. January 14.

## Technical Memorandum

Given the proximity of the Karn Bottom Ash Pond to the Karn Landfill at the Karn property, the nature and extent of contamination was assessed from a site-wide perspective rather than on a per CCR unit basis. The nature and extent of groundwater impacted by a release from the Karn Bottom Ash Pond overlaps with groundwater impacted by operation of the Karn Landfill. Additionally, looking at impacted groundwater on a site-wide basis was more practical from a risk mitigation standpoint, given:

- the likely age of the release(s);
- a long operational history of ash management
- the historical use of CCR as fill; and
- The influence of geochemistry on several of the Appendix IV constituent concentrations in groundwater.

As discussed in the ACM, the nature and extent of contamination (e.g. arsenic) in groundwater relative to GWPSs has been defined per the RCRA CCR Rule requirements based on the site-specific hydrogeology. Although arsenic concentrations exceed the GWPS in on-site groundwater monitoring locations, arsenic is delineated within the limits of the property owned by Consumers Energy and there are currently no adverse effects on human health or the environment from either surface water or groundwater due to CCR management at the Karn Bottom Ash Pond. The property is owned and operated by Consumers Energy and groundwater is not used for drinking water. There are no on-site drinking water wells and there are no surface water potable water intakes within 3 miles of the site, so the drinking water pathway is not complete.

The distribution of arsenic relative to the Karn Bottom Ash Pond groundwater monitoring system in the shallow water-bearing unit as compared to the GWPS is presented in Figure 1. Three categories were assigned to groundwater data collected from July 2021 to May 2022, as follows:

- White – No Exceedances: all concentrations were below the GWPS
- Yellow – Two or More Exceedances: individual observations above the GWPS<sup>2</sup>
- Orange – Statistically Significant GWPS Exceedances<sup>3</sup>

The highest concentrations of arsenic observed in the vicinity of the Karn Bottom Ash Pond have been observed at DEK MW-15003, a monitoring well located to the north of the bottom ash pond and associated with the shifted “highest” elevation of mounded groundwater relative to the Karn Bottom Ash Pond. Although historically the point source discharge of sluiced bottom ash into the Karn Bottom Ash Pond created localized mounding of the potentiometric surface, the new Karn Lined Impoundment went into service on June 7, 2018 and has been continuously collecting the process water and bottom ash that went into the former bottom ash pond. Since the former bottom ash pond is no longer being hydraulically loaded with sluiced ash and has been dewatered by gravity, the characteristic

---

<sup>2</sup> Although an exceedance is defined as a single detection above the GWPS, confidence intervals will be used to determine compliance per the CCR Rule using the Karn Bottom Ash Pond monitoring well network. Compliance with the GWPSs established under § 257.95(h) will be achieved by demonstrating that concentrations of constituents listed in Appendix IV to this part have not exceeded the GWPSs for a period of three consecutive years using the statistical procedures and performance standards in § 257.93(f) and (g).

<sup>3</sup> Lower confidence limit is above the GWPS based upon most recent assessment monitoring statistical evaluation using the most recent eight sampling events (November 2018 through May 2022).

## Technical Memorandum

groundwater mound centered within the pooled area is no longer present. The groundwater elevation data collected from the groundwater monitoring system of the former bottom ash pond in May 2022 demonstrate a reduction in groundwater elevation measurements by several feet when compared to groundwater elevations measured prior to June 2018. Given this shift in groundwater flow direction, DEK-MW-15003 and DEK-MW-15004 are now located upgradient to side gradient of the CCR unit and are no longer representative of groundwater chemistry downgradient of the Karn Bottom Ash Pond. DEK-MW-15003 and DEK-MW-15004 cannot reliably be used to assess the effectiveness of the CCR removal activities and are influenced by the long operational history of ash management in this area of the site. These two wells were removed from the certified downgradient monitoring well network. The recertification was included in Appendix D of the *October 2021 Assessment Monitoring Data Summary and Statistical Evaluation*<sup>4</sup>.

Recent data show that groundwater quality is improving for select constituents (e.g., downward trends in arsenic concentrations) since sluicing to the Karn Bottom Ash Pond ceased in June 2018 when the bottom ash and transport water was diverted to the Karn Lined Impoundment. Arsenic concentrations at DEK-MW-15002 appear to exhibit a downward trend on the time-series chart (Attachment A). This data set was tested further in Sanitas™ utilizing Sen's Slope to estimate the average rate of change in concentration over time and utilizing the Mann-Kendall trend test to test for significance of the trend at the 98% confidence level. The trend test shows that arsenic concentrations are generally decreasing with time, as evidenced by the negative Sen's Slope. The decreasing trend at DEK-MW-15002 was deemed statistically significant at the 98% confidence level. Groundwater chemistry appears to be improving as a result of discontinuing the hydraulic loading to the Karn Bottom Ash Pond and the completed source removal of CCR, as shown by the decrease in concentrations of arsenic at DEK-MW-15002 ; however, attainment of the GWPS at all of the Bottom Ash Pond downgradient monitoring wells may not be feasible due to influences other than the former pond, such as the presence and former operation of the nearby Karn Landfill. Arsenic in the nature and extent monitoring wells located along the landfill perimeter bordering Saginaw Bay also exhibit concentrations above the GWPS. Although arsenic is present above the GWPS, the drinking water pathway is not complete as there are no drinking water wells on-site. Redox conditions, which affect contaminant transport, are still stabilizing in the Bottom Ash Pond Area following removal activities and will continue to be evaluated further.


As shown on the charts below, the dissolved oxygen concentration and oxidation-reduction potential (ORP) showed highly variable results following CCR removal activities. Specifically, dissolved oxygen transitioned from the suboxic/anoxic state of 0.5 mg/L or less to an oxic state of greater than 1.5 mg/L immediately following CCR removal. In the same time period, the electric potential transitioned from a moderately negative electric potential near -100 mV to a moderately positive electric potential of +100 mV. The observed trends for these two key field-measured parameters demonstrate that the preferred equilibrium redox state (e.g. preferred redox couple chemistry) also shifted during the time period immediately following CCR removal. Data from 2022 indicate that trends in the redox conditions may be stabilizing at values similar to pre-dewatering conditions based on measurements of dissolved oxygen in the anoxic range at less than 0.5 mg/L and negative electric potential.

---


<sup>4</sup> TRC. January 2022. *October 2021 Assessment Monitoring Data Summary and Statistical Evaluation – DE Karn Power Plant, Bottom Ash Pond CCR Unit*. Prepared for Consumers Energy Company.

# Technical Memorandum

## Groundwater Chemistry Changes Post-Dewatering - Dissolved Oxygen



## Groundwater Chemistry Changes Post-Dewatering - Oxidation-Reduction Potential



Additionally, monitoring performed under the Michigan-approved GSI Compliance Monitoring Program demonstrates protection of human health and the environment with criteria determined to be protective at the potential point of exposure. Transect/porewater GSI compliance sampling data collected

## Technical Memorandum

quarterly show that biogeochemical conditions are contributing to the reduction of arsenic in groundwater as observed in arsenic concentrations in transect push-point samples located along the water's edge of Saginaw Bay are generally much lower than the arsenic concentrations observed in the perimeter dike wells. Compliance with water quality criteria is demonstrated on a quarterly basis by evaluating the total chronic loading based on the authorization for the mixing zone.

The distribution of arsenic in the shallow water-bearing unit as compared to the mixing zone GSI criteria is presented in Figure 2. Three categories were assigned to the data from July 2021 to May 2022<sup>5</sup>, as follows:

- White – No Exceedances: all concentrations were below the mixing zone GSI criteria
- Light Blue – Two consecutive exceedances of the chronic mixing zone GSI criterion
- Dark Blue – Two consecutive exceedances of the acute mixing zone GSI criterion

Groundwater monitoring locations along the DE Karn Intake Channel and boundary between the coal ash management areas and the power plant complex (DEK-MW-15002, DEK-MW-15005, DEK-MW-15006, and DEK-MW-18001) document contaminant concentrations of arsenic are less than the authorized Mixing Zone-Based Chronic Concentration of 100 ug/L, with the exception of T4-3GSI and T5-3GSI. Total chronic loading, calculated from concentrations observed in groundwater samples collected from push-point samplers advanced at locations T1-3GSI through T6-3GSI, remains below the chronic mixing zone GSI criterion, indicating current conditions are protective of the GSI pathway.

### Attachments

Table 1	Summary of Groundwater Sampling Results (Analytical): July 2021 to May 2022; DE Karn Nature and Extent Monitoring Wells
Table 2	Summary of Groundwater Sampling Results (Analytical): July 2021 to May 2022; DE Karn Nature and Extent GSI Monitoring Locations
Figure 1	Nature and Extent Summary: GWPS Exceedances
Figure 2	Nature and Extent Summary: GSI Pathway Compliance

Attachment A Trend Evaluation

---

<sup>5</sup> Given the dynamic nature of the groundwater surface water interactions, it is appropriate to look at a shorter timeframe for data analysis (one year).



# Tables

**Table 1**  
 Summary of Groundwater Sampling Results (Analytical): July 2021 - May 2022  
 DE Karn Nature and Extent Monitoring Wells  
 Essexville, Michigan

Constituent	Unit	GWPS*	MI Residential**	MI Non-Residential**	MI GSI^	MI AMV***	MI FAV***	Chronic MZ^^	Acute MZ^^	Sample Location: DEK-MW-15003				DEK-MW-15004				MW-01			
										Sample Date: 7/27/2021	10/7/2021	2/28/2022	5/3/2022	7/28/2021	10/4/2021	3/14/2022	5/4/2022	7/27/2021	10/4/2021	2/28/2022	5/2/2022
<b>Appendix III</b>																					
Boron	ug/L	NA	500	500	4,000	34,000	69,000	44,000	69,000	<b>825</b>	<b>976</b>	<b>821</b>	<b>760</b>	<b>915</b>	<b>1,120</b>	<b>986</b>	<b>914</b>	<b>5,510</b>	<b>5,250</b>	<b>5,290</b>	<b>5,630</b>
Calcium	mg/L	NA	NC	NC	500 <sup>EE</sup>	NC	NC	NC	NC	<b>23.6</b>	<b>24.5</b>	<b>26.3</b>	<b>30.0</b>	<b>59.7</b>	<b>65.8</b>	<b>67.3</b>	<b>69.2</b>	<b>80.3</b>	<b>84.5</b>	<b>81.8</b>	<b>82.3</b>
Chloride	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	50	320,000	640,000	NC	NC	<b>53.1</b>	<b>54.0</b>	<b>54.7</b>	<b>57.0</b>	<b>66.6</b>	<b>64.0</b>	<b>69.5</b>	<b>63.4</b>	<b>86.8</b>	<b>95.7</b>	<b>95.8</b>	<b>89.7</b>
Fluoride	ug/L	4,000	NC	NC	NC	9,800	20,000	NC	NC	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	--	--	--	--
Sulfate	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	500 <sup>EE</sup>	600,000	1,200,000	NC	NC	<b>42.5</b>	<b>39.7</b>	<b>37.2</b>	<b>41.2</b>	<b>148</b>	<b>143</b>	<b>226</b>	<b>219</b>	< 1	< 1	< 1	< 1
Total Dissolved Solids	mg/L	NA	500 <sup>E</sup>	500 <sup>E</sup>	500	NC	NC	NC	NC	<b>246</b>	<b>253</b>	<b>262</b>	<b>275</b>	<b>518</b>	<b>530</b>	<b>600</b>	<b>629</b>	--	--	--	--
pH, Field	su	NA	6.5 - 8.5 <sup>E</sup>	6.5 - 8.5 <sup>E</sup>	6.5 - 9.0	NC	NC	NC	NC	<b>8.4</b>	<b>8.3</b>	<b>8.1</b>	<b>7.9</b>	<b>7.3</b>	<b>7.1</b>	<b>7.5</b>	<b>7.3</b>	<b>8.4</b>	<b>8.2</b>	<b>8.2</b>	<b>8.1</b>
<b>Appendix IV</b>																					
Antimony	ug/L	6	6.0	6.0	2.0	1,100	2,300	NC	NC	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	--	--	--	--
Arsenic	ug/L	21 <sup>1</sup>	10	10	10	340	680	100	680	<b>354</b>	<b>481</b>	<b>577</b>	<b>349</b>	<b>170</b>	<b>170</b>	<b>187</b>	<b>171</b>	<b>8</b>	<b>8</b>	<b>11</b>	<b>9</b>
Barium	ug/L	2,000	2,000	2,000	1,200	3,400	6,800	NC	NC	<b>40</b>	<b>42</b>	<b>49</b>	<b>44</b>	<b>100</b>	<b>102</b>	<b>138</b>	<b>134</b>	--	--	--	--
Beryllium	ug/L	4	4.0	4.0	33	300	600	NC	NC	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	--	--	--	--
Cadmium	ug/L	5	5.0	5.0	2.5	12	24	NC	NC	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	--	--	--	--
Chromium	ug/L	100	100	100	11	16	32	NC	NC	< 1	< 1	<b>1</b>	< 1	< 1	< 1	< 1	< 1	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>
Cobalt	ug/L	15	40	100	100	370	740	NC	NC	< 6	< 6	< 6	< 6	< 6	< 6	< 6	< 6	--	--	--	--
Fluoride	ug/L	4,000	NC	NC	NC	9,800	20,000	NC	NC	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	< 1,000	--	--	--	--
Lead	ug/L	15	4.0	4.0	14	250	500	NC	NC	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	--	--	--	--
Lithium	ug/L	180	170	350	440	910	1,800	NC	NC	<b>15</b>	<b>19</b>	<b>20</b>	<b>21</b>	<b>28</b>	<b>35</b>	<b>34</b>	<b>35</b>	<b>84</b>	<b>83</b>	<b>79</b>	<b>83</b>
Mercury	ug/L	2	2.0	2.0	0.20 <sup>#</sup>	1.4	2.8	NC	NC	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	--	--	--	--
Molybdenum	ug/L	100	73	210	120	29,000	58,000	NC	NC	<b>26</b>	<b>28</b>	<b>30</b>	<b>21</b>	<b>10</b>	<b>9</b>	<b>20</b>	<b>12</b>	< 5	< 5	< 5	< 5
Radium-226/228	pci/L	5	NC	NC	NC	NC	NC	NC	NC	--	<b>1.03</b>	--	<b>0.799</b>	--	<b>2.97</b>	--	--	--	--	--	--
Selenium	ug/L	50	50	50	5.0	62	120	55	120	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>3</b>
Thallium	ug/L	2	2.0	2.0	2.0	47	94	NC	NC	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	--	--	--	--
<b>MI Part 115 Parameters</b>																					
Iron	ug/L	NA	300 <sup>E</sup>	300 <sup>E</sup>	500,000 <sup>EE</sup>	NC	NC	NC	NC	<b>157</b>	<b>103</b>	<b>225</b>	<b>130</b>	<b>2,690</b>	<b>2,440</b>	<b>3,630</b>	<b>3,640</b>	<b>136</b>	<b>227</b>	<b>253</b>	<b>244</b>
Copper	ug/L	NA	1,000 <sup>E</sup>	1,000 <sup>E</sup>	20	33	66	NC	NC	< 1	< 1	< 1	< 1	< 1	< 1	< 1	<b>1</b>	--	--	--	--
Nickel	ug/L	NA	100	100	120	1,000	2,100	NC	NC	< 2	< 2	< 2	< 2	<b>2</b>	<b>3</b>	<b>4</b>	<b>4</b>	--	--	--	--
Silver	ug/L	NA	34	98	0.2	0.54	1.1	NC	NC	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	--	--	--	--
Vanadium	ug/L	NA	4.5	62	27	79	160	NC	NC	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	<b>2</b>	< 2
Zinc	ug/L	NA	2,400	5,000 <sup>E</sup>	260	260	520	NC	NC	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	--	--	--	--

**Notes:**  
 ug/L - micrograms per liter; mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 NA - not applicable.  
 NC - no criteria.  
 -- - not analyzed.  
 \* - GWPS (Groundwater Protection Standard) is the higher of the Maximum Contaminant Level (MCL)/Regional Screening Level from 83 FR 36435 (RSL) and Upper Tolerance Limit (UTL) as established in TRC's Technical Memorandum dated October 15, 2018.  
 \*\* - Michigan Part 201 Generic Drinking Water Cleanup Criteria, December 21, 2020.  
 ^ - Michigan Part 201 Groundwater Surface Water Interface (GSI) Criteria. Hardness-dependent criteria calculated using hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018) per footnote {G} of Michigan Part 201 criteria tables. Chromium GSI criterion based on hexavalent chromium per footnote {H}. GSI criterion is protective for surface water used as a drinking water source as described in footnote {X}. GSI criterion for chloride is 50 mg/L when the discharge is to the Great Lakes or connecting waters per footnote {FF}.  
 \*\*\* - Aquatic Maximum (AMV) and Final Acute Values (FAV) are taken from EGLE Rule 323.1057 Part 4 - Water Quality Standards (Rule 57), March 15, 2018. Hardness-dependent criteria calculated using site-specific hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018). Chromium AMV & FAV criteria are based on hexavalent chromium.  
 ^^ - Mixing Zone (MZ) GSI Criteria from Michigan Department of Environmental Quality (MDEQ) approval letter dated December 23, 2015.  
 # - If detected above 0.20 ug/L, further evaluation of low-level mercury may be necessary to evaluate the GSI pathway per Michigan Part 201 and EGLE policy and procedure 09-014 dated June 20, 2012.  
 E - Criterion is the aesthetic drinking water value per footnote {E}.  
 EE - Criterion is based on the total dissolved solids GSI value per footnote {EE}.  
**BOLD** font denotes concentrations detected above laboratory reporting limits.  
**Result** Indicates an exceedance of one or more applicable health-based drinking water and GSI criteria.  
**Result** Indicates an exceedance of acute-based GSI criteria.  
 All metals were analyzed as total unless otherwise specified.  
 1 - Constituent triggered an Assessment of Corrective Measures for the Karn Bottom Ash Pond as described in TRC's letter report dated January 14, 2019.

**Table 1**  
 Summary of Groundwater Sampling Results (Analytical): July 2021 - May 2022  
 DE Karn Nature and Extent Monitoring Wells  
 Essexville, Michigan

Constituent	Unit	GWPS*	MI Residential**	MI Non-Residential**	MI GSI^	MI AMV***	MI FAV***	Chronic MZ^^	Acute MZ^^	Sample Location:				Sample Date:							
										MW-03				MW-06				MW-08			
										7/27/2021	10/4/2021	2/28/2022	5/2/2022	7/27/2021	10/4/2021	2/28/2022	5/2/2022	7/27/2021	10/4/2021	2/28/2022	5/2/2022
<b>Appendix III</b>																					
Boron	ug/L	NA	500	500	4,000	34,000	69,000	44,000	69,000	<b>8,770</b>	<b>9,150</b>	<b>9,120</b>	<b>8,580</b>	<b>1,050</b>	<b>998</b>	<b>745</b>	<b>1,020</b>	<b>4,130</b>	<b>4,700</b>	<b>4,850</b>	<b>4,450</b>
Calcium	mg/L	NA	NC	NC	500 <sup>EE</sup>	NC	NC	NC	NC	<b>114</b>	<b>133</b>	<b>131</b>	<b>124</b>	<b>106</b>	<b>103</b>	<b>110</b>	<b>158</b>	<b>191</b>	<b>186</b>	<b>177</b>	<b>160</b>
Chloride	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	50	320,000	640,000	NC	NC	<b>74.2</b>	<b>72.0</b>	<b>75.5</b>	<b>85.3</b>	<b>22.1</b>	<b>17.9</b>	<b>7.73</b>	<b>13.3</b>	<b>54.4</b>	<b>53.6</b>	<b>53.8</b>	<b>51.4</b>
Fluoride	ug/L	4,000	NC	NC	NC	9,800	20,000	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Sulfate	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	500 <sup>EE</sup>	600,000	1,200,000	NC	NC	< 1	<b>2.24</b>	< 1	< 1	<b>105</b>	<b>86.7</b>	<b>80.3</b>	<b>190</b>	<b>333</b>	<b>270</b>	<b>274</b>	<b>241</b>
Total Dissolved Solids	mg/L	NA	500 <sup>E</sup>	500 <sup>E</sup>	500	NC	NC	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
pH, Field	su	NA	6.5 - 8.5 <sup>E</sup>	6.5 - 8.5 <sup>E</sup>	6.5 - 9.0	NC	NC	NC	NC	<b>7.9</b>	<b>7.8</b>	<b>8.2</b>	<b>7.6</b>	<b>7.3</b>	<b>7.3</b>	<b>7.1</b>	<b>7.0</b>	<b>7.1</b>	<b>7.1</b>	<b>7.0</b>	<b>7.1</b>
<b>Appendix IV</b>																					
Antimony	ug/L	6	6.0	6.0	2.0	1,100	2,300	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Arsenic	ug/L	21 <sup>1</sup>	10	10	10	340	680	100	680	<b>3</b>	<b>4</b>	<b>3</b>	<b>4</b>	<b>186</b>	<b>207</b>	<b>124</b>	<b>111</b>	<b>84</b>	<b>104</b>	<b>97</b>	<b>100</b>
Barium	ug/L	2,000	2,000	2,000	1,200	3,400	6,800	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Beryllium	ug/L	4	4.0	4.0	33	300	600	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Cadmium	ug/L	5	5.0	5.0	2.5	12	24	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Chromium	ug/L	100	100	100	11	16	32	NC	NC	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	< 1
Cobalt	ug/L	15	40	100	100	370	740	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Fluoride	ug/L	4,000	NC	NC	NC	9,800	20,000	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Lead	ug/L	15	4.0	4.0	14	250	500	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Lithium	ug/L	180	170	350	440	910	1,800	NC	NC	<b>92</b>	<b>96</b>	<b>89</b>	<b>92</b>	<b>49</b>	<b>49</b>	<b>34</b>	<b>52</b>	<b>113</b>	<b>109</b>	<b>98</b>	<b>111</b>
Mercury	ug/L	2	2.0	2.0	0.20 <sup>#</sup>	1.4	2.8	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	ug/L	100	73	210	120	29,000	58,000	NC	NC	< 5	< 5	< 5	< 5	<b>10</b>	<b>11</b>	< 5	< 5	<b>32</b>	<b>31</b>	<b>32</b>	<b>21</b>
Radium-226/228	pci/L	5	NC	NC	NC	NC	NC	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Selenium	ug/L	50	50	50	5.0	62	120	55	120	<b>3</b>	<b>4</b>	<b>2</b>	<b>3</b>	< 1	< 1	< 1	<b>1</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>2</b>
Thallium	ug/L	2	2.0	2.0	2.0	47	94	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
<b>MI Part 115 Parameters</b>																					
Iron	ug/L	NA	300 <sup>E</sup>	300 <sup>E</sup>	500,000 <sup>EE</sup>	NC	NC	NC	NC	<b>149</b>	<b>222</b>	<b>141</b>	<b>386</b>	<b>1,560</b>	<b>1,490</b>	<b>1,630</b>	<b>2,670</b>	<b>9,150</b>	<b>9,650</b>	<b>9,150</b>	<b>8,550</b>
Copper	ug/L	NA	1,000 <sup>E</sup>	1,000 <sup>E</sup>	20	33	66	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Nickel	ug/L	NA	100	100	120	1,000	2,100	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Silver	ug/L	NA	34	98	0.2	0.54	1.1	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Vanadium	ug/L	NA	4.5	62	27	79	160	NC	NC	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
Zinc	ug/L	NA	2,400	5,000 <sup>E</sup>	260	260	520	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--

**Notes:**  
 ug/L - micrograms per liter; mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 NA - not applicable.  
 NC - no criteria.  
 -- - not analyzed.  
 \* - GWPS (Groundwater Protection Standard) is the higher of the Maximum Contaminant Level (MCL)/Regional Screening Level from 83 FR 36435 (RSL) and Upper Tolerance Limit (UTL) as established in TRC's Technical Memorandum dated October 15, 2018.  
 \*\* - Michigan Part 201 Generic Drinking Water Cleanup Criteria, December 21, 2020.  
 ^ - Michigan Part 201 Groundwater Surface Water Interface (GSI) Criteria. Hardness-dependent criteria calculated using hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018) per footnote {G} of Michigan Part 201 criteria tables. Chromium GSI criterion based on hexavalent chromium per footnote {H}. GSI criterion is protective for surface water used as a drinking water source as described in footnote {X}. GSI criterion for chloride is 50 mg/L when the discharge is to the Great Lakes or connecting waters per footnote {FF}.  
 \*\*\* - Aquatic Maximum (AMV) and Final Acute Values (FAV) are taken from EGLE Rule 323.1057 Part 4 - Water Quality Standards (Rule 57), March 15, 2018. Hardness-dependent criteria calculated using site-specific hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018). Chromium AMV & FAV criteria are based on hexavalent chromium.  
 ^^ - Mixing Zone (MZ) GSI Criteria from Michigan Department of Environmental Quality (MDEQ) approval letter dated December 23, 2015.  
 # - If detected above 0.20 ug/L, further evaluation of low-level mercury may be necessary to evaluate the GSI pathway per Michigan Part 201 and EGLE policy and procedure 09-014 dated June 20, 2012.  
 E - Criterion is the aesthetic drinking water value per footnote {E}.  
 EE - Criterion is based on the total dissolved solids GSI value per footnote {EE}.  
**BOLD font denotes concentrations detected above laboratory reporting limits.**  
**Result** Indicates an exceedance of one or more applicable health-based drinking water and GSI criteria.  
**Result** Indicates an exceedance of acute-based GSI criteria.  
 All metals were analyzed as total unless otherwise specified.  
 1 - Constituent triggered an Assessment of Corrective Measures for the Karn Bottom Ash Pond as described in TRC's letter report dated January 14, 2019.

**Table 1**  
 Summary of Groundwater Sampling Results (Analytical): July 2021 - May 2022  
 DE Karn Nature and Extent Monitoring Wells  
 Essexville, Michigan

Constituent	Unit	GWPS*	MI Residential**	MI Non-Residential**	MI GSI^	MI AMV***	MI FAV***	Chronic MZ^^	Acute MZ^^	Sample Location:				Sample Date:							
										MW-10		MW-12		MW-14							
										7/27/2021	10/4/2021	2/28/2022	5/2/2022	7/27/2021	10/4/2021	2/28/2022	5/2/2022	7/27/2021	10/6/2021	2/28/2022	5/2/2022
<b>Appendix III</b>																					
Boron	ug/L	NA	500	500	4,000	34,000	69,000	44,000	69,000	<b>5,210</b>	<b>5,130</b>	<b>4,680</b>	<b>5,550</b>	<b>3,030</b>	<b>3,710</b>	<b>3,850</b>	<b>3,870</b>	<b>1,300</b>	<b>2,640</b>	<b>2,760</b>	<b>2,980</b>
Calcium	mg/L	NA	NC	NC	500 <sup>EE</sup>	NC	NC	NC	NC	<b>159</b>	<b>173</b>	<b>181</b>	<b>180</b>	<b>179</b>	<b>198</b>	<b>178</b>	<b>201</b>	<b>366</b>	<b>254</b>	<b>221</b>	<b>191</b>
Chloride	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	50	320,000	640,000	NC	NC	<b>69.4</b>	<b>78.6</b>	<b>62.6</b>	<b>62.4</b>	<b>65.9</b>	<b>58.2</b>	<b>71.5</b>	<b>59.2</b>	<b>29</b>	<b>56.7</b>	<b>77.1</b>	<b>63.7</b>
Fluoride	ug/L	4,000	NC	NC	NC	9,800	20,000	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Sulfate	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	500 <sup>EE</sup>	600,000	1,200,000	NC	NC	<b>54.9</b>	<b>91.2</b>	<b>119</b>	<b>77.2</b>	<b>201</b>	<b>252</b>	<b>239</b>	<b>240</b>	<b>1,220</b>	<b>549</b>	<b>390</b>	<b>256</b>
Total Dissolved Solids	mg/L	NA	500 <sup>E</sup>	500 <sup>E</sup>	500	NC	NC	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
pH, Field	su	NA	6.5 - 8.5 <sup>E</sup>	6.5 - 8.5 <sup>E</sup>	6.5 - 9.0	NC	NC	NC	NC	<b>7.3</b>	<b>7.2</b>	<b>7.2</b>	<b>7.2</b>	<b>7.3</b>	<b>7.1</b>	<b>7.2</b>	<b>7.2</b>	<b>7.0</b>	<b>6.9</b>	<b>7.1</b>	<b>7.1</b>
<b>Appendix IV</b>																					
Antimony	ug/L	6	6.0	6.0	2.0	1,100	2,300	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Arsenic	ug/L	21 <sup>1</sup>	10	10	10	340	680	100	680	<b>589</b>	<b>1,040</b>	<b>616</b>	<b>621</b>	<b>384</b>	<b>403</b>	<b>537</b>	<b>389</b>	<b>47</b>	<b>197</b>	<b>358</b>	<b>352</b>
Barium	ug/L	2,000	2,000	2,000	1,200	3,400	6,800	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Beryllium	ug/L	4	4.0	4.0	33	300	600	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Cadmium	ug/L	5	5.0	5.0	2.5	12	24	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Chromium	ug/L	100	100	100	11	16	32	NC	NC	< 1	<b>1</b>	<b>1</b>	< 1	< 1	< 1	< 1	< 1	< 1	<b>1</b>	<b>1</b>	<b>1</b>
Cobalt	ug/L	15	40	100	100	370	740	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Fluoride	ug/L	4,000	NC	NC	NC	9,800	20,000	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Lead	ug/L	15	4.0	4.0	14	250	500	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Lithium	ug/L	180	170	350	440	910	1,800	NC	NC	<b>136</b>	<b>135</b>	<b>123</b>	<b>137</b>	<b>111</b>	<b>111</b>	<b>105</b>	<b>110</b>	<b>109</b>	<b>102</b>	<b>90</b>	<b>86</b>
Mercury	ug/L	2	2.0	2.0	0.20 <sup>#</sup>	1.4	2.8	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	ug/L	100	73	210	120	29,000	58,000	NC	NC	< 5	< 5	<b>12</b>	<b>5</b>	<b>7</b>	<b>15</b>	<b>7</b>	<b>10</b>	<b>19</b>	<b>7</b>	<b>27</b>	<b>13</b>
Radium-226/228	pci/L	5	NC	NC	NC	NC	NC	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Selenium	ug/L	50	50	50	5.0	62	120	55	120	< 1	<b>5</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>4</b>	<b>4</b>	<b>5</b>	<b>8</b>	<b>7</b>	<b>10</b>	<b>10</b>
Thallium	ug/L	2	2.0	2.0	2.0	47	94	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
<b>MI Part 115 Parameters</b>																					
Iron	ug/L	NA	300 <sup>E</sup>	300 <sup>E</sup>	500,000 <sup>EE</sup>	NC	NC	NC	NC	<b>2,780</b>	<b>5,990</b>	<b>5,120</b>	<b>5,150</b>	<b>2,900</b>	<b>2,520</b>	<b>2,380</b>	<b>3,140</b>	<b>245</b>	<b>1,630</b>	<b>3,270</b>	<b>2,770</b>
Copper	ug/L	NA	1,000 <sup>E</sup>	1,000 <sup>E</sup>	20	33	66	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Nickel	ug/L	NA	100	100	120	1,000	2,100	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Silver	ug/L	NA	34	98	0.2	0.54	1.1	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Vanadium	ug/L	NA	4.5	62	27	79	160	NC	NC	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
Zinc	ug/L	NA	2,400	5,000 <sup>E</sup>	260	260	520	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--

**Notes:**  
 ug/L - micrograms per liter; mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 NA - not applicable.  
 NC - no criteria.  
 -- - not analyzed.  
 \* - GWPS (Groundwater Protection Standard) is the higher of the Maximum Contaminant Level (MCL)/Regional Screening Level from 83 FR 36435 (RSL) and Upper Tolerance Limit (UTL) as established in TRC's Technical Memorandum dated October 15, 2018.  
 \*\* - Michigan Part 201 Generic Drinking Water Cleanup Criteria, December 21, 2020.  
 ^ - Michigan Part 201 Groundwater Surface Water Interface (GSI) Criteria. Hardness-dependent criteria calculated using hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018) per footnote {G} of Michigan Part 201 criteria tables. Chromium GSI criterion based on hexavalent chromium per footnote {H}. GSI criterion is protective for surface water used as a drinking water source as described in footnote {X}. GSI criterion for chloride is 50 mg/L when the discharge is to the Great Lakes or connecting waters per footnote {FF}.  
 \*\*\* - Aquatic Maximum (AMV) and Final Acute Values (FAV) are taken from EGLE Rule 323.1057 Part 4 - Water Quality Standards (Rule 57), March 15, 2018. Hardness-dependent criteria calculated using site-specific hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018). Chromium AMV & FAV criteria are based on hexavalent chromium.  
 ^^ - Mixing Zone (MZ) GSI Criteria from Michigan Department of Environmental Quality (MDEQ) approval letter dated December 23, 2015.  
 # - If detected above 0.20 ug/L, further evaluation of low-level mercury may be necessary to evaluate the GSI pathway per Michigan Part 201 and EGLE policy and procedure 09-014 dated June 20, 2012.  
 E - Criterion is the aesthetic drinking water value per footnote {E}.  
 EE - Criterion is based on the total dissolved solids GSI value per footnote {EE}.

**BOLD** font denotes concentrations detected above laboratory reporting limits.  

<b>Result</b>	Indicates an exceedance of one or more applicable health-based drinking water and GSI criteria.
<b>Result</b>	Indicates an exceedance of acute-based GSI criteria.

 All metals were analyzed as total unless otherwise specified.  
 1 - Constituent triggered an Assessment of Corrective Measures for the Karn Bottom Ash Pond as described in TRC's letter report dated January 14, 2019.

**Table 1**  
 Summary of Groundwater Sampling Results (Analytical): July 2021 - May 2022  
 DE Karn Nature and Extent Monitoring Wells  
 Essexville, Michigan

Constituent	Unit	GWPS*	MI Residential**	MI Non-Residential**	MI GSI^	MI AMV***	MI FAV***	Chronic MZ^^	Acute MZ^^	Sample Location:				Sample Date:							
										MW-16		MW-22		MW-23							
										7/27/2021	10/6/2021	2/28/2022	5/2/2022	7/28/2021	10/6/2021	3/1/2022	5/3/2022	7/28/2021	10/6/2021	3/1/2022	5/3/2022
<b>Appendix III</b>																					
Boron	ug/L	NA	500	500	4,000	34,000	69,000	44,000	69,000	891	1,310	1,110	1,120	6,900	6,800	6,590	7,450	6,620	7,030	6,700	6,840
Calcium	mg/L	NA	NC	NC	500 <sup>EE</sup>	NC	NC	NC	NC	243	304	381	378	69.7	77.6	87.8	75.4	147	150	150	154
Chloride	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	50	320,000	640,000	NC	NC	53.5	83.6	122	105	91.2	95.8	100	96.6	56.6	57.4	57.8	57.6
Fluoride	ug/L	4,000	NC	NC	NC	9,800	20,000	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Sulfate	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	500 <sup>EE</sup>	600,000	1,200,000	NC	NC	607	968	1,360	1,240	169	172	195	176	208	199	271	269
Total Dissolved Solids	mg/L	NA	500 <sup>E</sup>	500 <sup>E</sup>	500	NC	NC	NC	NC	--	--	--	--	--	--	565	535	--	--	948	898
pH, Field	su	NA	6.5 - 8.5 <sup>E</sup>	6.5 - 8.5 <sup>E</sup>	6.5 - 9.0	NC	NC	NC	NC	7.3	7.1	7.2	7.2	7.5	6.6	6.4	7.2	6.8	6.9	7.0	6.9
<b>Appendix IV</b>																					
Antimony	ug/L	6	6.0	6.0	2.0	1,100	2,300	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Arsenic	ug/L	21 <sup>1</sup>	10	10	10	340	680	100	680	1	2	3	2	385	552	656	574	29	64	32	92
Barium	ug/L	2,000	2,000	2,000	1,200	3,400	6,800	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Beryllium	ug/L	4	4.0	4.0	33	300	600	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Cadmium	ug/L	5	5.0	5.0	2.5	12	24	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Chromium	ug/L	100	100	100	11	16	32	NC	NC	< 1	1	1	< 1	< 1	< 1	2	< 1	< 1	3	2	11
Cobalt	ug/L	15	40	100	100	370	740	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Fluoride	ug/L	4,000	NC	NC	NC	9,800	20,000	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Lead	ug/L	15	4.0	4.0	14	250	500	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Lithium	ug/L	180	170	350	440	910	1,800	NC	NC	81	117	115	127	134	129	106	133	125	129	94	112
Mercury	ug/L	2	2.0	2.0	0.20 <sup>#</sup>	1.4	2.8	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	ug/L	100	73	210	120	29,000	58,000	NC	NC	20	32	18	20	1,070	1,110	1,380	1,180	49	57	45	53
Radium-226/228	pci/L	5	NC	NC	NC	NC	NC	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Selenium	ug/L	50	50	50	5.0	62	120	55	120	4	3	6	7	2	2	4	3	2	4	3	5
Thallium	ug/L	2	2.0	2.0	2.0	47	94	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
<b>MI Part 115 Parameters</b>																					
Iron	ug/L	NA	300 <sup>E</sup>	300 <sup>E</sup>	500,000 <sup>EE</sup>	NC	NC	NC	NC	302	331	209	268	< 20	162	746	263	20,700	30,600	31,800	48,500
Copper	ug/L	NA	1,000 <sup>E</sup>	1,000 <sup>E</sup>	20	33	66	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Nickel	ug/L	NA	100	100	120	1,000	2,100	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Silver	ug/L	NA	34	98	0.2	0.54	1.1	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--
Vanadium	ug/L	NA	4.5	62	27	79	160	NC	NC	< 2	< 2	< 2	< 2	< 2	3	8	3	< 2	9	4	33
Zinc	ug/L	NA	2,400	5,000 <sup>E</sup>	260	260	520	NC	NC	--	--	--	--	--	--	--	--	--	--	--	--

**Notes:**  
 ug/L - micrograms per liter; mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 NA - not applicable.  
 NC - no criteria.  
 -- - not analyzed.  
 \* - GWPS (Groundwater Protection Standard) is the higher of the Maximum Contaminant Level (MCL)/Regional Screening Level from 83 FR 36435 (RSL) and Upper Tolerance Limit (UTL) as established in TRC's Technical Memorandum dated October 15, 2018.  
 \*\* - Michigan Part 201 Generic Drinking Water Cleanup Criteria, December 21, 2020.  
 ^ - Michigan Part 201 Groundwater Surface Water Interface (GSI) Criteria. Hardness-dependent criteria calculated using hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018) per footnote {G} of Michigan Part 201 criteria tables. Chromium GSI criterion based on hexavalent chromium per footnote {H}. GSI criterion is protective for surface water used as a drinking water source as described in footnote {X}. GSI criterion for chloride is 50 mg/L when the discharge is to the Great Lakes or connecting waters per footnote {FF}.  
 \*\*\* - Aquatic Maximum (AMV) and Final Acute Values (FAV) are taken from EGLE Rule 323.1057 Part 4 - Water Quality Standards (Rule 57), March 15, 2018. Hardness-dependent criteria calculated using site-specific hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018). Chromium AMV & FAV criteria are based on hexavalent chromium.  
 ^^ - Mixing Zone (MZ) GSI Criteria from Michigan Department of Environmental Quality (MDEQ) approval letter dated December 23, 2015.  
 # - If detected above 0.20 ug/L, further evaluation of low-level mercury may be necessary to evaluate the GSI pathway per Michigan Part 201 and EGLE policy and procedure 09-014 dated June 20, 2012.  
 E - Criterion is the aesthetic drinking water value per footnote {E}.  
 EE - Criterion is based on the total dissolved solids GSI value per footnote {EE}.

**BOLD font denotes concentrations detected above laboratory reporting limits.**  

<b>Result</b>	Indicates an exceedance of one or more applicable health-based drinking water and GSI criteria.
<b>Result</b>	Indicates an exceedance of acute-based GSI criteria.

 All metals were analyzed as total unless otherwise specified.  
 1 - Constituent triggered an Assessment of Corrective Measures for the Karn Bottom Ash Pond as described in TRC's letter report dated January 14, 2019.

**Table 1**  
 Summary of Groundwater Sampling Results (Analytical): July 2021 - May 2022  
 DE Karn Nature and Extent Monitoring Wells  
 Essexville, Michigan

Constituent	Unit	GWPS*	MI Residential**	MI Non-Residential**	MI GSI^	MI AMV***	MI FAV***	Chronic MZ^^	Acute MZ^^	Sample Location:				Sample Date:								
										OW-10		OW-11		OW-12		7/27/2021	10/7/2021	2/28/2022	5/3/2022	7/27/2021	10/7/2021	3/1/2022
<b>Appendix III</b>																						
Boron	ug/L	NA	500	500	4,000	34,000	69,000	44,000	69,000	<b>872</b>	<b>1,400</b>	<b>955</b>	<b>1,180</b>	<b>3,190</b>	<b>3,580</b>	<b>3,310</b>	<b>3,370</b>	<b>721</b>	<b>1,060</b>	<b>914</b>	<b>917</b>	
Calcium	mg/L	NA	NC	NC	500 <sup>EE</sup>	NC	NC	NC	NC	<b>127</b>	<b>140</b>	<b>90.7</b>	<b>98.3</b>	<b>9.32</b>	<b>9.44</b>	<b>7.97</b>	<b>8.26</b>	<b>62.4</b>	<b>91.8</b>	<b>72.5</b>	<b>90.3</b>	
Chloride	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	50	320,000	640,000	NC	NC	<b>86.2</b>	<b>87.5</b>	<b>51.7</b>	<b>68.7</b>	<b>63.9</b>	<b>64.6</b>	<b>61.7</b>	<b>61.3</b>	<b>57.6</b>	<b>56.1</b>	<b>57.8</b>	<b>64.9</b>	
Fluoride	ug/L	4,000	NC	NC	NC	9,800	20,000	NC	NC	< 1,000	< 1,000	< 1,000	< 1,000	<b>2,610</b>	<b>3,310</b>	<b>3,250</b>	<b>2,790</b>	< 1,000	< 1,000	< 1,000	< 1,000	
Sulfate	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	500 <sup>EE</sup>	600,000	1,200,000	NC	NC	<b>122</b>	<b>70.2</b>	<b>3.51</b>	<b>2.32</b>	<b>25.8</b>	<b>23.9</b>	<b>22</b>	<b>20.7</b>	<b>118</b>	<b>173</b>	<b>150</b>	<b>206</b>	
Total Dissolved Solids	mg/L	NA	500 <sup>E</sup>	500 <sup>E</sup>	500	NC	NC	NC	NC	<b>626</b>	<b>668</b>	<b>448</b>	<b>545</b>	<b>205</b>	<b>227</b>	<b>219</b>	<b>229</b>	<b>443</b>	<b>585</b>	<b>533</b>	<b>663</b>	
pH, Field	su	NA	6.5 - 8.5 <sup>E</sup>	6.5 - 8.5 <sup>E</sup>	6.5 - 9.0	NC	NC	NC	NC	<b>7.0</b>	<b>7.0</b>	<b>7.3</b>	<b>7.1</b>	<b>9.4</b>	<b>9.5</b>	<b>9.5</b>	<b>9.5</b>	<b>7.1</b>	<b>7.2</b>	<b>7.3</b>	<b>7.1</b>	
<b>Appendix IV</b>																						
Antimony	ug/L	6	6.0	6.0	2.0	1,100	2,300	NC	NC	< 1	< 1	< 1	< 1	<b>3</b>	<b>3</b>	<b>4</b>	<b>2</b>	< 1	< 1	< 1	< 1	
Arsenic	ug/L	21 <sup>1</sup>	10	10	10	340	680	100	680	<b>4</b>	<b>4</b>	<b>6</b>	<b>2</b>	<b>497</b>	<b>738</b>	<b>783</b>	<b>671</b>	<b>86</b>	<b>105</b>	<b>120</b>	<b>93</b>	
Barium	ug/L	2,000	2,000	2,000	1,200	3,400	6,800	NC	NC	<b>169</b>	<b>167</b>	<b>157</b>	<b>136</b>	<b>33</b>	<b>25</b>	<b>30</b>	<b>27</b>	<b>56</b>	<b>81</b>	<b>87</b>	<b>98</b>	
Beryllium	ug/L	4	4.0	4.0	33	300	600	NC	NC	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
Cadmium	ug/L	5	5.0	5.0	2.5	12	24	NC	NC	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	<b>0.3</b>	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Chromium	ug/L	100	100	100	11	16	32	NC	NC	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	< 1	<b>3</b>	< 1	< 1	< 1	< 1	< 1	< 1	
Cobalt	ug/L	15	40	100	100	370	740	NC	NC	< 6	< 6	< 6	< 6	< 6	< 6	< 6	< 6	< 6	< 6	< 6	< 6	
Fluoride	ug/L	4,000	NC	NC	NC	9,800	20,000	NC	NC	< 1,000	< 1,000	< 1,000	< 1,000	<b>2,610</b>	<b>3,310</b>	<b>3,250</b>	<b>2,790</b>	< 1,000	< 1,000	< 1,000	< 1,000	
Lead	ug/L	15	4.0	4.0	14	250	500	NC	NC	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
Lithium	ug/L	180	170	350	440	910	1,800	NC	NC	<b>23</b>	<b>38</b>	<b>19</b>	<b>30</b>	< 10	< 10	< 10	< 10	< 10	<b>20</b>	<b>32</b>	<b>33</b>	<b>35</b>
Mercury	ug/L	2	2.0	2.0	0.20 <sup>#</sup>	1.4	2.8	NC	NC	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
Molybdenum	ug/L	100	73	210	120	29,000	58,000	NC	NC	<b>9</b>	< 5	< 5	< 5	<b>253</b>	<b>236</b>	<b>231</b>	<b>197</b>	<b>16</b>	<b>17</b>	<b>17</b>	<b>14</b>	
Radium-226/228	pci/L	5	NC	NC	NC	NC	NC	NC	NC	--	<b>1.77</b>	--	< 0.632	--	<b>1.41</b>	--	< 0.525	--	<b>2.08</b>	--	<b>0.620</b>	
Selenium	ug/L	50	50	50	5.0	62	120	55	120	<b>14</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>5</b>	<b>6</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>1</b>	
Thallium	ug/L	2	2.0	2.0	2.0	47	94	NC	NC	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
<b>MI Part 115 Parameters</b>																						
Iron	ug/L	NA	300 <sup>E</sup>	300 <sup>E</sup>	500,000 <sup>EE</sup>	NC	NC	NC	NC	<b>1,230</b>	<b>1,730</b>	<b>1,200</b>	<b>4,140</b>	<b>128</b>	<b>64</b>	<b>82</b>	<b>45</b>	<b>3,470</b>	<b>6,110</b>	<b>4,830</b>	<b>5,790</b>	
Copper	ug/L	NA	1,000 <sup>E</sup>	1,000 <sup>E</sup>	20	33	66	NC	NC	<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	< 1	< 1	<b>2</b>	< 1	< 1	< 1	<b>1</b>	
Nickel	ug/L	NA	100	100	120	1,000	2,100	NC	NC	<b>5</b>	<b>8</b>	<b>6</b>	<b>4</b>	<b>3</b>	<b>5</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>5</b>	<b>4</b>	<b>4</b>	
Silver	ug/L	NA	34	98	0.2	0.54	1.1	NC	NC	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Vanadium	ug/L	NA	4.5	62	27	79	160	NC	NC	<b>11</b>	<b>3</b>	<b>8</b>	<b>3</b>	<b>1,120</b>	<b>1,000</b>	<b>1,150</b>	<b>660</b>	< 2	< 2	< 2	< 2	
Zinc	ug/L	NA	2,400	5,000 <sup>E</sup>	260	260	520	NC	NC	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	

**Notes:**  
 ug/L - micrograms per liter; mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 NA - not applicable.  
 NC - no criteria.  
 -- - not analyzed.  
 \* - GWPS (Groundwater Protection Standard) is the higher of the Maximum Contaminant Level (MCL)/Regional Screening Level from 83 FR 36435 (RSL) and Upper Tolerance Limit (UTL) as established in TRC's Technical Memorandum dated October 15, 2018.  
 \*\* - Michigan Part 201 Generic Drinking Water Cleanup Criteria, December 21, 2020.  
 ^ - Michigan Part 201 Groundwater Surface Water Interface (GSI) Criteria. Hardness-dependent criteria calculated using hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018) per footnote {G} of Michigan Part 201 criteria tables. Chromium GSI criterion based on hexavalent chromium per footnote {H}. GSI criterion is protective for surface water used as a drinking water source as described in footnote {X}. GSI criterion for chloride is 50 mg/L when the discharge is to the Great Lakes or connecting waters per footnote {FF}.  
 \*\*\* - Aquatic Maximum (AMV) and Final Acute Values (FAV) are taken from EGLE Rule 323.1057 Part 4 - Water Quality Standards (Rule 57), March 15, 2018. Hardness-dependent criteria calculated using site-specific hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018). Chromium AMV & FAV criteria are based on hexavalent chromium.  
 ^^ - Mixing Zone (MZ) GSI Criteria from Michigan Department of Environmental Quality (MDEQ) approval letter dated December 23, 2015.  
 # - If detected above 0.20 ug/L, further evaluation of low-level mercury may be necessary to evaluate the GSI pathway per Michigan Part 201 and EGLE policy and procedure 09-014 dated June 20, 2012.  
 E - Criterion is the aesthetic drinking water value per footnote {E}.  
 EE - Criterion is based on the total dissolved solids GSI value per footnote {EE}.

**BOLD font denotes concentrations detected above laboratory reporting limits.**  

<b>Result</b>	Indicates an exceedance of one or more applicable health-based drinking water and GSI criteria.
<b>Result</b>	Indicates an exceedance of acute-based GSI criteria.

 All metals were analyzed as total unless otherwise specified.  
 1 - Constituent triggered an Assessment of Corrective Measures for the Karn Bottom Ash Pond as described in TRC's letter report dated January 14, 2019.

**Table 2**  
 Summary of Groundwater Sampling Results (Analytical): July 2021 - May 2022  
 DE Karn Nature and Extent GSI Monitoring Locations  
 Essexville, Michigan

Constituent	Unit	GWPS*	MI Residential**	MI Non-Residential**	MI GSI <sup>^</sup>	MI AMV***	MI FAV***	Chronic MZ <sup>^^</sup>	Acute MZ <sup>^^</sup>	Sample Location: Sample Date:				T1-3GSI				T2-3GSI				T3-3GSI			
										7/26/2021	10/5/2021	2/28/2022	5/4/2022	7/26/2021	10/5/2021	2/28/2022	5/4/2022	7/26/2021	10/5/2021	2/28/2022	5/4/2022	7/26/2021	10/5/2021	2/28/2022	5/4/2022
<b>Appendix III</b>																									
Boron	ug/L	NA	500	500	4,000	34,000	69,000	44,000	69,000	53	58	--	43	2,520	5,320	--	4,030	372	261	--	65				
Calcium	mg/L	NA	NC	NC	500 <sup>EE</sup>	NC	NC	NC	NC	52.1	52.4	--	68.5	214	262	--	212	115	82.6	--	63.5				
Chloride	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	50	320,000	640,000	NC	NC	54.2	41.4	--	45.6	3.81	66.8	--	49.2	50.5	37.3	--	46.5				
Sulfate	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	500 <sup>EE</sup>	600,000	1,200,000	NC	NC	24.8	24	--	24.2	66.8	30.3	--	121	< 1	< 1	--	25				
pH, Field	su	NA	6.5 - 8.5 <sup>E</sup>	6.5 - 8.5 <sup>E</sup>	6.5 - 9.0	NC	NC	NC	NC	7.8	8.0	--	7.6	6.8	7.0	--	6.7	7.1	6.8	--	7.2				
<b>Appendix IV</b>																									
Arsenic	ug/L	21 <sup>1</sup>	10	10	10	340	680	100 <sup>2</sup>	680	3	2	--	2	12	18	--	< 1	65	34	--	8				
Chromium	ug/L	100	100	100	11	16	32	NC	NC	< 1	< 1	--	1	3	2	--	2	3	2	--	2				
Lithium	ug/L	180	170	350	440	910	1,800	NC	NC	< 10	< 10	--	< 10	110	136	--	102	16	11	--	< 10				
Molybdenum	ug/L	100	73	210	120	29,000	58,000	NC	NC	< 5	< 5	--	< 5	< 5	< 5	--	< 5	< 5	< 5	--	< 5				
Selenium	ug/L	50	50	50	5.0	62	120	NC	NC	1	< 1	--	2	< 1	4	--	2	2	1	--	1				
<b>MI Part 115 Parameters</b>																									
Iron	ug/L	NA	300 <sup>E</sup>	300 <sup>E</sup>	500,000 <sup>EE</sup>	NC	NC	NC	NC	55	< 20	--	911	9,600	9,360	--	161	12,000	16,200	--	2,700				
Vanadium	ug/L	NA	4.5	62	27	260	520	NC	NC	< 2	< 2	--	< 2	< 2	2	--	< 2	3	< 2	--	< 2				

**Notes:**  
 ug/L - micrograms per liter; mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 NA - not applicable.  
 NC - no criteria.  
 \* - GWPS (Groundwater Protection Standard) is the higher of the Maximum Contaminant Level (MCL)/Regional Screening Level from 83 FR 36435 (RSL) and Upper Tolerance Limit (UTL) as established in TRC's Technical Memorandum dated October 15, 2018.  
 \*\* - Michigan Part 201 Generic Drinking Water Cleanup Criteria, December 21, 2020.  
 ^ - Michigan Part 201 Groundwater Surface Water Interface (GSI) Criteria. Hardness-dependent criteria calculated using hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018) per footnote {G} of Michigan Part 201 criteria tables. Chromium GSI criterion based on hexavalent chromium per footnote {H}. GSI criterion is protective for surface water used as a drinking water source as described in footnote {X}. GSI criterion for chloride is 50 mg/L when the discharge is to the Great Lakes or connecting waters per footnote {FF}.  
 \*\*\* - Aquatic Maximum (AMV) and Final Acute Values (FAV) are taken from EGLE Rule 323.1057 Part 4 - Water Quality Standards (Rule 57), March 15, 2018. Hardness-dependent criteria calculated using site-specific hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018). Chromium AMV & FAV criteria are based on hexavalent chromium.  
 ^^ - Mixing Zone (MZ) GSI Criteria from Michigan Department of Environmental Quality (MDEQ) approval letter dated December 23, 2015.  
 E - Criterion is the aesthetic drinking water value per footnote {E}.  
 EE - Criterion is based on the total dissolved solids GSI value per footnote {EE}.

**BOLD** font denotes concentrations detected above laboratory reporting limits.  

<b>Result</b>	Indicates an exceedance of one or more applicable health-based drinking water and GSI criteria.
<b>Result</b>	Indicates an exceedance of acute-based GSI criteria.

All metals were analyzed as total unless otherwise specified.  
 Transect samples were unable to be collected during the first quarter 2022 event due to site conditions.  
 1 - Constituent triggered an Assessment of Corrective Measures for the Karn Bottom Ash Pond as described in TRC's letter report dated January 14, 2019.  
 2 - Compliance demonstrated on a flux basis.

**Table 2**  
 Summary of Groundwater Sampling Results (Analytical): July 2021 - May 2022  
 DE Karn Nature and Extent GSI Monitoring Locations  
 Essexville, Michigan

Constituent	Unit	GWPS*	MI Residential**	MI Non-Residential**	MI GSI <sup>^</sup>	MI AMV***	MI FAV***	Chronic MZ <sup>^^</sup>	Acute MZ <sup>^^</sup>	Sample Location: Sample Date:				T4-3GSI				T5-3GSI				T6-3GSI			
										7/26/2021	10/5/2021	2/28/2022	5/4/2022	7/27/2021	10/5/2021	2/28/2022	5/4/2022	7/27/2021	10/5/2021	2/28/2022	5/4/2022	7/27/2021	10/5/2021	2/28/2022	5/4/2022
<b>Appendix III</b>																									
Boron	ug/L	NA	500	500	4,000	34,000	69,000	44,000	69,000	<b>305</b>	<b>248</b>	--	<b>2,300</b>	<b>2,650</b>	<b>1,400</b>	--	<b>288</b>	<b>206</b>	<b>136</b>	--	<b>187</b>				
Calcium	mg/L	NA	NC	NC	500 <sup>EE</sup>	NC	NC	NC	NC	<b>112</b>	<b>133</b>	--	<b>72.5</b>	<b>278</b>	<b>69.6</b>	--	<b>231</b>	<b>132</b>	<b>321</b>	--	<b>73.6</b>				
Chloride	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	50	320,000	640,000	NC	NC	<b>46.8</b>	<b>67.9</b>	--	<b>42.2</b>	<b>80.5</b>	<b>40.7</b>	--	<b>61</b>	<b>33.4</b>	<b>49.4</b>	--	<b>32</b>				
Sulfate	mg/L	NA	250 <sup>E</sup>	250 <sup>E</sup>	500 <sup>EE</sup>	600,000	1,200,000	NC	NC	< 1	< 1	--	<b>2.8</b>	<b>452</b>	<b>9.72</b>	--	<b>410</b>	<b>3.42</b>	<b>882</b>	--	<b>72.4</b>				
pH, Field	su	NA	6.5 - 8.5 <sup>E</sup>	6.5 - 8.5 <sup>E</sup>	6.5 - 9.0	NC	NC	NC	NC	<b>7.3</b>	<b>7.1</b>	--	<b>7.3</b>	<b>7.0</b>	<b>7.4</b>	--	<b>7.3</b>	<b>6.4</b>	<b>6.9</b>	--	<b>7.6</b>				
<b>Appendix IV</b>																									
Arsenic	ug/L	21 <sup>1</sup>	10	10	10	340	680	100 <sup>2</sup>	680	<b>128</b>	<b>141</b>	--	<b>14</b>	<b>501</b>	<b>482</b>	--	<b>352</b>	<b>4</b>	<b>2</b>	--	< 1				
Chromium	ug/L	100	100	100	11	16	32	NC	NC	<b>2</b>	<b>3</b>	--	<b>1</b>	<b>4</b>	<b>2</b>	--	<b>1</b>	<b>2</b>	<b>4</b>	--	<b>1</b>				
Lithium	ug/L	180	170	350	440	910	1,800	NC	NC	<b>23</b>	<b>25</b>	--	<b>36</b>	<b>92</b>	<b>53</b>	--	<b>49</b>	<b>25</b>	<b>16</b>	--	<b>18</b>				
Molybdenum	ug/L	100	73	210	120	29,000	58,000	NC	NC	< 5	< 5	--	< 5	< 5	< 5	--	< 5	< 5	< 5	--	<b>5</b>				
Selenium	ug/L	50	50	50	5.0	62	120	NC	NC	<b>2</b>	<b>3</b>	--	<b>2</b>	<b>3</b>	< 1	--	<b>3</b>	< 1	< 1	--	<b>2</b>				
<b>MI Part 115 Parameters</b>																									
Iron	ug/L	NA	300 <sup>E</sup>	300 <sup>E</sup>	500,000 <sup>EE</sup>	NC	NC	NC	NC	<b>17,800</b>	<b>33,700</b>	--	<b>743</b>	<b>1,390</b>	<b>157</b>	--	<b>333</b>	<b>16,900</b>	<b>1,070</b>	--	<b>156</b>				
Vanadium	ug/L	NA	4.5	62	27	260	520	NC	NC	<b>2</b>	< 2	--	< 2	<b>4</b>	< 2	--	< 2	<b>2</b>	<b>2</b>	--	< 2				

**Notes:**  
 ug/L - micrograms per liter; mg/L - milligrams per liter.  
 SU - standard units; pH is a field parameter.  
 NA - not applicable.  
 NC - no criteria.  
 \* - GWPS (Groundwater Protection Standard) is the higher of the Maximum Contaminant Level (MCL)/Regional Screening Level from 83 FR 36435 (RSL) and Upper Tolerance Limit (UTL) as established in TRC's Technical Memorandum dated October 15, 2018.  
 \*\* - Michigan Part 201 Generic Drinking Water Cleanup Criteria, December 21, 2020.  
 ^ - Michigan Part 201 Groundwater Surface Water Interface (GSI) Criteria. Hardness-dependent criteria calculated using hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018) per footnote {G} of Michigan Part 201 criteria tables. Chromium GSI criterion based on hexavalent chromium per footnote {H}. GSI criterion is protective for surface water used as a drinking water source as described in footnote {X}. GSI criterion for chloride is 50 mg/L when the discharge is to the Great Lakes or connecting waters per footnote {FF}.  
 \*\*\* - Aquatic Maximum (AMV) and Final Acute Values (FAV) are taken from EGLE Rule 323.1057 Part 4 - Water Quality Standards (Rule 57), March 15, 2018. Hardness-dependent criteria calculated using site-specific hardness of 258 mg CaCO3/L (average of SW-01 [Lake Huron] and SW-02 [Saginaw River] collected in April 2018). Chromium AMV & FAV criteria are based on hexavalent chromium.  
 ^^ - Mixing Zone (MZ) GSI Criteria from Michigan Department of Environmental Quality (MDEQ) approval letter dated December 23, 2015.  
 E - Criterion is the aesthetic drinking water value per footnote {E}.  
 EE - Criterion is based on the total dissolved solids GSI value per footnote {EE}.

**BOLD** font denotes concentrations detected above laboratory reporting limits.  


<b>Result</b>	Indicates an exceedance of one or more applicable health-based drinking water and GSI criteria.
<b>Result</b>	Indicates an exceedance of acute-based GSI criteria.

All metals were analyzed as total unless otherwise specified.  
 Transect samples were unable to be collected during the first quarter 2022 event due to site conditions.  
 1 - Constituent triggered an Assessment of Corrective Measures for the Karn Bottom Ash Pond as described in TRC's letter report dated January 14, 2019.  
 2 - Compliance demonstrated on a flux basis.



# Figures

Plot Date: 7/22/2022, 09:02:27 AM by: RSUEMMNIGHT -- LAYOUT: ANSIB(11"x17")  
 Path: S:\11-PROJECTS\Consumers Energy Company\Michigan\COR\_GW2017\_289767418426-Exceedances\NE\_ACM\_20211229.mxd  
 Coordinate System: NAD 1983 StatePlane Michigan South FIPS 2113 Feet Intl (Foot)  
 Map Rotation: 0



Constituent	GWPS
Antimony	6 ug/L
Arsenic	21 ug/L
Barium	2,000 ug/L
Beryllium	4 ug/L
Cadmium	5 ug/L
Chromium	100 ug/L
Cobalt	15 ug/L
Fluoride	4,000 ug/L
Lead	15 ug/L
Lithium	180 ug/L
Mercury	2 ug/L
Molybdenum	100 ug/L
Radium-226/228	5 pCi/L
Selenium	50 ug/L
Thallium	2 ug/L

### LEGEND

- DEK BOTTOM ASH POND MONITORING WELL
- DECOMMISSIONED MONITORING WELL
- NATURE AND EXTENT WELL
- NO EXCEEDANCES
- TWO OR MORE EXCEEDANCES (NOTES 4 + 5)
- STATISTICALLY SIGNIFICANT GWPS EXCEEDANCE (NOTE 6)
- SLURRY WALL (APPROXIMATE)
- LINED IMPOUNDMENT (COVENANT BOUNDARY)
- POREWATER SAMPLING AREA
- \* GWPS EXCEEDANCE TRIGGERED ASSESSMENT OF CORRECTIVE MEASURES PURSUANT TO §257.96

WELL ID	CONSTITUENT(S)	EXCEEDING GWPS
MW-01		
MW-03		
MW-06	Arsenic	
MW-08	Arsenic	
MW-10	Arsenic	
MW-12	Arsenic	
MW-14	Arsenic	
MW-16		
MW-22	Arsenic	
MW-23	Arsenic	
OW-10		
OW-11	Arsenic	
OW-12	Arsenic	
DEK-MW-15001		
DEK-MW-15002		
DEK-MW-15003	Arsenic *	
DEK-MW-15004	Arsenic *	
DEK-MW-15005	Arsenic *	
DEK-MW-15006	Arsenic	
DEK-MW-18001	Arsenic *	

- ### NOTES
- BASE MAP IMAGERY FROM GOOGLE EARTH PRO, 2018.
  - MONITORING WELL AND SLURRY WALL LOCATIONS PROVIDED BY CEC; SG21733SHT2 REV.B.DWG DATED 11/21/2018.
  - GWPS (GROUNDWATER PROTECTION STANDARD) IS THE HIGHER OF THE MAXIMUM CONTAMINANT LEVEL (MCL)/REGIONAL SCREENING LEVEL FROM 83 FR 36435 (RSL) AND UPPER TOLERANCE LIMIT (UTL) AS ESTABLISHED IN TRC'S TECHNICAL MEMORANDUM DATED OCTOBER 15, 2018.
  - GROUNDWATER DATA FROM JULY 2021 TO MAY 2022 ARE SCREENED AGAINST THE GWPS FOR EVALUATION PURPOSES ONLY. AN EXCEEDANCE IS DEFINED AS A SINGLE DETECTION ABOVE THE GWPS, HOWEVER, CONFIDENCE INTERVALS WILL BE USED TO DETERMINE COMPLIANCE PER THE CCR RULES.
  - AN EXCEEDANCE OF THE GWPS DOES NOT INDICATE UNACCEPTABLE RISK FROM GROUNDWATER EXPOSURE; THE DRINKING WATER PATHWAY IS NOT COMPLETE ON THE PROPERTY. GROUNDWATER CONDITIONS CONTINUE TO BE MONITORED TO INFORM THE DEK BOTTOM ASH POND REMEDY SELECTION.
  - LOWER CONFIDENCE LIMIT IS ABOVE GWPS.

0 600 1,200 Feet

1" = 600'  
1:7,200

PROJECT: **CONSUMERS ENERGY COMPANY  
DE KARN POWER PLANT  
ESSEXVILLE, MICHIGAN**

TITLE: **NATURE AND EXTENT SUMMARY  
GWPS EXCEEDANCES**


DRAWN BY: A. FOJTIK	PROJ NO.: 418425.0001
CHECKED BY: K. LOWERY	
APPROVED BY: D. LITZ	
DATE: JULY 2022	<b>FIGURE 1</b>

**TRC**

1540 Eisenhower Place  
Ann Arbor, MI 48108-3284  
Phone: 734.971.7080  
www.trccompanies.com

FILE NO.: 418426-ExceedancesNE\_ACM\_20211229.mxd

Plot Date: 7/22/2022 09:11:51 AM by RSJEMNIGHT -- LAYOUT:ANSI(B(11"x17"))  
 Path: S:\1-PROJECTS\Consumers Energy Company\Michigan\COR\_GW2017\_289767418425-ExceedancesNE\_GSI\_20211229.mxd  
 Coordinate System: NAD 1983 StatePlane Michigan South FIPS 2113 Feet Intl (Foot)  
 Map Rotation: 0  
 TRC - GIS



### LEGEND

- DEK BOTTOM ASH POND MONITORING WELL
- DECOMMISSIONED MONITORING WELL
- NATURE AND EXTENT WELL
- GSI TRANSECT LOCATION/POREWATER SAMPLE
- NO EXCEEDANCES
- EXCEEDS CHRONIC MIXING ZONE GSI CRITERION (NOTES 3 + 4)
- EXCEEDS ACUTE MIXING ZONE GSI CRITERION (FAV) (NOTES 3 + 4)
- SLURRY WALL (APPROXIMATE)
- LINED IMPOUNDMENT (COVENANT BOUNDARY)
- POREWATER SAMPLING AREA
- GROUNDWATER PROTECTION STANDARD (GWPS) EXCEEDANCE TRIGGERED ASSESSMENT OF CORRECTIVE MEASURES PURSUANT TO §257.96

WELL ID	CONSTITUENT(S)	EXCEEDING GSI

- ### NOTES
1. BASE MAP IMAGERY FROM GOOGLE EARTH PRO, 2018.
  2. MONITORING WELL AND SLURRY WALL LOCATIONS PROVIDED BY CEC; SG21733SHT2 REV.B.DWG DATED 11/21/2018.
  3. MIXING ZONE GROUNDWATER SURFACE WATER INTERFACE (GSI) CRITERIA FROM MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY (MDEQ) APPROVAL LETTER DATED DECEMBER 23, 2015.
  4. GROUNDWATER CONCENTRATION DATA FROM JULY 2021 THROUGH MAY 2022 ARE SCREENED AGAINST THE MIXING ZONE CRITERIA. AN EXCEEDANCE IS DEFINED AS TWO CONSECUTIVE DETECTIONS ABOVE CRITERIA. COMPLIANCE WITH THE CHRONIC MIXING ZONE CRITERIA CAN BE DEMONSTRATED ON A MASS FLUX BASIS.




PROJECT:		<b>CONSUMERS ENERGY COMPANY DE KARN POWER PLANT ESSEXVILLE, MICHIGAN</b>	
TITLE:		<b>ARSENIC NATURE AND EXTENT SUMMARY GSI PATHWAY COMPLIANCE</b>	
DRAWN BY:	A. FOJTIK	PROJ NO.:	418425.0002
CHECKED BY:	K. LOWERY	<b>FIGURE 2</b>	
APPROVED BY:	D. LITZ		
DATE:	JULY 2022		

1540 Eisenhower Place  
 Ann Arbor, MI 48108-3284  
 Phone: 734.971.7080  
 www.trccompanies.com

FILE NO.: 418425-ExceedancesNE\_GSI\_20211229.mxd


# **Attachment A Trend Evaluation**

### Arsenic, Total




Time Series Analysis Run 6/23/2022 4:24 PM  
Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2

### Arsenic, Total




Time Series Analysis Run 6/23/2022 4:24 PM  
Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2

### Arsenic, Total



Time Series Analysis Run 6/23/2022 4:24 PM  
Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2


### Arsenic, Total



Time Series Analysis Run 6/23/2022 4:24 PM  
Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2



### Arsenic, Total DEK-MW-15002



n = 22  
Slope = -13.1  
units per year.  
Mann-Kendall  
statistic = -177  
critical = -84  
Decreasing trend  
significant at 98%  
confidence level  
( $\alpha = 0.01$  per  
tail).

Sen's Slope Estimator Analysis Run 6/23/2022 4:27 PM  
Client: Consumers Energy Data: DEK\_HMPCCR\_Sanitas\_22Q2